




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>C12N 15/00</b>		A2	(11) International Publication Number: <b>WO 98/06836</b>
			(43) International Publication Date: 19 February 1998 (19.02.98)
(21) International Application Number: PCT/US97/14450 (22) International Filing Date: 15 August 1997 (15.08.97) (30) Priority Data: 08/699,092          16 August 1996 (16.08.96)          US (71) Applicant: GENENCOR INTERNATIONAL, INC. [US/US]; 4 Cambridge Place, 1870 South Winton Road, Rochester, NY 14618 (US). (72) Inventors: GERRITSE, Gijsbert; Kruisbespad 2, NL- Heerjansdam (NL). QUAX, Wilhelmus, J.; Jan van Galenlaan 8, NL-2253 VB Voorschoten (NL). (74) Agent: GLAISTER, Debra, J.; Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA 94304-1013 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  Published Without international search report and to be republished upon receipt of that report.	

## (54) Title: EXPRESSION SYSTEM FOR ALTERED EXPRESSION LEVELS

Regulation model for lipase in *P. alcaligenes*

## (57) Abstract

A new expression system is provided which comprises component(s) of a lipase regulation cascade. The lipase regulation cascade as disclosed herein includes a kinase, a DNA binding regulator, a polymerase, a promoter, an upstream activating sequence, and secretion factors. Plasmids and transformed cells are also provided as well as methods of transforming host cells using the plasmids. Further, there is provided a kinase that can regulate the expression of a protein, a DNA binding regulator that can regulate the expression of a protein, a *Pseudomonas alcaligenes* polymerase, a *Pseudomonas alcaligenes* sigma 54 promoter, a *Pseudomonas alcaligenes* upstream activating sequence, the *Pseudomonas alcaligenes* secretion factors XcpP, XcpQ, XcpR, XcpS, XcpT, XcpU, XcpV, XcpW, XcpX, XcpY, XcpZ and the *xcp* regulators OrfV, OrfX.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## **EXPRESSION SYSTEM FOR ALTERED EXPRESSION LEVELS**

5

### **Related Applications**

This application is a continuation-in-part application of United States Serial Number 08/699,092 filed August 16, 1996, hereby incorporated by reference in its entirety.

10

### **Field of the Invention**

The present invention relates to the discovery of the lipase regulation cascade of *Pseudomonas alcaligenes*. Specifically, the present invention provides the nucleic acid and amino acid sequences of various components of the lipase regulation cascade which may be used in expression methods and systems designed for the production of heterologous proteins.

15

### **Background of the Invention**

The isolation and identification of a microorganism that can naturally secrete a product of potential industrial production is one of, if not the most, vital steps in the process of fermentation biotechnology. The ability to secrete the protein of interest usually leads to easier downstream processing. The next critical stage is the mutagenesis of a naturally occurring strain to a hyper-producing strain. Over a number of years, scientists have developed screening strategies from which a number of exo-protein producing bacteria have been isolated. Following isolation, a large number of rounds of mutagenesis can be used to continuously select higher producing strains. However, classical strain improvement cannot be used indefinitely to further increase production levels. Therefore, a more direct method of characterization and molecular genetic manipulation is needed to achieve higher production levels.

20

25

30

Several patents and publications have claimed or described a lipase modulator gene (WO 94/02617; EP 331,376; Nakanishi et al. (1991) Lipases-Struct. Mech. Genet. Eng. GBF Monographs 16:263-266). However, later research has shown that the product of the gene, now called *lif*, is concerned with folding of the lipase rather than regulating the expression of the lipase. A review of various lipase expression systems that use the *lif* gene product can be found in Jaeger et al. (1994) FEMS Microbiol. Rev. 15:29-63.

35

Another publication discusses the sigma 54 promoter and the types of genes that have been described to be under control of this type of promoter. Morrett and Segovia (1993) J. Bacter. 175:6067-6074.

5 The search has continued for an expression system that can efficiently express a heterologous protein, particularly a lipase in *Pseudomonas*, in particular *Pseudomonas alcaligenes*. *Pseudomonas* expression of lipase is very difficult and often is at lower levels than industry would like to see.

The present invention solves the problem of low levels of expression of proteins in *Pseudomonas* as well as other microbial hosts.

10

### Summary of the Invention

The present invention relates to the discovery of a *Pseudomonas* lipase regulation cascade and provides individual components of the regulation cascade that can be used in expression systems for the production and secretion of proteins  
15 in host cells. The regulation cascade comprises, surprisingly, a two-component part that includes a kinase and a DNA binding regulator. The two components work in concert with a promoter and an upstream binding sequence to efficiently express a protein. The regulation cascade also comprises secretion factors that can be used in host cells to enhance the secretion of produced proteins.

20 The present invention provides nucleic acid and amino acid sequences for the various components of the *Pseudomonas alcaligenes* lipase regulation cascade. The present invention also provides new, efficient expression systems, i.e., expression vectors, and host cells that can be used to express proteins at increased levels. The new expression systems allow for increased expression of a protein  
25 whose gene is functionally linked to components of the expression system, i.e., components of the lipase regulation cascade. A hyper-producing strain can thus be developed and used in a commercial setting.

In one embodiment of the invention, an isolated nucleic acid encoding a kinase that can regulate the expression of a protein, preferably a lipase, is provided.  
30 The nucleic acid encoding a kinase is preferably derived from a Gram-negative bacteria such as a pseudomonad, preferably from *Pseudomonas alcaligenes* and is most preferably *lipQ*. Further, nucleic acid encoding the kinase preferably has the sequence as shown in Figures 1A-1B (SEQ ID NO: 1) and/or has at least 50% homology with that sequence. The kinase protein is also provided and it is  
35 preferably derived from a bacteria, preferably from a Gram-negative bacteria such as a pseudomonad, most preferably, the kinase is from *Pseudomonas alcaligenes*. In a preferred embodiment, the kinase is LipQ. The kinase preferably has the

sequence shown in Figures 1A-1B, (SEQ ID NO: 2) and/or has at least 50% homology with that sequence.

In another embodiment, the present invention provides a nucleic acid encoding a kinase that can regulate the expression of a lipase in *Pseudomonas alcaligenes*. In another embodiment, the present invention provides a kinase capable of regulating the expression of a lipase in *Pseudomonas alcaligenes*.

In a further embodiment of the invention, an isolated nucleic acid encoding a DNA binding regulator that can regulate the expression of a protein, preferably a lipase, is provided. The DNA binding regulator nucleic acid is preferably *lipR*.

Further, it preferably has the sequence as shown in Figures 2A-2B (SEQ ID NO: 3) and/or has at least 50% homology with that sequence. The DNA binding regulator protein is also provided and it is preferably LipR. The DNA binding regulator preferably has the sequence shown in Figures 2A-2B (SEQ ID NO: 4) and/or has at least 50% homology with that sequence. Preferably, the DNA binding regulator is from bacteria. More preferably, the DNA binding regulator is from a Gram-negative bacteria such as a pseudomonad. Most preferably, the DNA binding regulator is from *Pseudomonas alcaligenes*.

In yet a further embodiment, the present invention provides an isolated nucleic acid that encodes a DNA binding regulator that can regulate the expression of a lipase in *Pseudomonas alcaligenes*. In another embodiment, the present invention provides the DNA binding regulator itself.

In yet another embodiment of the invention, nucleic acid encoding a portion of a polymerase that can regulate the expression of a protein, preferably a lipase, is provided. The polymerase nucleic acid is preferable *orfZ*. Further, it preferably has the sequence as shown in Figure 9A-9B (SEQ ID NO: 36) and/or has at least 75% homology with that sequence. A portion of the polymerase protein is also provided and it is preferable OrfZ. The polymerase protein preferable has the sequence shown in Figure 9A-9B (SEQ ID NO: 37) and/or at least 75% homology with the sequence. Preferably, the polymerase is from Gram-negative bacteria such as pseudomonad. Most preferably, the polymerase is from *Pseudomonas alcaligenes*.

In another embodiment, the kinase, the DNA binding regulator and a portion of the polymerase are present in one nucleic acid. In another embodiment, the kinase, the DNA binding regulator and the polymerase have the nucleic acid sequence shown in Figures 4A-4G (SEQ ID NO: 28).

In another embodiment of the invention, an isolated nucleic acid encoding a *Pseudomonas alcaligenes* sigma 54 promoter is provided.

In a further embodiment of the invention, an isolated nucleic acid encoding a *Pseudomonas alcaligenes* upstream activating sequence is provided. The upstream

activating sequence is preferably UAS. Further, it preferably has the sequence as shown in SEQ ID NO: 5 and/or has at least 50% homology with that sequence. Preferably, the upstream activating sequence is from bacteria. More preferably, the upstream activating sequence is from a Gram-negative bacteria such as a pseudomonad. Most preferably, the upstream activating sequence is from *Pseudomonas alcaligenes*.

In yet another embodiment of the invention, isolated nucleic acids encoding secretion factors are provided. The secretion factors are preferably XcpP, XcpQ, OrfV, OrfX, XcpR, XcpS, XcpT, XcpU, XcpV, XcpW, XcpX, XcpY, XcpZ and another protein, OrfY, having the C-terminal amino acid sequence shown in SEQ ID NO: 35. Further, they preferably have the nucleic acid sequence as shown in SEQ ID NOS: 12, 14, 30, 16, 6, 8, 10, 18, 20, 22, 24, 26, 32 and 34, respectively, and/or have at least 90% homology with those sequence. The secretion factor proteins are also provided and preferably have the amino acid sequences shown in SEQ ID NOS: 13, 15, 31, 17, 7, 9, 11, 19, 21, 23, 25, 27, 33 and 35, respectively, and/or have at least 90% homology with that sequence. Preferably, the secretion factors are from bacteria. More preferably, the secretion factors are from a Gram-negative bacteria such as a pseudomonad. Most preferably, the secretion factors are from *Pseudomonas alcaligenes*.

In a further embodiment, the genes encoding the secretion factors XcpP, XcpQ, OrfV, OrfX, XcpR, XcpS, XcpT, XcpU, XcpV, XcpW, XcpY, XcpX and OrfY are present in one nucleic acid having the DNA sequence shown in Figures 3AA-3BB (SEQ ID NO: 29). Both *xcp* gene clusters *xcpP-Q* and *xcpR-Z* are oriented divergently with in between *OrfV* and *OrfX* as shown in Figure 8.

Another embodiment of the invention includes an isolated nucleic acid encoding a *Pseudomonas alcaligenes* lux-box binding element and *orfV*-box binding elements that can regulate expression of a protein.

Yet another embodiment provides nucleic acids that can hybridize to the nucleic acids shown in SEQ ID NOS: 1, 3, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 30, 32, 34 and 36 under high stringency conditions.

In a further embodiment, there is provided an expression system comprising a gene encoding a protein functionally linked to nucleic acids encoding a kinase, a DNA binding regulator, a polymerase, a promoter and an upstream activating sequence. The expression system can also include secretion factors, and their regulatory regions. Preferably, the regulating elements and the secretion factors are from bacteria. More preferably, the regulating elements and the secretion factors are from a Gram-negative bacteria such as a pseudomonad. Most

preferably, the regulating elements and the secretion factors are from *Pseudomonas alcaligenes*.

Another embodiment provides an expression system that can regulate the expression of a lipase in *Pseudomonas alcaligenes*.

5 In another embodiment of the invention, replicating plasmids and integrating plasmids containing the expression system or a nucleic acid encoding one or more of the secretion factors are provided.

Also provided are methods of transforming a host cell with a plasmid that contains the expression system and/or a nucleic acid encoding one or more  
10 secretion factors as well as transformed host cells containing the expression system and/or a nucleic acid encoding one or more secretion factors. A host cell is transformed by introducing the plasmid to the host cell under appropriate conditions. Preferably, the host cell is electroporated to allow the plasmid to enter the host cell. Preferably, the host cell is bacteria. More preferably, the host cell is a Gram-  
15 negative bacteria such as a pseudomonad. Most preferably, the host cell is *Pseudomonas alcaligenes*.

#### **Brief Description of the Drawings**

Figures 1A-1B show the DNA (SEQ ID NO: 1) and amino acid sequences  
20 (SEQ ID NO: 2) of LipQ from *Pseudomonas alcaligenes*.

Figures 2A-2B show the DNA (SEQ ID NO: 3) and amino acid sequences (SEQ ID NO: 4) of LipR from *Pseudomonas alcaligenes*.

Figures 3AA-3BB show the DNA sequence (SEQ ID NO: 29) of 17.612 bp from the insert on cosmid #600 containing the secretion factors XcpQ, XcpP, OrfV, OrfX, XcpR, XcpS, XcpT, XcpU, XcpV, XcpW, XcpX, XcpY, XcpZ and a part of an  
25 other protein OrfY from *Pseudomonas alcaligenes*. The predicted amino acid sequences of the open reading frames (SEQ ID NO: 13, 15, 31, 17, 7, 9, 11, 19, 21, 23, 25, 27, 33 and 35, respectively) are shown in one-letter code below the DNA sequence. Likewise, the terminator sequences are shown as two bolded convergent  
30 arrows and the binding elements for regulator, OrfV (orfV-boxes) are shown as a bolded boarded line.

Figures 4A-4G show the DNA sequence (SEQ ID NO: 28) of the overlapping 4.377 bp fragment of cosmids #71, #201, #505, #726 that includes the open reading frames of LipQ, Lip R and a part of OrfZ from *Pseudomonas alcaligenes*.  
35 The predicted amino acid sequence of the open reading frames (SEQ ID NO: 2, 4 and 37, respectively) are shown in one-letter code below the DNA sequence. Likewise, the terminator sequence is shown as two bolded convergent arrows, th

binding element for auto-inducers (*lux*-box) and the binding elements for OrfV (*orfV*-boxes) are shown as a bolded boxed line.

Figure 5 shows the effect on lipase production of cosmid #505 at 10 liter scale. A threefold higher yield of lipase after fermentation was observed.

5        Figure 6 shows production plasmid stability in production strain Ps1084 and Ps1084 + cosmid #600 as determined by neomycin resistance.

Figure 7 shows the theoretical scheme for the action of LipQ, LipR, the sigma 54 promoter and the upstream activating sequence on the DNA strand encoding LipA. The small rectangle on the DNA strand below the D-domain of LipR  
10        is the upstream activating sequence (UAS).

Figure 8 shows the orientation of the *xcp*-genes from *Pseudomonas alcaligenes* on the map of cosmid #600 as extracted from SEQ ID NO: 29.

Figure 9A-9B shows the DNA (SEQ ID NO: 36) and amino acid sequence (SEQ ID NO: 37) of OrfZ from *Pseudomonas alcaligenes*.

15        Figure 10 shows the proposed model for the regulation cascade of the lipase from *Pseudomonas alcaligenes*.

#### Detailed Description of the Invention

In order to further improve lipase expression in *Pseudomonas alcaligenes*, a  
20        pragmatic search for limiting factors was initiated. A cosmid library from the wild-type *P.alcaligenes* genome was used as a donor of DNA fragments to be introduced into a multicopy *P. alcaligenes* lipase production strain. In total, 485 cosmids were transformed, followed by screening of cosmids containing *P.alcaligenes* strains with respect to their lipase production activity. Twenty cosmid strains were selected,  
25        each of which showed a significant enhancement of lipase expression as judged from various liquid and plate tests. The corresponding cosmids were also tested in a single copy lipase strain and some of them were found to give a threefold increase of lipase expression. The four best cosmids were found to share an overlapping fragment of 5.6 kb. The lipase stimulating activity was localized on a  
30        4.5kb fragment.

The present invention relates to the identification of a *pseudomonas alcaligenes* lipase regulation cascade, which contain multiple components associated with the expression of lipase. As used herein, the term "regulation cascade" relates to the entire complex of individual components identified herein,  
35        such as kinase, dna binding regulator, polymerase, uas, lux-box, orfV-boxes, secretions factors and their regulatory regions. Components of the regulation cascade can be used alone or in combination with other components to modulate the expression of proteins in host cells. In a preferred embodiment, the host cell is



a gram-negative host. In another embodiment, the host cell is a pseudomonad. In another preferred embodiment, the host cell is *Pseudomonas alcaligenes*.

Preferred desired proteins for expression include enzymes such as esterases; hydrolases including proteases, cellulases, amylases, carbohydrases, and lipases; isomerases such as racemases, epimerases, tautomerases, or mutases; transferases, kinases and phosphatases. The proteins may be therapeutically significant, such as growth factors, cytokines, ligands, receptors and inhibitors, as well as vaccines and antibodies. The proteins may be commercially important, such as proteases, carbohydrases such as amylases and glucoamylases, cellulases, oxidases and lipases. The gene encoding the protein of interest may be a naturally occurring gene, a mutated gene or a synthetic gene.

The 4.5 kb fragment was sequenced and found to encode the LipQ, LipR and polymerase proteins (Figures 4A-4G). While not intending to be bound by theory, it is believed that these proteins are involved in the regulation of the sigma 54 promoter in front of the lipase (LipA) and lipase modulator (LipB) gene region (see Figure 7). These sigma 54 promoters characteristically have an upstream enhancer region, herein the upstream activating sequence or UAS, which is regulated by proteins. Regulation can be achieved by either a two-component system, such as NtrB-NtrC, or by a one-component system, for example NifA, in which the protein is in close association with the substrate (reviewed by Morett and Segovia, supra).

According to the present invention, expression of a protein can be regulated when a kinase and a DNA binding regulator, which are provided in trans, interact with a promoter and/or an upstream activating sequence which are functionally linked to a gene encoding the protein of interest. Preferably, the expression of the protein is increased.

A "kinase" is an enzyme that can catalyze the transfer of phosphate to either itself or another protein. The kinase of the present invention is preferably LipQ, a kinase that can regulate the expression of a lipase. A LipQ has been isolated from *Pseudomonas alcaligenes*. As such, the kinase preferably is encoded by a nucleic acid having the DNA sequence shown in Figures 1A-1B (SEQ ID NO: 1) and has the amino acid sequence shown in Figures 1A-1B (SEQ ID NO: 2). A kinase can act alone or as part of an expression system to regulate the expression of the protein. In some cases, the absence of this kinase will cause the expression of the protein to be decreased or eliminated.

A "DNA binding regulator" is a proteinaceous substance which physically interacts with DNA and, in doing so, influences the expression of genes close to the binding position. The DNA binding regulator is preferably LipR, a DNA binding

regulator that can regulate the expression of a lipase. A LipR has been isolated from *Pseudomonas alcaligenes*. As such, the DNA binding regulator preferably is encoded by a nucleic acid having the DNA sequence shown in Figures 2A-2B (SEQ ID NO: 3) and has the amino acid sequence shown in Figures 2A-2B (SEQ ID NO: 4). A DNA binding regulator can act alone or as part of an expression system to regulate the expression of the protein. A DNA binding regulator of the present invention can be used alone or in combination with a kinase. The present invention encompasses variants of the DNA binding regulator disclosed herein that are capable of autophosphorylation. Such variants can lead to a constitutively higher expression of the target protein. In some cases, the absence of this DNA binding regulator will cause the expression of the protein to be decreased or eliminated.

As used herein "polymerase" refers to an enzyme that elongates DNA or RNA to obtain larger strands of either DNA or RNA, respectively. It is one of the most crucial factors in the production of proteins, such as lipase. In a preferred embodiment, the polymerase is OrfZ. Thus, in a preferred embodiment, the polymerase preferably is encoded by a nucleic acid having the DNA sequence shown in Figure 9A-9B (SEQ ID NO: 36) and has the amino acid sequence shown in Figure 9A-9B (SEQ ID NO: 37). The polymerase may play a role in modifying the expression of the desired protein.

Promoters are DNA elements that can promote the expression of a protein. A "sigma 54 promoter" is a bacterial promoter and is a member of a class of sigma factors with a size of approximately 54 Kda. These sigma factors are also known as RpoN proteins. Sigma 54 promoters and their functions are discussed in Morrett and Segovia (1993) *J. Bacter.* 175:6067-6074. Preferably, the promoter is a *Pseudomonas alcaligenes* sigma 54 promoter. Most preferably, the sigma 54 promoter is the lipase promoter of *P. alcaligenes* (SEQ ID NO: 5) (WO 94/02617). According to the present invention, the sigma 54 promoter has an upstream activating sequence.

An "upstream activating sequence" is a binding position for a positively-acting DNA binding regulator. As indicated by its name, the upstream activating sequence is upstream of the transcription start site and is a nucleic acid. The upstream activating sequence is preferably UAS, an upstream activating sequence that can regulate the expression of a lipase, and is preferably derived from *Pseudomonas alcaligenes*. An upstream activating sequence can act alone or as part of an expression system to regulate the expression of the protein. In some cases, the absence of this upstream activating sequence will cause the expression of the protein to be decreased or eliminated. Preferably, the upstream activating sequence is the consensus: TGT(N)<sub>1</sub>ACA. In the *Pseudomonas alcaligenes*

lipase gene sequence, on a specific region around -200 bp from the ATG start codon fits this consensus: TGTtccctcggtACA (SEQ ID NO: 5) (WO 94/02617).

A secretion factor is a protein that aids in secreting another protein from a cell. Preferably, the secretion factor is a member of the Xcp protein family and acts in concert with other members of the Xcp protein family. A genomic fragment encoding genes *xcpQ*, *xcpP*, *orfV*, *orfX*, *xcpR*, *xcpS*, *xcpT*, *xcpU*, *xcpV*, *xcpW*, *xcpX*, *xcpY*, *xcpZ* and the C-terminal part of protein OrfY has been isolated from *Pseudomonas alcaligenes*. As such, the secretion factors preferably are encoded by a nucleic acid having the DNA sequence shown in Figures 3AA-3BB (SEQ ID NO: 29). Specifically and more preferably, the XcpP secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 12 and has the amino acid sequence shown in SEQ ID NO: 13; the XcpQ secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 14 and has the amino acid sequence shown in SEQ ID NO: 15; the OrfV protein is encoded by the DNA sequence shown in SEQ ID NO: 30 and has the amino acid sequence shown in SEQ ID NO: 31; the OrfX protein is encoded by the DNA sequence shown in SEQ ID NO: 16 and has the amino acid sequence shown in SEQ ID NO: 17; the XcpR secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 6 and has the amino acid sequence shown in SEQ ID NO: 7; the XcpS secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 8 and has the amino acid sequence shown in SEQ ID NO: 9; the XcpT secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 10 and has the amino acid sequence shown in SEQ ID NO: 11; the XcpU secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 18 and has the amino acid sequence shown in SEQ ID NO: 19; the XcpV secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 20 and has the amino acid sequence shown in SEQ ID NO: 21; the XcpW secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 22 and has the amino acid sequence shown in SEQ ID NO: 23; the XcpX secretion factor is encoded by the DNA sequence shown in SEQ ID NO: 24 and has the amino acid sequence SEQ ID NO: 25; the secretion factor XcpY is encoded by the DNA sequence shown in SEQ ID NO: 26 and has the amino acid sequence shown in SEQ ID NO: 27; the secretion factor XcpZ is encoded by the DNA sequence shown in SEQ ID NO: 32 and has the amino acid sequence shown in SEQ ID NO: 33; a part of protein OrfY is encoded by the DNA sequence shown in SEQ ID NO: 34 and has the amino acid sequence shown in SEQ ID NO: 35.

Upstream of the *lipQ* gene, a promoter region has been identified. Within this promoter region, a *lux*-box can be recognized, see SEQ ID NO: 28. This *lux*-box shows significant homology to the binding site for *luxR* type regulatory elements.

which are known to be under control of autoinducer (Latifi et al. (1995) Molec. Microb. 17(2):333-323). This *lux*-box probably represents a linkage between the autoinducer system, LipR and lipase regulation. As such, another embodiment of the invention includes a nucleic acid encoding a *lux*-box element.

5 Upstream of the *xcpP-Q*, *xcpR-Z* gene clusters, the *orfX*, the *orfV* genes (SEQ ID NO: 29) and upstream of the *orfZ* gene (SEQ ID NO: 28) regulatory regions are present. A box can be recognized in the promoter region having the consensus sequence ANAANAANAANAA. These boxes are referred to as *orfV*-binding elements, because OrfV shows homology with the well-known *Escherichia coli* 10 regulator MalT. Based upon OrfV homology with the known regulator MalT, OrfV may be a regulator. These *orfV*-boxes can control the expression of the Xcp-proteins, OrfX as well as OrfV itself. Similarly, the expression of the polymerase OrfZ may be controlled by the *orfV*-boxes, as shown in Figure 10. As such, in another embodiment, the invention provides a nucleic acid encoding an *orfV*-box 15 element.

Commonly, when describing proteins and the genes that encode them, the term for the gene is not capitalized and is in italics, i.e., *lipQ*. The term for the protein is generally in normal letters and the first letter is capitalized, i.e., LipQ.

The kinase, DNA binding regulator, promoter and upstream activating 20 sequence will sometimes be referred to as "the regulating elements" for ease of discussion. The preferred regulating elements are LipQ, LipR, the *Pseudomonas alcaligenes* polymerase, the *Pseudomonas alcaligenes* sigma 54 promoter and *Pseudomonas alcaligenes* UAS, and can regulate the expression of a lipase in *Pseudomonas alcaligenes* as defined herein. The kinase, the DNA binding 25 regulator and polymerase are proteins, and the promoter and the upstream activating sequence are nucleic acids. In transformed cells, DNA encoding the kinase and DNA binding regulator were multiplied using a plasmid which led in turn to a higher production of the kinase and DNA binding regulator. The increased production of the kinase and DNA binding regulator resulted in higher transcription 30 from the sigma 54 promoter which provides higher expression of the protein of interest.

The kinase and DNA binding regulator of the present invention represent a two-component regulatory system. Preferably, the two components are LipQ and LipR and can regulate the expression of a lipase in *Pseudomonas alcaligenes* as 35 defined herein. Although other two-component regulatory systems are known, a low degree of homology exists between individual pieces of those systems and the amino acid sequence shown in SEQ ID NOS: 2 and 4.

Embodiments of the invention include a kinase or a DNA binding regulator encoded by a nucleic acid having at least 50% homology with the DNA sequences shown in SEQ ID NOS: 1 to 3, respectively. Preferably, the homology is at least 70%, more preferably at least 90% and most preferably at least 95%.

5 Also provided are embodiments in which a secretion factor encoded by a nucleic acid having at least 90% homology with the DNA sequence shown in SEQ ID NOS: 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 30, 32, 34. Preferably, the homology is at least 95%, more preferably at least 98%. Homology can be determined by lining up the claimed amino acid or DNA sequence with another  
10 sequence and determining how many of the amino acids or nucleotides match up as a percentage of the total. Homology can also be determined using one of the sequence analysis software programs that are commercially available, for example, the TFASTA Data Searching Program available in the Sequence Analysis Software Package Version 6.0 (Genetic Computer Group, University of Wisconsin  
15 Biotechnology Center, Madison, Wisconsin 53705).

One can screen for homologous sequences using hybridization as described herein or using PCR with degenerate primers. Chen and Suttle (1995) Biotechniques 18(4):609-610, 612.

Also, in several embodiments of the invention, there are provided nucleic  
20 acids that can hybridize with the DNA shown in Figures 1A-1B, 2A-2B, 3AA-3BB and 9, SEQ ID NOS: 1, 3, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 30, 32, 34, 36, respectively, under stringent conditions. Stringent hybridization conditions include stringent hybridization and washing conditions as is known to one of ordinary skill in the art. Hybridization and appropriate stringent conditions are described in  
25 Sambrook et al. 1989 Molecular Cloning 2d ed., Cold Spring Harbor Laboratory Press, New York.

"Bacteria" include microorganisms of the class Schizomycetes. Bacteria can be either Gram-negative or Gram-positive. Gram-negative bacteria include members of the genera *Escherichia*, *Hemophilus*, *Klebsiella*, *Proteus*,  
30 *Pseudomonas*, *Salmonella*, *Shigella*, *Vibrio*, *Acinetobacter*, and *Serratia*. Gram-positive bacteria include members of the genera *Bacillus*, *Clostridium*, *Staphylococcus*, *Streptomyces*, *Lactobacillus* and *Lactococcus*.

Gram-negative bacteria can be pseudomonads which are strains that are members of the genus *Pseudomonas*. Examples include *Pseudomonas*  
35 *aeruginosa*, *Pseudomonas cepacia*, *Pseudomonas glumae*, *Pseudomonas stutzeri*, *Pseudomonas fragi*, *Pseudomonas alcaligenes* and *Pseudomonas mendocina*. A preferred pseudomonad is *Pseudomonas alcaligenes*. *Pseudomonas alcaligenes* is also sometimes referred to as *Pseudomonas pseudoalcaligenes*.

Lipases within the scope of the present invention include those encoded by LipA, which is generally found in close association with a modulating gene known as LipB, LipH, LipX or Lif. Lif from *Pseudomonas alcaligenes* is the subject of patent application WO 93/02617 as discussed above. LipA genes can be found in a  
5 variety of species of bacteria such as *Pseudomonas aeruginosa*, *Pseudomonas stutzeri*, *Pseudomonas alcaligenes*, *Pseudomonas cepacia*, *Pseudomonas glumae*, *Pseudomonas fragi*, *Pseudomonas mendocina*, *Acinetobacter calcoaceticus* and *Serratia marcescans*.

Another embodiment of the invention provides an expression system that  
10 can regulate the expression of a protein, preferably a lipase. The expression system includes a kinase, a DNA binding regulator, a polymerase, a sigma 54 promoter and an upstream activating sequence. The expression system can also include secretion factors..

An expression system includes one or more proteins and/or nucleic acids  
15 which, when acting together, can increase the expression of a protein in a host cell. The expression system can be encoded on one or more plasmids and may or may not be on the same plasmid as the gene encoding the protein of interest.

The phrase "functionally linked" or "functionally coupled" means that the  
20 regulating elements (DNA or protein) interact physically in order to exert their function. This can be a protein/protein, DNA/protein or a DNA/DNA interaction. For example, the DNA binding regulator interacts with the promoter but genes encoding them may be at different sites on the chromosome. As such, the genes encoding the elements can be on different plasmids from each other and from the gene  
25 encoding the protein of interest and still work together to regulate expression of the protein.

A plasmid is a nucleic acid molecule which is smaller than the chromosome  
and can replicate independently of the mechanisms used for chromosomal replication. Typically, a plasmid is a circular DNA molecule. Plasmids can be  
30 inserted into host cells where they can replicate and make more copies of the plasmid; hence, replicating plasmid. Some plasmids, called integrating plasmids, can insert the plasmid DNA into the chromosome of the host cell. The plasmid DNA is thus integrated into the chromosome of the host cell. When this happens, the plasmid no longer replicates autonomously but instead replicates in synchrony with the chromosome into which it has been inserted. Thus, whereas a nonintegrated  
35 plasmid may be present at several dozen copies per chromosome and replicate independently of the chromosome, the integrated plasmid is present at one copy per chromosome and can replicate only when the chromosome does so.

On embodiment of the invention is directed to a method of transforming a host cell with a plasmid that includes the nucleic acid encoding the expression system. A host cell is a cell into which a plasmid of the present invention can be inserted through, for example, transformation. The host cell is preferably a bacteria.

5 In one embodiment, the host cell is preferably a Gram-negative bacteria. In another preferred embodiment, the host cell is a pseudomonad. Preferably, the host cell is *Pseudomonas alcaligenes* and the regulating elements of the expression system are from *Pseudomonas alcaligenes*. The same host cell can be transformed with a further plasmid that includes a nucleic acid that encodes one or more secretion

10 factors. Preferably, the secretion factors are from *Pseudomonas alcaligenes*.

A transformed host cell is a host cell into which one or more plasmids have been inserted. Transformation can take place by first making the host cell competent to receive the plasmid. The naked DNA is then added directly to the cells and some of the cells take it up and replicate or integrate it. One way of

15 making the cells competent to receive the plasmid is by electroporation as described in the Examples below. Another method that is useful for construction and transferring of cosmid libraries is triparental mating. Kelly-Wintenberg and Montie (1989) J. Bacteriol. **171**(11):6357-62.

Lipases produced according to the present invention can be used in a

20 number of applications. Lipases can be used in detergents and other cleaning formulations as well as a number of industrial processes.

**Experimental****Materials and Methods****Bacterial Strains**

- All bacterial strains were propagated with 2xTY as a liquid or solid medium, unless otherwise stated, and are listed in Table 1. For *P. alcaligenes* strains, the medium was supplemented with the appropriate antibiotics: neomycin (10mg/l), tetracycline (5 mg/l) and chloramphenicol (3 mg/l); and for transformed *Escherichia coli*, ampicillin was added at 100 mg/l. For cosmid containing *Escherichia coli* strains, the medium was supplemented with tetracycline (10 mg/l). *P. alcaligenes* and *E. coli* were grown at 37°C, aerobically.

**Table 1.** Bacterial strains used. Tet<sup>R</sup>, tetracycline resistant; Neo<sup>R</sup>, neomycin resistant; Cap<sup>R</sup>, chloramphenicol resistant; *lip*, lipase.

Strain	Relevant Characteristics	Strain	Relevant Characteristics
<i>P. alcaligenes</i> :		<i>P. alcaligenes</i> :	
Ps #1	Cosmid #1 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	Lip34	Neo <sup>R</sup> , <i>lip</i> <sup>+</sup>
Ps #26	Cosmid #26 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	Ps537	<i>lip</i> <sup>+</sup> (cured from production plasmid p24lip01)
Ps #27	Cosmid #27 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	Ps824	<i>lip</i> <sup>-</sup> (Lip34 cured from production plasmid p24lip01)
Ps #57	Cosmid #57 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	Ps 1084	2 copies <i>lipQ-R</i> , <i>lip</i> <sup>+</sup> , Neo <sup>R</sup> , Cap <sup>R</sup>
Ps #71	Cosmid #71 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	Ps93	res <sup>-</sup> , mod <sup>+</sup>
Ps #91	Cosmid #91 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	Ps1108	Ps93 containing inactivation of LipR in chromosome
Ps #131	Cosmid #131 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>		
Ps #201	Cosmid #201 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	<i>E. coli</i> K12:	
Ps #344	Cosmid #344 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	K802	<i>hsdR</i> <sup>+</sup> , <i>hsdM</i> <sup>+</sup> , <i>gal</i> <sup>-</sup> , <i>mef</i> <sup>-</sup> , <i>supE</i>
Ps #371	Cosmid #371 in Ps 824, Tet <sup>R</sup> , <i>lip</i> <sup>-</sup>	WK 6	$\Delta(lac-pro AB)$ , <i>galE</i> , StrA/Z <sup>+</sup> , <i>lacI</i> <sup>q</sup> , $\Delta m15$ , <i>proA</i> <sup>+</sup> B <sup>+</sup>
Strain	Relevant Characteristics	Strain	Relevant Characteristics



Ps #399	Cosmid #399 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #401	Cosmid #401 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #404	Cosmid #404 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #490	Cosmid #490 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #505	Cosmid #505 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #540	Cosmid #540 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #597	Cosmid #597 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #600	Cosmid #600 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #638	Cosmid #638 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		
Ps #726	Cosmid #726 in Ps 824, Tet <sup>R</sup> , lip <sup>-</sup>		

Table 2. Plasmids used.

Plasmid	Relevant Characteristics	Reference
pLAFR3	Cosmid vector derived from pLAFR1, Tet <sup>R</sup>	Staskawics et al. 1987
p24Lipo1	lip <sup>+</sup> , neo <sup>R</sup>	equivalent to p24A26 (see WO94/02617)
pUC19	lacZ', rop <sup>-</sup>	Yanisch-Perron et al. 1985

## 5 Extraction of Extra-Chromosomal DNA

Cosmid and plasmid isolations were performed using the QIAprep Spin Plasmid kit, for 1 ml overnight culture, and the QIAfilter Plasmid Midi Kit, for 100 ml culture isolations (both Qiagen), according to the manufacturers instructions. For *Pseudomonas* strains, lysozyme (10 µl/ml) was added to the resuspension mix and incubated for 5 minutes at 37°C to aid cell lysis. Cosmid DNA was eluted from the QIAprep columns with 70°C milliQ water, as recommended by the manufacturer. For cosmid isolations from 100 ml cultures, strains were grown overnight in Luria Bertani (LB) broth and the elution buffer was heated to 50°C.

## 15 Transformation of *Pseudomonas alcaligenes*

An overnight culture of *P. alcaligenes* was diluted 1:100 in fresh 2xTY medium (with 10 mg/l neomycin) and the culture incubated at 37°C, in an orbital shaker, until it had reached an OD<sub>550</sub> of 0.6-0.8. Following centrifugation (10 minutes at 4000 rpm), the bacterial pellet was washed twice with a half volume SPM medium (276 mM sucrose; 7 mM NaHPO<sub>4</sub> (pH 7.4); 1 mM MgCl<sub>2</sub>). The cells were then resuspended in a 1/100 volume SPM medium. Cosmid DNA and 40 µl cells were mixed together and transferred to a 2 mm gap electroporation cuvette (BTX). The cells were electroporated with 1.4 kV, 25 µF, 200Ω, in the Gene Pulser. The electroporation cuvette was washed out with 1 ml 2xTY medium and the cell mixture transferred to a clean 1.5 ml eppendorf. The transformation mixture was then incubated for 45 minutes at 37°C. After incubation, 100 µl was plated onto 2xTY agar supplemented with tetracycline (5 mg/l) or neomycin (10 mg/l) or both (depending on which *P. alcaligenes* strain is used for electroporation). The transformation of *P. alcaligenes* cells was carried out at room temperature.

15

#### ***Transformation of Escherichia coli***

Transformation of *E. coli* Wk6 cells were performed using electroporation. Transfer of the cosmids to *E. coli* K802 cells was performed by infection according to the suppliers instructions (Promega Corporation).

20

#### **Example 1**

#### **Construction of a Cosmid Library from**

#### ***Pseudomonas alcaligenes* DNA in *E. coli***

Chromosomal DNA extracted from *P. alcaligenes* was fractionated and ligated into cosmid pLAFR3 as described in the Materials and Methods section, above. After ligation, the mixture was transferred into *E. coli* as described. Tetracycline resistant colonies were isolated and cosmid DNA was prepared from each of them.

**Exempl 2****Transformation of a *P. alcaligenes* Cosmid Library into  
*P. alcaligenes* Overexpressing Lipase**

In total, 531 plasmid DNA preparations were isolated from *E. coli* grown  
5 cosmids. With the aid of electroporation (see Methods, above) these were  
transformed into strain Lip34, a *P. alcaligenes* strain harboring plasmid p24Lipo1  
expressing lipase, resulting in 485 cosmid containing *P. alcaligenes* strains. For  
transformation, methods as described were used.

10

**Example 3****Selection of Cosmids Stimulating Lipase Expression**

In total, 485 cosmids were transformed, followed by screening of cosmid-  
containing *P. alcaligenes* strains with respect to their lipase production activity.  
Twenty cosmid strains were selected which showed a significant enhancement of  
15 lipase expression as judged from various liquid and plate tests (see Table 3). The  
corresponding cosmids were also tested in a single copy lipase strain and some of  
them were found to give a threefold increase in lipase expression. The four best  
cosmids were found to share an overlapping fragment of 5.6 kb. The lipase  
stimulating activity was localized on a 4.5 kb fragment of cosmid #71, #201, #505,  
20 #726. Sequence analysis of this fragment revealed two open reading frames which  
showed homology with two component regulatory systems. (see Figures 4A-4G).  
We have named the genes *lipQ*, *lipR* and *orfZ*. It should be noted that from the four  
described cosmid-strains, only strains containing cosmids #71, 505 and 726, which  
has the completed *OrfZ*, give the highest lipase stimulation in the lactate test  
25 (second column in table 3) in comparison to the strain containing cosmid #201.

Table 3.

Cosmid #	Medium 380 + Soy Oil	380 + Lactate	2xTY+hexadecane
1	35.25	19.00	13.00
26	35.25	14.75	9.00
27	26.50	18.25	10.00
57	35.75	9.25	7.50
71	40.25	27.25	16.67
91	22.75	23.00	18.00
131	41.30	11.00	3.00
201	39.00	18.00	10.00
344	32.50	11.00	8.30
371	25.50	13.75	15.00

Cosmid #	Medium 380 + Soy Oil	380 + Lactate	2xTY+h xadecane
399	23.00	27.00	9.00
401	26.25	11.75	3.00
404	23.75	21.00	7.00
490	27.00	13.25	16.00
505	63.50	28.75	15.00
540	50.50	17.75	4.25
597	47.00	25.25	25.25
600	32.00	17.00	19.00
638	34.75	8.25	11.00
726	36.75	25.25	21.00
control	20.80	11.50	11.50

#### Example 4

##### Evidence for Involvement of LipQ/LipR in Lipase Expression

5 In order to assess the role of the lipQ/lipR operon, an insertional inactivation of the LipR ORF was constructed in the chromosome of strain PS93. The resulting mutant, Ps1108 showed a significantly reduced halo on tributyrin agar plates as compared to PS93.

10 In a second experiment, the lipase expression plasmid, p24lipo1 was introduced into strain Ps1108. The lipase expression was severely impaired as compared to PS93 harboring p24lipo1.

This observation suggests the lipQ/lipR operon as the lipase regulatory proteins.

15

#### Example 5

##### Construction and Characterization of a LipQ/LipR

##### Overexpressing *P. alcaligenes* Strain

20 The 4.5 kb *EcoRI-HindIII* fragment of one of the four lipase stimulating cosmids (#201) was subcloned onto pLAFR3 and inserted into a *P. alcaligenes* strain with a single lipase gene on the chromosome (Ps537). A threefold higher yield of lipase after a 10 liter fermentation was observed. (See Figure 5.)

25 Subsequently, the 4.5 *EcoRI-HindIII* fragment was inserted onto the lipase expression plasmid p24lipo1. A higher lipase expression was observed as could be concluded from halo size on tributyrin plates. During growth in a shake flask, plasmid instability was observed. In order to overcome this instability, the fragment was also integrated into the chromosome resulting in a strain with 2 *lipQ/lipR* gene copies into the chromosome (strain Ps1084). Insertion of the lipase expression

plasmid p24Lipo1 in this strain resulted in higher lipase expression on the plate, but a plasmid instability during fermentation.

### Example 6

5

#### Effect of Cosmid #600 on Production

##### Plasmid Stability in Ps1084

Previously, a *P. alcaligenes* strain had been developed in which a second copy of *lipQ-R* had been integrated into the chromosome. When a lipase production plasmid (plasmid p24Lipo1) was introduced at high copy number (20) into Ps1084 and the strain fermented (10 liters), plasmid instability was observed. A shake-flask experiment was developed to model the situation in the fermenter. To monitor production plasmid stability and cosmid stability of transformed Ps1084, a week long shake-flask experiment was set up. After overnight growth in 10 ml 2xTY broth (supplemented with the required amount of neomycin and tetracycline), 1 ml of transformed culture was used to inoculate 100 ml fermentation medium 380 plus 200 µl soy oil, in shake-flasks. The inoculated shake flasks were incubated for 24 hours at 37°C in an orbital shaker. One ml of 24 hour old culture was then used to inoculate successive shake-flasks. Throughout the duration of the experiment, daily samples were taken. The presence of a neomycin marker on the lipase production plasmid was used to monitor plasmid stability. The integrated *lipQ-R* strain with the high copy lipase production plasmid (Ps1084) was transformed with cosmid #600 to see whether plasmid stability was improved.

Figure 6 is a graphical representation of production plasmid stability in the transformed and untransformed Ps1084 (in duplicate). After 3-4 days, plasmid instability was detected in Ps1084, observed as the 80% drop in neomycin resistant colonies. Through out the week long experiment, cosmid #600 transformed Ps1084 maintained a high degree of neomycin resistance, suggesting that cosmid #600 stabilized the production plasmid.

30

### Example 7

#### Characterization of Cosmid #600

Cosmid #600, gave a positive signal when PCR was carried out using *xcpR* primers based on peptides from *xcpR* derived from *Pseudomonas aeruginosa*. The DNA sequence from cosmid #600 was digested with *EcoRV* and the resulting fragment mixture and purified fragments were ligated with *Sma*I-digested-pUC19 (Appligene) using the Rapid DNA Ligation kit (Boehringer Mannheim). *E. coli* cells were then electroporated. Transformants were selected on 2xTY plates containing ampicillin (100 mg/l), X-Gal (Boehringer Mannheim; 40 mg/l) and IPTG (Gibco BRL;

1 mM). Transformants containing the recombinant plasmid were identified as white colonies and single colonies were streaked on to fresh 2xTY agar plates (with ampicillin) for purity.

Sequencing of PCR products, cosmid #600 DNA and subclones of cosmid #600 (see above) was achieved by the Dye deoxy termination method, using the ABI PRISM™ Dye Termination Cycle Sequencing Ready Reaction kit with AmpliTaq® DNA Polymerase, FS (Perkin Elmer) in conjunction with the Applied Biosystems 373A sequencer.

Sequencing of cosmid #600 was initiated with the primers used in the PCR to detect *xcpR*. In accordance with the restriction map of cosmid #600 (Figure 8), an *EcoRV* restriction site was identified in the nucleic acid sequence of the PCR product. Sequence analysis revealed that the 609 bp amplification product could be translated to a putative amino acid sequence with 89% homology with *P. aeruginosa* and 73% with *P. putida* XcpR protein (amino acid residues 59-262), verifying that the *xcpR* gene had been identified by PCR.

Figures 8 show the map of cosmid #600. By doing a PCR reaction with digested DNA, we were able to deduce the location of *xcpR* on the insert. The position of the *xcpR* gene suggests that the complete Xcp operon is present in cosmid #600.

To date 17,612 nucleotides, encompassing *xcpP*, *xcpQ*, *orfV*, *orfX*, *xcpR*, *xcpS*, *xcpT*, *xcpU*, *xcpV*, *xcpW*, *xcpX*, *xcpY*, *xcpZ* and part of protein OrfY have been sequenced (Figures 3AA-3BB, SEQ ID NO: 29).

While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modifications and this application is intended to cover any variations or adaptations of the invention following, in general, the principles of the invention and including such departures from the present disclosure as come within known or customary practice within the art to which the invention pertains and as may be applied to the essential features hereinbefore set forth, and as follows in the scope of the appended claims.

## SEQUENCE LISTING

## (1) GENERAL INFORMATION

- (i) APPLICANT: Gerritse, Gijsbert  
Quax, Wilhelmus J.
- (ii) TITLE OF THE INVENTION: EXPRESSION SYSTEM FOR ALTERED  
EXPRESSION LEVELS
- (iii) NUMBER OF SEQUENCES: 37
- (iv) CORRESPONDENCE ADDRESS:
  - (A) ADDRESSEE: Genencor International
  - (B) STREET: 925 Page Mill Road
  - (C) CITY: Palo Alto
  - (D) STATE: CA
  - (E) COUNTRY: USA
  - (F) ZIP: 94304-1013
- (v) COMPUTER READABLE FORM:
  - (A) MEDIUM TYPE: Diskette
  - (B) COMPUTER: IBM Compatible
  - (C) OPERATING SYSTEM: DOS
  - (D) SOFTWARE: FastSEQ for Windows Version 2.0
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER:
  - (B) FILING DATE:
- (vii) PRIOR APPLICATION DATA:
  - (A) APPLICATION NUMBER: 08/699,092
  - (B) FILING DATE: 16-AUG-1996
- (viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Glaister, Debra J
  - (B) REGISTRATION NUMBER: 33,888
  - (C) REFERENCE/DOCKET NUMBER: GC361-2
- (ix) TELECOMMUNICATION INFORMATION:
  - (A) TELEPHONE: 650-846-7620
  - (B) TELEFAX: 650-845-6504

## (2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1029 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ATGGGCGTAT GTTCGCTGGC CAAGGACCAG GAAGTGCTGA TGTGGAACCG CGCCATGGAG	60
GAAGTCACCG GCATCAGCGC GCAGCAGGTG GTCGGCTCGC GCCTGCTCAG CCTGGAGCAC	120
CCCTGGCGCG AGCTGCTGCA GGAATTTCATC GCCCAGGACG AGGAGCACCT GCACAAGCAG	180
CACCTGCAAC TGGACGGCGA GGTGCGCTGG CTCAACCTGC ACAAGGCGGC CATCGACGAA	240
CCGCTGGCGC CGGGCAACAG CGGCCTGGTG CTGCTGGTCG AGGACGTCAC CGAGACCCGC	300

```

GTGCTGGAAG ACCAGCTGGT GCACTCGAG CGTCTGGCCA GCATCGGCCG CCTGGCCGCC 360
GGGGTGGCCC ACGAGATCGG CAATCCGGTC ACCGGCATCG CCTGCCTGGC GCAGAACCTG 420
CGCGAGGAGC GCGAGGGCGA CGAGGAGCTC GCGGAGATCA GCAACCAGAT CCTCGACCAG 480
ACCAAGCGCA TCTCGCGCAT CGTCCAGTCG CTGATGAACT TCGCCACGC CGGCCAGCAG 540
CAGCGCGCCG AATACCGGT GAGCCTGGCC GAAGTGGCGC AGGACGCCAT CGGCCTGCTG 600
TCGCTGAACC GCCATGGCAC CGAAGTGCAG TTCTACAACC TGTGCGATCC CGAGCACCTG 660
GCCAAGGGCG ACCCGCAGCG CCTGGCCCAG GTGCTGATCA ACCTGCTGTC CAACGCCCGC 720
GATGCCTCGC CGGCCGGCGG TGCCATCCGC GTGCGTAGCG AGGCCGAGGA GCAGAGCGTG 780
GTGCTGATCG TCGAGGACGA GGGCACGGGC ATTCCGCAGG CGATCATGGA CCGCCTGTTC 840
GAACCCCTCT TCACCACCAA GGACCCCGGC AAGGGCACCG GTTTGGGGCT CGCGCTGGTC 900
TATTCGATCG TGGAAGAGCA TTATGGGCAG ATCACCATCG ACAGCCCGGC CGATCCCGAG 960
CACCAGCGCG GAACCCGTTT CCGCGTGACC CTGCCGCGCT ATGTGAAGC GACGTCCACA 1020
CGGACCTGA 1029

```

## (2) INFORMATION FOR SEQ ID NO:2:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 342 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

```

Met Gly Val Cys Ser Leu Ala Lys Asp Gln Glu Val Leu Met Trp Asn
 1           5           10          15
Arg Ala Met Glu Glu Leu Thr Gly Ile Ser Ala Gln Gln Val Val Gly
 20          25          30
Ser Arg Leu Leu Ser Leu Glu His Pro Trp Arg Glu Leu Leu Gln Asp
 35          40          45
Phe Ile Ala Gln Asp Glu Glu His Leu His Lys Gln His Leu Gln Leu
 50          55          60
Asp Gly Glu Val Arg Trp Leu Asn Leu His Lys Ala Ala Ile Asp Glu
 65          70          75          80
Pro Leu Ala Pro Gly Asn Ser Gly Leu Val Leu Leu Val Glu Asp Val
 85          90          95
Thr Glu Thr Arg Val Leu Glu Asp Gln Leu Val His Ser Glu Arg Leu
100         105         110
Ala Ser Ile Gly Arg Leu Ala Ala Gly Val Ala His Glu Ile Gly Asn
115         120         125
Pro Val Thr Gly Ile Ala Cys Leu Ala Gln Asn Leu Arg Glu Glu Arg
130         135         140
Glu Gly Asp Glu Glu Leu Gly Glu Ile Ser Asn Gln Ile Leu Asp Gln
145         150         155         160
Thr Lys Arg Ile Ser Arg Ile Val Gln Ser Leu Met Asn Phe Ala His
165         170         175
Ala Gly Gln Gln Gln Arg Ala Glu Tyr Pro Val Ser Leu Ala Glu Val
180         185         190
Ala Gln Asp Ala Ile Gly Leu Leu Ser Leu Asn Arg His Gly Thr Glu
195         200         205
Val Gln Phe Tyr Asn Leu Cys Asp Pro Glu His Leu Ala Lys Gly Asp
210         215         220
Pro Gln Arg Leu Ala Gln Val Leu Ile Asn Leu Leu Ser Asn Ala Arg
225         230         235         240
Asp Ala Ser Pro Ala Gly Gly Ala Ile Arg Val Arg Ser Glu Ala Glu
245         250         255
Glu Gln Ser Val Val Leu Ile Val Glu Asp Glu Gly Thr Gly Ile Pro
260         265         270

```



Gln Ala Ile Met Asp Arg Leu Ph Glu Pro Phe Phe Thr Thr Lys Asp  
 275 280 285  
 Pro Gly Lys Gly Thr Gly Leu Gly Leu Ala Leu Val Tyr Ser Ile Val  
 290 295 300  
 Glu Glu His Tyr Gly Gln Ile Thr Ile Asp Ser Pro Ala Asp Pro Glu  
 305 310 315 320  
 His Gln Arg Gly Thr Arg Phe Arg Val Thr Leu Pro Arg Tyr Val Glu  
 325 330 335  
 Ala Thr Ser Thr Ala Thr  
 340

## (2) INFORMATION FOR SEQ ID NO:3:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1416 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATGCCGCATA	TCCTCATCGT	CGAAGACGAA	ACCATCATCC	GCTCCGCCCT	GCGCCGCCTG	60
CTGGAACGCA	ACCACTACCA	GGTCAGCGAG	GCCGGTTCGG	TTCAGGAGGC	CCAGGAGCGC	120
TACAGCATTC	CGACCTTCGA	CCTGGTGGTC	AGCGACCTGC	GCCTGCCCGG	CGCCCCCGGC	180
ACCGAGCTGA	TCAAGCTGGC	CGACGGCACC	COGGTACTGA	TCATGACCAG	CTATGCCAGC	240
CTGCGCTCGG	CGGTGGACTC	GATGAAGATG	GGCGCGGTGG	ACTACATCGC	CAAGCCCTTC	300
GATCAGACG	AGATGCTCCA	GGCCGTGGCG	CGTATCCTGC	GCGATCACCA	GGAGGCCAAG	360
CGCAACCCGC	CAAGCGAGGC	GCCCAGCAAG	TCCGCGGCA	AGGGCAACGG	CGCCACCGCC	420
GAGGGCGAGA	TCGGCATCAT	CGGCTCCTGC	GCCGCCATGC	AGGACCTTTA	CGGCAAGATC	480
CGCAAGGTCG	CTCCCACCGA	TTCCAACGTA	CTGATCCAGG	GCGAGTCCGG	CACCGGCAAG	540
GAGCTGGTCG	CGCGTGGCCT	GCACAACCTC	TCGCGTCGCG	CCAAGGCACC	GCTGATCTCG	600
GTGAACTGCG	CGGCCATCCC	CGAGACCCTG	ATCGAGTCCG	AACTGTTCCG	CCACGAGAAA	660
GGTGCCCTTCA	CCGGCGCCAG	CGCCGGCCGC	GCCGGCCTGG	TCGAGCGGGC	CGACGGCGGC	720
ACCCTGTTC	TCGACGAGAT	CGGCGAGCTG	CCGCTGGAGG	CGCAGGCCCC	CCTGCTGCGC	780
GTGCTGCAGG	AGGGCGAGAT	CCGTGGGGTC	GGCTCGGTGC	AGTCACAGAA	GGTCGATGTA	840
CGCCTGATCG	CCGCTACCCA	CCGGGACCTC	AAGACGCTGG	CCAAGACCGG	CCAGTTCCGC	900
GAGGACCTCT	ACTACCGCCT	GCACGTCATC	GCCCTCAAGC	TGCCGCCACT	GCGCGAGCGC	960
GGCGCCGACG	TCAACGAGAT	CGCCCGCGCC	TTCTTCGTCC	GCCAGTGCCA	GCGCATGGGC	1020
CGCGAGGACC	TGCGCTTCGC	TCAGGATGCC	GAGCAGGCGA	TCCGCCACTA	CCCCTGGCCG	1080
GGCAACGTGC	GCGAGCTGGA	GAATGCCATC	GAGCGCGCGG	TGATCCTCTG	CGAGGGCGCG	1140
GAAATTTCCG	CCGAGCTGCT	GGGCATCGAC	ATCGAGCTGG	ACGACCTGGA	GGACGGCGAC	1200
TTGGGCGAAC	AGCCACAGCA	GACCGCGGCC	AACCACGAAC	CGACCGAGGA	CCTGTGCTGT	1260
GAGGACTACT	TCCAGCACTT	CGTACTGGAG	CACCAGGATC	ACATGACCGA	GACCGAAGTG	1320
GCGCGCAAGC	TCGGCATCAG	CCGCAAGTGC	CTGTGGGAGC	GCCGTCAGCG	CCTGGGCATT	1380
CCGCGGCGCA	AGTCGGGCGC	GGCGACCGGC	TCCTGA			1416

## (2) INFORMATION FOR SEQ ID NO:4:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 471 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Pro His Ile Leu Ile Val Glu Asp Glu Thr Ile Ile Arg Ser Ala

1	5	10	15
Leu Arg Arg	Leu Leu Glu Arg Asn Gln Tyr Gln Val Ser Glu Ala Gly		
	20	25	30
Ser Val Gln	Glu Ala Gln Glu Arg Tyr Ser Ile Pro Thr Phe Asp Leu		
	35	40	45
Val Val Ser Asp	Leu Arg Leu Pro Gly Ala Pro Gly Thr Glu Leu Ile		
	50	55	60
Lys Leu Ala Asp	Gly Thr Pro Val Leu Ile Met Thr Ser Tyr Ala Ser		
	65	70	75
Leu Arg Ser Ala	Val Asp Ser Met Lys Met Gly Ala Val Asp Tyr Ile		
	85	90	95
Ala Lys Pro Phe	Asp His Asp Glu Met Leu Gln Ala Val Ala Arg Ile		
	100	105	110
Leu Arg Asp His	Gln Glu Ala Lys Arg Asn Pro Pro Ser Glu Ala Pro		
	115	120	125
Ser Lys Ser Ala	Gly Lys Gly Asn Gly Ala Thr Ala Glu Gly Glu Ile		
	130	135	140
Gly Ile Ile Gly	Ser Cys Ala Ala Met Gln Asp Leu Tyr Gly Lys Ile		
	145	150	155
Arg Lys Val Ala	Pro Thr Asp Ser Asn Val Leu Ile Gln Gly Glu Ser		
	165	170	175
Gly Thr Gly Lys	Glu Leu Val Ala Arg Ala Leu His Asn Leu Ser Arg		
	180	185	190
Arg Ala Lys Ala	Pro Leu Ile Ser Val Asn Cys Ala Ala Ile Pro Glu		
	195	200	205
Thr Leu Ile Glu	Ser Glu Leu Phe Gly His Glu Lys Gly Ala Phe Thr		
	210	215	220
Gly Ala Ser Ala	Gly Arg Ala Gly Leu Val Glu Ala Ala Asp Gly Gly		
	225	230	235
Thr Leu Phe Leu	Asp Glu Ile Gly Glu Leu Pro Leu Glu Ala Gln Ala		
	245	250	255
Arg Leu Leu Arg	Val Leu Gln Glu Gly Glu Ile Arg Arg Val Gly Ser		
	260	265	270
Val Gln Ser Gln	Lys Val Asp Val Arg Leu Ile Ala Ala Thr His Arg		
	275	280	285
Asp Leu Lys Thr	Leu Ala Lys Thr Gly Gln Phe Arg Glu Asp Leu Tyr		
	290	295	300
Tyr Arg Leu His	Val Ile Ala Leu Lys Leu Pro Pro Leu Arg Glu Arg		
	305	310	315
Gly Ala Asp Val	Asn Glu Ile Ala Arg Ala Phe Leu Val Arg Gln Cys		
	325	330	335
Gln Arg Met Gly	Arg Glu Asp Leu Arg Phe Ala Gln Asp Ala Glu Gln		
	340	345	350
Ala Ile Arg His	Tyr Pro Trp Pro Gly Asn Val Arg Glu Leu Glu Asn		
	355	360	365
Ala Ile Glu Arg	Ala Val Ile Leu Cys Glu Gly Ala Glu Ile Ser Ala		
	370	375	380
Glu Leu Leu Gly	Ile Asp Ile Glu Leu Asp Asp Leu Glu Asp Gly Asp		
	385	390	395
Phe Gly Glu Gln	Pro Gln Gln Thr Ala Ala Asn His Glu Pro Thr Glu		
	405	410	415
Asp Leu Ser Leu	Glu Asp Tyr Phe Gln His Phe Val Leu Glu His Gln		
	420	425	430
Asp His Met Thr	Glu Thr Glu Leu Ala Arg Lys Leu Gly Ile Ser Arg		
	435	440	445
Lys Cys Leu Trp	Glu Arg Arg Gln Arg Leu Gly Ile Pro Arg Arg Lys		
	450	455	460
Ser Gly Ala Ala	Thr Gly Ser		
	465	470	

## (2) INFORMATION FOR SEQ ID NO:5:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

GCCTGGAGGA TTACCACTC

19

## (2) INFORMATION FOR SEQ ID NO:6:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1512 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

ATGTCCACCG	ATACCCACGC	CGCCCTGACG	GCTCCCGCAA	GCCCCGCCTT	GCGCCCGCTG	60
CCCTTCGCTT	TGCGCAAACG	CCACGGCGTG	CTGCTGCGCG	AGCCCTTCGG	CCAGGTCCAG	120
CTGCAGGTGC	GCCGCGGTGC	CAGCCTGGCC	GCCGTGCAGG	AGGCCAGCG	CTTCGCCGGC	180
CGCGTGCTGC	CGCTGCACTG	GCTGGAGCCC	GAGGCCTTCG	AGCAGGAGCT	GGCCCTGGCC	240
TACCAGCGCG	ACTCCTCCGA	GGTGCGGCAG	ATGGCCGAGG	GCATGGGTGC	CGAACTTGAC	300
CTAGCCAGCC	TGGCCGAAC	CACTCCGAA	TCCGGCGACC	TGCTGGAGCA	GGAAGATGAC	360
GCGCCGATCA	TCCGCTGAT	CAACGCCATC	CTCAGCGAGG	CGATCAAGGC	CGGCGCCTCC	420
GACATCCACC	TGGAACCTT	CGAGAAACGC	CTGGTGGTGC	GCTTTCGCGT	CGACGGCATC	480
CTCCGCGAAG	TGATCGAACC	GCGCCGCGAG	CTGGCGGCGC	TGCTGGTCTC	GCGGGTCAAG	540
GTCATGGCGC	GCCTGGACAT	CGCCGAGAAG	CGCGTACCGC	AGGACGGCCG	TATTCGCTC	600
AAGGTCGGCG	GTCGCGAGGT	GGATATCCGC	GTCTCCACCC	TGCCGTCGGC	CAACGGCGAG	660
CGGGTGGTGC	TGCGTCTGCT	CGACAAGCAG	GCCGGGCGCC	TGTCGCTCAC	GCATCTGGGC	720
ATGAGCGAGC	GCGACGCGCG	CCTGCTCGAC	GACAACCTGC	GCAAGCCGCA	CGGCATCATC	780
CTAGTCAACG	GCCCCACCGG	CTCGGGCAAG	ACCACCACCC	TGTACGCCGG	CCTGGTCACC	840
CTCAACGACC	GCTCGCGCAA	TATCCTCACG	GTGGAAGACC	CGATCGAGTA	CTACCTGGAA	900
GGCATCGGCC	AGACCCAGGT	CAACCCGCGG	GTGGACATGA	CCTTCGCCCC	CGGCCTGCGC	960
GCCATCCTGC	GCCAGGACCC	GGACGTGGTG	ATGGTCGGCG	AGATCCGCGA	CCAGGAGACC	1020
GCCGACATCG	CCGTGCAGGC	CTCGCTCACC	GGCCACCTGG	TGCTCTCCAC	CCTGCACACC	1080
AACAGCGCCG	TGGGCGCCGT	CACCCGCTTG	GTCGACATGG	GCGTCGAGCC	CTTCCTGCTG	1140
TGCTCGTCCC	TGCTCGGCGT	GCTGGCCCGAG	CGCCTGGTGC	GCGTGCTCTG	CGTGCACTGC	1200
CGCGAGGCGC	GCCCGGCTGA	CGCGGCCGAG	TGCGGCCTGC	TGGCCCTCGA	CCCGCACAGC	1260
CAGCCCTGTA	TCTACCACGC	CAAGGGCTGC	CCGGAGTGCC	ACCAGCAGGG	CTACCGCGGC	1320
CGTACTGGCA	TCTACGAGCT	GGTGATCTTC	GACGACCAGA	TGCGCACCCCT	GGTGACAAAC	1380
GGGCGCGGTG	AGCAGGAGCT	GATTCGCCAC	GCCCGCAGCC	TGGGCCCGAG	CATCCGCGAC	1440
GATGGCCGGC	GCAAGGTGCT	GGAAGGGGTG	ACCAGCCTGG	AAGAAGTGTT	GCGCGTGACC	1500
CGGAAGACT	GA					1512

## (2) INFORMATION FOR SEQ ID NO:7:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 503 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

```

Met Ser Thr Asp Thr His Ala Ala Leu Thr Ala Pro Ala Ser Pro Ala
 1           5           10           15
Leu Arg Pro Leu Pro Phe Ala Phe Ala Lys Arg His Gly Val Leu Leu
           20           25           30
Arg Glu Pro Phe Gly Gln Val Gln Leu Gln Val Arg Arg Gly Ala Ser
           35           40           45
Leu Ala Ala Val Gln Glu Ala Gln Arg Phe Ala Gly Arg Val Leu Pro
           50           55           60
Leu His Trp Leu Glu Pro Glu Ala Phe Glu Gln Glu Leu Ala Leu Ala
           65           70           75           80
Tyr Gln Arg Asp Ser Ser Glu Val Arg Gln Met Ala Glu Gly Met Gly
           85           90           95
Ala Glu Leu Asp Leu Ala Ser Leu Ala Glu Leu Thr Pro Glu Ser Gly
           100          105          110
Asp Leu Leu Glu Gln Glu Asp Asp Ala Pro Ile Ile Arg Leu Ile Asn
           115          120          125
Ala Ile Leu Ser Glu Ala Ile Lys Ala Gly Ala Ser Asp Ile His Leu
           130          135          140
Glu Thr Phe Glu Lys Arg Leu Val Val Arg Phe Arg Val Asp Gly Ile
           145          150          155          160
Leu Arg Glu Val Ile Glu Pro Arg Arg Glu Leu Ala Ala Leu Leu Val
           165          170          175
Ser Arg Val Lys Val Met Ala Arg Leu Asp Ile Ala Glu Lys Arg Val
           180          185          190
Pro Gln Asp Gly Arg Ile Ser Leu Lys Val Gly Gly Arg Glu Val Asp
           195          200          205
Ile Arg Val Ser Thr Leu Pro Ser Ala Asn Gly Glu Arg Val Val Leu
           210          215          220
Arg Leu Leu Asp Lys Gln Ala Gly Arg Leu Ser Leu Thr His Leu Gly
           225          230          235          240
Met Ser Glu Arg Asp Arg Arg Leu Leu Asp Asp Asn Leu Arg Lys Pro
           245          250          255
His Gly Ile Ile Leu Val Thr Gly Pro Thr Gly Ser Gly Lys Thr Thr
           260          265          270
Thr Leu Tyr Ala Gly Leu Val Thr Leu Asn Asp Arg Ser Arg Asn Ile
           275          280          285
Leu Thr Val Glu Asp Pro Ile Glu Tyr Tyr Leu Glu Gly Ile Gly Gln
           290          295          300
Thr Gln Val Asn Pro Arg Val Asp Met Thr Phe Ala Arg Gly Leu Arg
           305          310          315          320
Ala Ile Leu Arg Gln Asp Pro Asp Val Val Met Val Gly Glu Ile Arg
           325          330          335
Asp Gln Glu Thr Ala Asp Ile Ala Val Gln Ala Ser Leu Thr Gly His
           340          345          350
Leu Val Leu Ser Thr Leu His Thr Asn Ser Ala Val Gly Ala Val Thr
           355          360          365
Arg Leu Val Asp Met Gly Val Glu Pro Phe Leu Leu Ser Ser Ser Leu
           370          375          380
Leu Gly Val Leu Ala Gln Arg Leu Val Arg Val Leu Cys Val His Cys
           385          390          395          400
Arg Glu Ala Arg Pro Ala Asp Ala Ala Glu Cys Gly Leu Leu Gly Leu
           405          410          415
Asp Pro His Ser Gln Pro Leu Ile Tyr His Ala Lys Gly Cys Pro Glu
           420          425          430
Cys His Gln Gln Gly Tyr Arg Gly Arg Thr Gly Ile Tyr Glu Leu Val

```

```

      435              440              445
Ile Phe Asp Asp Gln Met Arg Thr Leu Val His Asn Gly Ala Gly Glu
      450              455              460
Gln Glu Leu Ile Arg His Ala Arg Ser Leu Gly Pro Ser Ile Arg Asp
      465              470              475              480
Asp Gly Arg Arg Lys Val Leu Glu Gly Val Thr Ser Leu Glu Glu Val
      485              490              495
Leu Arg Val Thr Arg Glu Asp
      500

```

## (2) INFORMATION FOR SEQ ID NO:8:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1215 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

```

ATGGCGCGCT TCGAATACAT CGCCCTGGAT GCCAGGGGCC GCCAGCAGAA GGGCGTGCTG      60
GAGGGCGACA GCGCCCGCCA GGTGCGCCAG CTGCTGCGCG ACAAACAGTT GTCGCGCGTG      120
CAGGTCGAGC CGGTACAGCG CAGGGAGCAG GCCGAGGCTG GTGGCTTCAG CCTGCGCGCT      180
GGCCTGTGGG CGCGCGACCT GGCGCTGGTC ACCCGTCAGC TGGCGACCCT GATCGGCGCC      240
GCGCTGCCCC TCGAGGAAGC GCTGCGCGCC GCGCGCGCGC AGTCGCGCCA GCCGCGCATC      300
CAGTCGATGC TGTGGCGGT GCGCGCAAG GTGCTCGAGG GCCACAGCCT GGCCAAGGCC      360
CTGGCCTCCT ACCCGGCGGC CTTCCCGAG CTGTACCGCG CCACGGTGGC GGCCGGCGAG      420
CATGCGGGGC ACCTGGCGCC GGTGCTGGAG CAGCTGGCCG ACTACACCGA GCAGCGCCAG      480
CAGTCGCGGC AGAAGATCCA GATGGCGCTG CTCTACCGCG TGATCCTGAT GCTCGCTTCG      540
CTGGGCATCG TCGGTTTTCT GCTCGCTAC GTGGTGCCCG ATGTGGTGCG GGTGTTGCTC      600
GACTCCGGGC AGACCCTGCC GCGGCTGACC CGCGGGCTGA TTTTCCTCAG CGAGCTGGTC      660
AAGTCCTGGG GCGCCCTGGC CATCGTCCTG GCGGTGCTCG GCGTGCTCGC CTTTCGCGCG      720
GCCTTGCGCA GCGAGGATCT GCGCCGCGCG TGGCATGCCT TCCTGCTCGC CGTGCCGCTG      780
GTCGGTGGGC TGATCGCGCG CACCGAGACG GCACGCTTCG CCTCGACCCCT GGCCATCCTG      840
GTGCGCAGCG GCGTGCCACT GGTGGAGGCG CTGGCCATCG GCGCCGAGGT GGTGTCCAAC      900
CTGATCATCC GCAGCGACGT GGCCAACGCC ACCCAGCGCG TGCGCGAGGG CGGCAGCCTG      960
TCGCGCGCGC TGGAGCCAG CCGGCAGTTT CCGCCGATGA TGCTGCACAT GATCGCCAGC      1020
GGCGAGCGTT CCGGCGAGCT GGACCAGATG CTGGCGCGCA CGGCGCGCAA CCAGGAAAAC      1080
GACCTGGCGG CCACCATCGG CCTGCTGGTG GGGCTGTTCT AGCCGTTTCAT GCTGGTATTC      1140
ATGGGCGCGG TGGTGCTGGT GATCGTGCTG GCCATCCTGC TGCCGATTCT TTCTCTGAAC      1200
CAACTGGTGG GTTGA

```

## (2) INFORMATION FOR SEQ ID NO:9:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 404 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

```

Met Ala Ala Phe Glu Tyr Ile Ala Leu Asp Ala Arg Gly Arg Gln Gln
  1              5              10              15
Lys Gly Val Leu Glu Gly Asp Ser Ala Arg Gln Val Arg Gln Leu Leu
      20              25              30
Arg Asp Lys Gln Leu Ser Pro Leu Gln Val Glu Pro Val Gln Arg Arg

```

35				40				45							
Glu	Gln	Ala	Glu	Ala	Gly	Gly	Phe	Ser	Leu	Arg	Arg	Gly	Leu	Ser	Ala
50						55					60				
Arg	Asp	Leu	Ala	Leu	Val	Thr	Arg	Gln	Leu	Ala	Thr	Leu	Ile	Gly	Ala
65					70					75					80
Ala	Leu	Pro	Ile	Glu	Glu	Ala	Leu	Arg	Ala	Ala	Ala	Ala	Gln	Ser	Arg
				85					90					95	
Gln	Pro	Arg	Ile	Gln	Ser	Met	Leu	Leu	Ala	Val	Arg	Ala	Lys	Val	Leu
			100					105					110		
Glu	Gly	His	Ser	Leu	Ala	Lys	Ala	Leu	Ala	Ser	Tyr	Pro	Ala	Ala	Phe
		115					120					125			
Pro	Glu	Leu	Tyr	Arg	Ala	Thr	Val	Ala	Ala	Gly	Glu	His	Ala	Gly	His
	130					135					140				
Leu	Ala	Pro	Val	Leu	Glu	Gln	Leu	Ala	Asp	Tyr	Thr	Glu	Gln	Arg	Gln
145					150					155					160
Gln	Ser	Arg	Gln	Lys	Ile	Gln	Met	Ala	Leu	Leu	Tyr	Pro	Val	Ile	Leu
				165					170					175	
Met	Leu	Ala	Ser	Leu	Gly	Ile	Val	Gly	Phe	Leu	Leu	Gly	Tyr	Val	Val
			180					185					190		
Pro	Asp	Val	Val	Arg	Val	Phe	Val	Asp	Ser	Gly	Gln	Thr	Leu	Pro	Ala
	195					200						205			
Leu	Thr	Arg	Gly	Leu	Ile	Phe	Leu	Ser	Glu	Leu	Val	Lys	Ser	Trp	Gly
	210					215					220				
Ala	Leu	Ala	Ile	Val	Leu	Ala	Val	Leu	Gly	Val	Leu	Ala	Phe	Arg	Arg
225					230					235					240
Ala	Leu	Arg	Ser	Glu	Asp	Leu	Arg	Arg	Arg	Trp	His	Ala	Phe	Leu	Leu
				245					250					255	
Arg	Val	Pro	Leu	Val	Gly	Gly	Leu	Ile	Ala	Ala	Thr	Glu	Thr	Ala	Arg
			260					265					270		
Phe	Ala	Ser	Thr	Leu	Ala	Ile	Leu	Val	Arg	Ser	Gly	Val	Pro	Leu	Val
	275						280					285			
Glu	Ala	Leu	Ala	Ile	Gly	Ala	Glu	Val	Val	Ser	Asn	Leu	Ile	Ile	Arg
	290					295					300				
Ser	Asp	Val	Ala	Asn	Ala	Thr	Gln	Arg	Val	Arg	Glu	Gly	Gly	Ser	Leu
305				310						315					320
Ser	Arg	Ala	Leu	Glu	Ala	Ser	Arg	Gln	Phe	Pro	Pro	Met	Met	Leu	His
				325					330					335	
Met	Ile	Ala	Ser	Gly	Glu	Arg	Ser	Gly	Glu	Leu	Asp	Gln	Met	Leu	Ala
			340					345					350		
Arg	Thr	Ala	Arg	Asn	Gln	Glu	Asn	Asp	Leu	Ala	Ala	Thr	Ile	Gly	Leu
	355						360					365			
Leu	Val	Gly	Leu	Phe	Glu	Pro									

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 423 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

**ATGTACAAAC AGAAAGGCTT CACGCTGATC GAAATCATGG TGGTGGTGGT CATCCTCGGC**

ATTCTCGCTG	CCCTGGTGGT	GCCGCAGGTG	ATGGGCGGCC	CGGACCAGGC	CAAGGTCACC	120
GCGGCGCAGA	ACGACATCCG	CGCCATCGGC	GCCGCGCTGG	ACATGTACAA	GCTGGACAAC	180
CAGAACTACC	CGAGCACCCA	GCAGGGCCTG	GAGGCGCTGG	TGAAGAAACC	CACCGGCACG	240
COGGCGGCGA	AGAACTGGAA	CGCCGAGGGC	TACCTGAAGA	AGCTGCCGGT	CGACCCCTGG	300
GGCAACCACT	ACCTGTACCT	GTCGCGGGC	ACCCGCGGCA	AGATCGACCT	GTATTCGCTG	360
GGCGCCGACG	GCCAGGAAGG	CGGCGAGGGG	ACCGACGCCG	ACATCGGCAA	CTGGGATCTC	420
TGA						423

## (2) INFORMATION FOR SEQ ID NO:11:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 140 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Met	Tyr	Lys	Gln	Lys	Gly	Phe	Thr	Leu	Ile	Glu	Ile	Met	Val	Val	Val
1				5					10					15	
Val	Ile	Leu	Gly	Ile	Leu	Ala	Ala	Leu	Val	Val	Pro	Gln	Val	Met	Gly
			20					25					30		
Arg	Pro	Asp	Gln	Ala	Lys	Val	Thr	Ala	Ala	Gln	Asn	Asp	Ile	Arg	Ala
			35				40					45			
Ile	Gly	Ala	Ala	Leu	Asp	Met	Tyr	Lys	Leu	Asp	Asn	Gln	Asn	Tyr	Pro
						55					60				
Ser	Thr	Gln	Gln	Gly	Leu	Glu	Ala	Leu	Val	Lys	Lys	Pro	Thr	Gly	Thr
65					70					75				80	
Pro	Ala	Ala	Lys	Asn	Trp	Asn	Ala	Glu	Gly	Tyr	Leu	Lys	Lys	Leu	Pro
				85					90					95	
Val	Asp	Pro	Trp	Gly	Asn	Gln	Tyr	Leu	Tyr	Leu	Ser	Pro	Gly	Thr	Arg
			100					105					110		
Gly	Lys	Ile	Asp	Leu	Tyr	Ser	Leu	Gly	Ala	Asp	Gly	Gln	Glu	Gly	Gly
			115				120					125			
Glu	Gly	Thr	Asp	Ala	Asp	Ile	Gly	Asn	Trp	Asp	Leu				
			130				135				140				

## (2) INFORMATION FOR SEQ ID NO:12:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 642 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

TTGAGTAGCA	CCCGCACCCG	CCTGCCCGCC	TGGCTGCAGC	GCCACGGCGT	GACCGGCCTC	60
TGCCTGCTCG	TGGTGTGCT	CATCACCCTC	AGCCTGAGCA	AGCAGAGCAT	CGACTTCCTT	120
CGCCTGCTGC	GCAGCGAGGC	CGCGCCACCG	CCCGCCCCAG	AGAGCATCGC	CGAGCGCCAG	180
COGCTGTCCA	TCCAGCGCCT	GCAGCATCTG	TTCGGCACGC	CCGCGGCCAG	GCCGCGCGGC	240
GACCAGGCCG	CCCCCGCCAC	CCGGCAGCAG	ATGACCCTGC	TGGCCAGCTT	CGTCAACCCG	300
GACGCCAAGC	GCTCCACGGC	GATCATCCAG	GTCGCGGGCG	ACAAACCCAA	GCGCATCGCC	360
GTGGGCGAAT	CGGTCAACGT	CAGCACCCGC	CTGCAGGCCG	TCTATCAGGA	CCACGTGGTG	420
CTCGACCGCG	GCGGCGTCTGA	GGAGAGCCTG	CGCTTCCCCG	CCGTGCGCCA	GCCCTCTCTG	480
ACGCCGCGCT	ACTCGGCGCT	GGAGCCCAAC	GCCAGCCAAC	TGGAACAGCT	GCAGGACGAA	540
GACGTCCAGG	CCCTGCAGGA	GCGCATCCAG	ACCCTTCAAC	AACGCATGGA	AGCGGCGAC	600

ATCCCGCAGC CCGAAATACC GGAAGCCGAA GACAGCCCAT GA

642

## (2) INFORMATION FOR SEQ ID NO:13:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 213 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

```

Met Ser Ser Thr Arg Thr Arg Leu Pro Ala Trp Leu Gln Arg His Gly
 1           5           10           15
Val Thr Gly Leu Cys Leu Leu Val Val Leu Leu Ile Thr Leu Ser Leu
      20           25           30
Ser Lys Gln Ser Ile Asp Phe Leu Arg Leu Leu Arg Ser Glu Ala Ala
      35           40           45
Pro Pro Pro Ala Pro Glu Ser Ile Ala Glu Arg Gln Pro Leu Ser Ile
      50           55           60
Gln Arg Leu Gln His Leu Phe Gly Thr Pro Ala Ala Arg Pro Arg Gly
      65           70           75           80
Asp Gln Ala Ala Pro Ala Thr Arg Gln Gln Met Thr Leu Leu Ala Ser
      85           90           95
Phe Val Asn Pro Asp Ala Lys Arg Ser Thr Ala Ile Ile Gln Val Ala
      100          105          110
Gly Asp Lys Pro Lys Arg Ile Ala Val Gly Glu Ser Val Asn Val Ser
      115          120          125
Thr Arg Leu Gln Ala Val Tyr Gln Asp His Val Val Leu Asp Arg Gly
      130          135          140
Gly Val Glu Glu Ser Leu Arg Phe Pro Ala Val Arg Gln Pro Ser Leu
      145          150          155          160
Thr Pro Ala Tyr Ser Ala Leu Glu Pro Thr Ala Ser Gln Leu Glu Gln
      165          170          175
Leu Gln Asp Glu Asp Val Gln Ala Leu Gln Glu Arg Ile Gln Thr Leu
      180          185          190
Gln Gln Arg Met Glu Gly Gly Asp Ile Pro Gln Pro Glu Ile Pro Glu
      195          200          205
Ala Glu Asp Ser Pro
      210

```

## (2) INFORMATION FOR SEQ ID NO:14:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1950 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

```

ATGATCGACT CCAGAATTCC GCCGCACAAA CGCCTGCCCC TCGCCCTGCT GCTGGCCGCG      60
AGCTGCCTCG CCGCCCCGCT GCCGCTCGTC CATGCCGCCG AGCCGGTGGC GGTGAGCCAG      120
GGCGCCGAGA CCTGGACCAT CAACATGAAG GACGCCGATA TCCGCGACTT CATCGACCAG      180
GTGGCGCAGA TCTCTGGCGA GACCTTCGTC GTCGATCCGC GGGTCAAGGG CCAGGTCACG      240
GTGATCTCCA AGACCCCGCT GGGCCTCGAG GAGGTCTACC AGCTGTTCTT TTCGGTGATG      300
AGCACCCATG GCTTCAGCGT GCTGGCACAG GCGGACCAGG CGGCATCGT GCCGGTCACC      360

```



GAGGCGCGTA	GCGGCGCCAA	CAGCAGCCGC	AGCGCGCCGG	ACGATGTGCA	GACCGAGCTG	420
ATCCAGGTGC	AGCACACCTC	GGTCAACGAA	CTGATCCCGC	TGATCCGCCC	GCTGGTGCCG	480
CAGAACGGCC	ACCTGGCGGC	GGTCGCCGCC	TCCAACGCGC	TGATCATCAG	CGACCGCCGG	540
GCNAATATCG	AACGCATCCG	CGAACTGATC	GCCGAGCTCG	ATGCCCAGGG	CGGCGGCGAC	600
TACAACGTGA	TCAACCTGCA	GCATGCCTGG	GTACTGGACG	CCGCCGAGGC	ACTGAACAAC	660
GCGGTGATGC	GCAACGAGAA	AAACAGCGCC	GGCACC CGGG	TGATTGCCGA	CGCCCGCACC	720
AACCGCCTGA	TCCTCCTCGG	CCCGCGGGCC	GCCCGCCAGC	GCCTGGCCAA	CCTGGCCCGC	780
TCGCTGGACA	TCCCAGCAC	CCGTTCGGCC	AATGCGCGGG	TAATTCGCCT	ACGCCACAGC	840
GACGCCAAGA	GCCTGGCGGA	GACCCTGGGC	GACATCTCCG	AGGGGTTGAA	GACCGCGGAG	900
GGTGGTGGCG	AAGCCGCCAG	CAGCAAGCCG	CAGAACATCC	TGATCCGCGC	CGACGAGAGC	960
CTCAATGCC	TGGTCTGCT	GGCGATCCG	GACACCGTGG	CGACCCTCGA	GGAAATCGTG	1020
CGCAACCTCG	ACGTCCCGCG	CGCCAGGTG	ATGGTTCGAGG	CGGCCATCGT	GGAAATCTCC	1080
GGGGATCATCA	GCGACGCCCT	CGCGTGTCAG	TGGGCGGTGG	ATGCCCGCGG	CGGCACCGGC	1140
GGCCTCGGCG	GGGTCAACTT	CGGCAATACC	GGGCTATCGG	TGGGCACCGT	GCTCAAGGCC	1200
ATCCAGAACG	AGGAAATCCC	CGATGACCTG	ACCTTGCCGG	ACGGCGCCAT	CATCGGCATC	1260
GGCACCGAGA	ACTTCGGCGC	GCTGATCACT	GCCCTCTCTG	CCAACAGCAA	GAGCAACCTG	1320
CTGTCCACGC	CCAGCCTGCT	GACCCTGGAC	AACCAGGAGG	CGGAAATCCT	GGTCGGGCAG	1380
AACGTGCCTT	TCCAGACCGG	CTCCTACACC	ACCGACGCCT	CGGGGGCGAA	CAACCCCTTC	1440
ACCACCATTG	AGCGCGAGGA	CATCGGCGTG	ACCTTCAAGG	TCACCCCGCA	CATCAACGAC	1500
GGCGCCACCC	TGCGCCTGGA	AGTGGAGCAG	GAGATCTCCT	CCATCGCCCC	CAGCGCGGGG	1560
GTCAATGCC	AGGCGGTGGA	CCTGGTGACC	AACAAGCGCT	CGATCAAGAG	CGTGATCCTG	1620
GCCGACGACG	GCCAGGTCAT	AGTGCTGGGA	GGGCTGATCC	AGGACGACGT	CACCAGCACC	1680
GACTCCAAGG	TGCCGCTGCT	GGGTGACATC	CCGCTGATCG	GCCGGCTGTT	CCGCTCGACC	1740
AAGGACACCC	ACGTCAAGCG	CAACCTGATG	GTGTTCTTGC	GCCCGACCAT	CGTCCGCGAC	1800
CGCGCCGGCA	TGGCCGCGCT	GTGCGGCAAG	AAGTACAGCG	ACATCAGCGT	GCTGGGTGCC	1860
GACGAGGATG	GCCACAGCAG	CCTGCCGGGC	AGCGCGAGC	GCCTGTTTGA	CAAACCCGGC	1920
GCCGGTGCCG	TGGACCTGCG	CGACCACTGA				1950

## (2) INFORMATION FOR SEQ ID NO:15:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 649 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Met	Ile	Asp	Ser	Arg	Ile	Pro	Pro	His	Lys	Arg	Leu	Pro	Leu	Ala	Leu
1				5					10					15	
Leu	Leu	Ala	Ala	Ser	Cys	Leu	Ala	Ala	Pro	Leu	Pro	Leu	Val	His	Ala
		20						25					30		
Ala	Glu	Pro	Val	Ala	Val	Ser	Gln	Gly	Ala	Glu	Thr	Trp	Thr	Ile	Asn
		35					40					45			
Met	Lys	Asp	Ala	Asp	Ile	Arg	Asp	Phe	Ile	Asp	Gln	Val	Ala	Gln	Ile
	50					55					60				
Ser	Gly	Glu	Thr	Phe	Val	Val	Asp	Pro	Arg	Val	Lys	Gly	Gln	Val	Thr
65				70					75					80	
Val	Ile	Ser	Lys	Thr	Pro	Leu	Gly	Leu	Glu	Glu	Val	Tyr	Gln	Leu	Phe
				85				90						95	
Leu	Ser	Val	Met	Ser	Thr	His	Gly	Phe	Ser	Val	Leu	Ala	Gln	Gly	Asp
			100				105						110		
Gln	Ala	Arg	Ile	Val	Pro	Val	Thr	Glu	Ala	Arg	Ser	Gly	Ala	Asn	Ser
		115				120						125			
Ser	Arg	Ser	Ala	Pro	Asp	Asp	Val	Gln	Thr	Glu	Leu	Ile	Gln	Val	Gln
		130				135					140				
His	Thr	S	r	Val	Asn	Glu	Leu	Ile	Pro	Leu	Ile	Arg	Pro	Leu	Val
145					150					155					160

Gln Asn Gly His Leu Ala Ala Val Ala Ala Ser Asn Ala Leu Ile Ile  
 165 170 175  
 Ser Asp Arg Arg Ala Asn Ile Glu Arg Ile Arg Glu Leu Ile Ala Glu  
 180 185 190  
 Leu Asp Ala Gln Gly Gly Gly Asp Tyr Asn Val Ile Asn Leu Gln His  
 195 200 205  
 Ala Trp Val Leu Asp Ala Ala Glu Ala Leu Asn Asn Ala Val Met Arg  
 210 215 220  
 Asn Glu Lys Asn Ser Ala Gly Thr Arg Val Ile Ala Asp Ala Arg Thr  
 225 230 235 240  
 Asn Arg Leu Ile Leu Leu Gly Pro Pro Ala Ala Arg Gln Arg Leu Ala  
 245 250 255  
 Asn Leu Ala Arg Ser Leu Asp Ile Pro Ser Thr Arg Ser Ala Asn Ala  
 260 265 270  
 Arg Val Ile Arg Leu Arg His Ser Asp Ala Lys Ser Leu Ala Glu Thr  
 275 280 285  
 Leu Gly Asp Ile Ser Glu Gly Leu Lys Thr Ala Glu Gly Gly Gly Glu  
 290 295 300  
 Ala Ala Ser Ser Lys Pro Gln Asn Ile Leu Ile Arg Ala Asp Glu Ser  
 305 310 315 320  
 Leu Asn Ala Leu Val Leu Leu Ala Asp Pro Asp Thr Val Ala Thr Leu  
 325 330 335  
 Glu Glu Ile Val Arg Asn Leu Asp Val Pro Arg Ala Gln Val Met Val  
 340 345 350  
 Glu Ala Ala Ile Val Glu Ile Ser Gly Asp Ile Ser Asp Ala Leu Gly  
 355 360 365  
 Val Gln Trp Ala Val Asp Ala Arg Gly Gly Thr Gly Gly Leu Gly Gly  
 370 375 380  
 Val Asn Phe Gly Asn Thr Gly Leu Ser Val Gly Thr Val Leu Lys Ala  
 385 390 395 400  
 Ile Gln Asn Glu Glu Ile Pro Asp Asp Leu Thr Leu Pro Asp Gly Ala  
 405 410 415  
 Ile Ile Gly Ile Gly Thr Glu Asn Phe Gly Ala Leu Ile Thr Ala Leu  
 420 425 430  
 Ser Ala Asn Ser Lys Ser Asn Leu Leu Ser Thr Pro Ser Leu Leu Thr  
 435 440 445  
 Leu Asp Asn Gln Glu Ala Glu Ile Leu Val Gly Gln Asn Val Pro Phe  
 450 455 460  
 Gln Thr Gly Ser Tyr Thr Thr Asp Ala Ser Gly Ala Asn Asn Pro Phe  
 465 470 475 480  
 Thr Thr Ile Glu Arg Glu Asp Ile Gly Val Thr Leu Lys Val Thr Pro  
 485 490 495  
 His Ile Asn Asp Gly Ala Thr Leu Arg Leu Glu Val Glu Gln Glu Ile  
 500 505 510  
 Ser Ser Ile Ala Pro Ser Ala Gly Val Asn Ala Gln Ala Val Asp Leu  
 515 520 525  
 Val Thr Asn Lys Arg Ser Ile Lys Ser Val Ile Leu Ala Asp Asp Gly  
 530 535 540  
 Gln Val Ile Val Leu Gly Gly Leu Ile Gln Asp Asp Val Thr Ser Thr  
 545 550 555 560  
 Asp Ser Lys Val Pro Leu Leu Gly Asp Ile Pro Leu Ile Gly Arg Leu  
 565 570 575  
 Phe Arg Ser Thr Lys Asp Thr His Val Lys Arg Asn Leu Met Val Phe  
 580 585 590  
 Leu Arg Pro Thr Ile Val Arg Asp Arg Ala Gly Met Ala Ala Leu Ser  
 595 600 605  
 Gly Lys Lys Tyr Ser Asp Ile Ser Val Leu Gly Ala Asp Glu Asp Gly  
 610 615 620  
 His Ser Ser Leu Pro Gly Ser Ala Glu Arg Leu Phe Asp Lys Pro Gly

625  
Ala Gly Ala Val Asp Leu Arg Asp Gln  
645

635

640

## (2) INFORMATION FOR SEQ ID NO:16:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2742 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

ATGTCTGTTT	GGGTCACTG	GCCGGGCTTG	GTCAAGTTTG	GCACCCTGGG	CATCTATGCC	60
GGCCTGATCA	CGCTCGCGCT	TGAGCGCGAC	GTGCTGTTCA	AGAACAACCT	GTTCGACGTC	120
GACAACCTGC	CCGCGGCCAA	CGCCAGCATC	ACCTGTGATG	CCCGCAGCCA	GGTGGCGCGT	180
ATCGAGGACG	GCACCTGTAA	CATCCTCGCC	AACCGGCGCG	AGGGCTCGGT	GTACCGCGCG	240
TTCGGGCGCA	ACGTGACCC	CAGCGTGACC	CATGGCGAGA	CCGAGGCCGA	CACCCTGCTC	300
AGTCCCAATC	CGCGGGAGGT	GAGTAACGTG	CTGATGGCGC	GTGGCGAGTT	CAAGCCGGCG	360
CCCAGCCTCA	ACTTCATCGC	CGCCTCCTGG	ATCCAGTTCA	TGGTGCATGA	CTGGGTCGAA	420
CACGGCCCCA	ACGCGGAAGC	CAACCCGATC	CAGGTGCCCG	TGCCGGCTGG	CGACGCGCTC	480
GGCTCCGGCA	GCCTGTCCGT	GCGCCGCACC	CAGCCCGACC	CGACCCGTAC	CCCGCCCGAG	540
GCCGGCAAGC	CGGCCACCTA	CCGCAACCAC	AACACCCACT	GGTGGGATGG	CTCGCAGTTG	600
TATGGCAGCA	GCAAGGACAT	CAACGACAAG	GTGCGCGCCT	TCGAGGGTGG	CAAGCTGAAG	660
ATCAATCCCG	ACGGTACCCT	GCCGACCGAG	TTCCTCAGCG	GCAAGCCGAT	CACCGGCTTC	720
AACGAGAATC	GGTGGGTTGG	CCTGAGCATG	CTGCACCAGC	TGTTCACTAA	GGAGCACAAC	780
GCCATCGCGG	CGATGCTCCA	GCAGAAGTAC	CCGGACAAGG	ACGACCAGTG	GCTGTACGAC	840
CATGCGCGCC	TGGTCAACTC	CGCGCTGATG	GCCAAGATCC	ACACCGTGGA	ATGGACCCCG	900
GCGGTGATCG	CCAACCCGGT	CACCGAACGC	GCCATGTATG	CCAACGGGTG	GGGCCTGCTG	960
GGTTCGGGTC	CGGAGCGTGA	CAAGTACCAG	GAAGAGGCGC	GCATGCTGCA	GGAGGACCTG	1020
GCCAGCTCCA	ACTCCTTCGT	CCTGCGCATT	CTCGGCATCG	ACGGCAGCCA	GGCCGGCAGT	1080
TCGGCCATCG	ACCATGCCCT	GGCGGCGATC	GTGCGCTCGA	CCAACCCGAA	CACTACGGC	1140
GTGCCCTACA	CCCTGACCGA	GGAGTTCGTC	GCGGTCTACC	GCATGCACCC	GCTGATGCGC	1200
GACAAGGTCT	ATGCTACGCA	CATCGGCTCG	AACATCATCG	CGCGCAGCGT	GCCGCTGCAG	1260
GAGACCCCGG	ATGCCGACGC	CGAGGAGCTG	CTGGCGGACG	AGAATCCCGA	GCGCCTGTGG	1320
TACTCCTTCG	GCATCACCAA	CCCGGGCTCG	CTGACCCTCA	ACAACCTACC	GAACCTCCTG	1380
CGCAACCTGT	CCATGCCGCT	GGTCGGCAAC	ATCGACCTGG	CGACCATCGA	CGTGCTGTGT	1440
GACCGGAGC	GCGGGGTGCC	GCGCTACAAC	GAGTTCGCGC	GCGAGATCGG	CCTCAACCCG	1500
ATCACCAGT	TGGAGGACCT	GACCACCGAC	CCGGCCACCC	TGGCCAACCT	CAAGCGCATC	1560
TACGGCAACG	ACATCGAGAA	GATTGACACC	CTGGTCGGCA	TGCTGGCCGA	GACCGTGCGT	1620
CCGGACGGCT	TCGCCTTCGG	CGAGACGGCC	TTCCAGATCT	TCATCATGAA	CGCCTCGCGG	1680
CGCCTGATGA	CGACCGCTT	CTATACCAAG	GACTACCGCC	CGGAGATCTA	CACCGCCGAG	1740
GGCCTGGCCT	GGGTCGAGAA	CACCACCATG	GTGACGTGTC	TCAAACGCCA	CAATCCGCAG	1800
CTGGTCAACA	GCCTGGTTGG	CGTGGAAAAC	GCCTTCAAAC	CCTGGGGCCT	GAACATCCCG	1860
GCCGACTACG	AGAGCTGGCC	GGGCAAGGCC	AAGCAGGACA	ACCTGTGGGT	CAACGGCGCC	1920
NTGCGCACCC	AGTACGCCGC	AGGCCAGCTG	CCGGCCATTC	CGCCGGTGGA	CGTCGGCGGC	1980
CTGATCAGTT	CGGTGCTGTG	GAAGAAGGTG	CAGACCAANT	CCGACGTGGC	GCCGGCCGGC	2040
TACGAGAAGG	CCATGCACCC	GCATGGCGTG	ATGGCCAAGG	TCAAGTTCAC	CGCCGTGCCG	2100
GGGCACCCCT	ACACCGGCTT	GTTCCAGGGT	GCCGACAGCG	GCCTGCTGCG	CCTGTGGGTG	2160
GCCGCGGACC	CGGCAACCAA	CGGCTTCCAG	CCGGGTCTGG	CGTGAAGGCC	CTTCGTGAC	2220
GGCAAGCCGT	CGCAGAACGT	CTCCGCGCTC	TACACCTGTA	GCGGGCAGGG	CAGCAACCAC	2280
AACTTCTTCG	CCAACGAGCT	GTGCGAGTTC	GTCTGCGCGG	AGACCAACGA	TACCCTGGGC	2340
ACCACGCTGC	TGTTCTCGCT	GGTCAGCCTC	AAGCGACCTT	TGCTGCGCGT	GGACGACATG	2400
GCCGAAGTGA	CCGAGACCGG	CAGGGCCGTG	ACTTCGGTCA	AGGCGCGGAC	GCAGATCTAC	2460
TTCGTGCCCA	AGCCGGAGCT	GCGCAGCCTG	TTCTCCAGTG	CGGCGCATGA	CTTCGCGAGC	2520
GACCTGACGA	GCCTCACCGC	CGGCACCAAG	CTGTACGACG	TCTACGCTAC	CTCGATGGAG	2580
ATCAAGACCT	CGATCCTGCC	GTGACCAAT	CGTAGCTACG	CCCAGCAACG	GCGCAACAGC	2640

GCGGTGAAGA TCGGCGAGAT GGAGCTGACC TCGCGTTCA TCGCCTCGGC CTTGCGCGAC 2700  
 AACGGGGTGT TCTTCAAGCA CCAGCGTCAC GAAGACAAAT AA 2742

## (2) INFORMATION FOR SEQ ID NO:17:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 913 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Met	Ser	Val	Trp	Val	Thr	Trp	Pro	Gly	Leu	Val	Lys	Phe	Gly	Thr	Leu
1			5						10					15	
Gly	Ile	Tyr	Ala	Gly	Leu	Ile	Thr	Leu	Ala	Leu	Glu	Arg	Asp	Val	Leu
			20					25					30		
Phe	Lys	Asn	Asn	Leu	Phe	Asp	Val	Asp	Asn	Leu	Pro	Ala	Ala	Asn	Ala
		35				40						45			
Ser	Ile	Thr	Cys	Asp	Ala	Arg	Ser	Gln	Val	Ala	Arg	Thr	Glu	Asp	Gly
	50					55					60				
Thr	Cys	Asn	Ile	Leu	Ala	Asn	Pro	Ala	Glu	Gly	Ser	Val	Tyr	Arg	Arg
65					70					75				80	
Phe	Gly	Arg	Asn	Val	Asp	Pro	Ser	Val	Thr	His	Gly	Glu	Thr	Glu	Ala
			85						90					95	
Asp	Thr	Leu	Leu	Ser	Pro	Asn	Pro	Arg	Glu	Val	Ser	Asn	Val	Leu	Met
			100					105					110		
Ala	Arg	Gly	Glu	Phe	Lys	Pro	Ala	Pro	Ser	Leu	Asn	Phe	Ile	Ala	Ala
	115					120						125			
Ser	Trp	Ile	Gln	Phe	Met	Val	His	Asp	Trp	Val	Glu	His	Gly	Pro	Asn
	130					135					140				
Ala	Glu	Ala	Asn	Pro	Ile	Gln	Val	Pro	Leu	Pro	Ala	Gly	Asp	Ala	Leu
145					150					155				160	
Gly	Ser	Gly	Ser	Leu	Ser	Val	Arg	Arg	Thr	Gln	Pro	Asp	Pro	Thr	Arg
			165						170					175	
Thr	Pro	Ala	Glu	Ala	Gly	Lys	Pro	Ala	Thr	Tyr	Arg	Asn	His	Asn	Thr
			180					185					190		
His	Trp	Trp	Asp	Gly	Ser	Gln	Leu	Tyr	Gly	Ser	Ser	Lys	Asp	Ile	Asn
	195					200						205			
Asp	Lys	Val	Arg	Ala	Phe	Glu	Gly	Gly	Lys	Leu	Lys	Ile	Asn	Pro	Asp
	210					215					220				
Gly	Thr	Leu	Pro	Thr	Glu	Phe	Leu	Ser	Gly	Lys	Pro	Ile	Thr	Gly	Phe
225					230					235				240	
Asn	Glu	Asn	Trp	Trp	Val	Gly	Leu	Ser	Met	Leu	His	Gln	Leu	Phe	Thr
			245						250					255	
Lys	Glu	His	Asn	Ala	Ile	Ala	Ala	Met	Leu	Gln	Gln	Lys	Tyr	Pro	Asp
			260					265					270		
Lys	Asp	Asp	Gln	Trp	Leu	Tyr	Asp	His	Ala	Arg	Leu	Val	Asn	Ser	Ala
	275					280						285			
Leu	Met	Ala	Lys	Ile	His	Thr	Val	Glu	Trp	Thr	Pro	Ala	Val	Ile	Ala
	290					295					300				
Asn	Pro	Val	Thr	Glu	Arg	Ala	Met	Tyr	Ala	Asn	Trp	Trp	Gly	Leu	Leu
305					310					315				320	
Gly	Ser	Gly	Pro	Glu	Arg	Asp	Lys	Tyr	Gln	Glu	Glu	Ala	Arg	Met	Leu
			325						330					335	
Gln	Glu	Asp	Leu	Ala	Ser	Ser	Asn	Ser	Phe	Val	Leu	Arg	Ile	Leu	Gly
			340					345					350		
Ile	Asp	Gly	Ser	Gln	Ala	Gly	Ser	Ser	Ala	Ile	Asp	His	Ala	Leu	Ala

355					360					365					
Gly	Ile	Val	Gly	Ser	Thr	Asn	Pro	Asn	Asn	Tyr	Gly	Val	Pro	Tyr	Thr
370					375					380					
Leu	Thr	Glu	Glu	Phe	Val	Ala	Val	Tyr	Arg	Met	His	Pro	Leu	Met	Arg
385					390					395					
Asp	Lys	Val	Asp	Val	Tyr	Asp	Ile	Gly	Ser	Asn	Ile	Ile	Ala	Arg	Ser
405					410					415					
Val	Pro	Leu	Gln	Glu	Thr	Arg	Asp	Ala	Asp	Ala	Glu	Glu	Leu	Leu	Ala
420					425					430					
Asp	Glu	Asn	Pro	Glu	Arg	Leu	Trp	Tyr	Ser	Phe	Gly	Ile	Thr	Asn	Pro
435					440					445					
Gly	Ser	Leu	Thr	Leu	Asn	Asn	Tyr	Pro	Asn	Phe	Leu	Arg	Asn	Leu	Ser
450					455					460					
Met	Pro	Leu	Val	Gly	Asn	Ile	Asp	Leu	Ala	Thr	Ile	Asp	Val	Leu	Cys
465					470					475					
Asp	Arg	Glu	Arg	Gly	Val	Pro	Arg	Tyr	Asn	Glu	Phe	Arg	Arg	Glu	Ile
485					490					495					
Gly	Leu	Asn	Pro	Ile	Thr	Lys	Leu	Glu	Asp	Leu	Thr	Thr	Asp	Pro	Ala
500					505					510					
Thr	Leu	Ala	Asn	Leu	Lys	Arg	Ile	Tyr	Gly	Asn	Asp	Ile	Glu	Lys	Ile
515					520					525					
Asp	Thr	Leu	Val	Gly	Met	Leu	Ala	Glu	Thr	Val	Arg	Pro	Asp	Gly	Phe
530					535					540					
Ala	Phe	Gly	Glu	Thr	Ala	Phe	Gln	Ile	Phe	Ile	Met	Asn	Ala	Ser	Arg
545					550					555					
Arg	Leu	Met	Thr	Asp	Arg	Phe	Tyr	Thr	Lys	Asp	Tyr	Arg	Pro	Glu	Ile
565					570					575					
Tyr	Thr	Ala	Glu	Gly	Leu	Ala	Trp	Val	Glu	Asn	Thr	Thr	Met	Val	Asp
580					585					590					
Val	Leu	Lys	Arg	His	Asn	Pro	Gln	Leu	Val	Asn	Ser	Leu	Val	Gly	Val
595					600					605					
Glu	Asn	Ala	Phe	Lys	Pro	Trp	Gly	Leu	Asn	Ile	Pro	Ala	Asp	Tyr	Glu
610					615					620					
Ser	Trp	Pro	Gly	Lys	Ala	Lys	Gln	Asp	Asn	Leu	Trp	Val	Asn	Gly	Ala
625					630					635					
Xaa	Arg	Thr	Gln	Tyr	Ala	Ala	Gly	Gln	Leu	Pro	Ala	Ile	Pro	Pro	Val
645					650					655					
Asp	Val	Gly	Gly	Leu	Ile	Ser	Ser	Val	Leu	Trp	Lys	Lys	Val	Gln	Thr
660					665					670					
Xaa	Ser	Asp	Val	Ala	Pro	Ala	Gly	Tyr	Glu	Lys	Ala	Met	His	Pro	His
675					680					685					
Gly	Val	Met	Ala	Lys	Val	Lys	Phe	Thr	Ala	Val	Pro	Gly	His	Pro	Tyr
690					695					700					
Thr	Gly	Leu	Phe	Gln	Gly	Ala	Asp	Ser	Gly	Leu	Leu	Arg	Leu	Ser	Val
705					710					715					
Ala	Gly	Asp	Pro	Ala	Thr	Asn	Gly	Phe	Gln	Pro	Gly	Leu	Ala	Trp	Lys
725					730					735					
Ala	Phe	Val	Asp	Gly	Lys	Pro	Ser	Gln	Asn	Val	Ser	Ala	Leu	Tyr	Thr
740					745					750					
Leu	Ser	Gly	Gln	Gly	Ser	Asn	His	Asn	Phe	Phe	Ala	Asn	Glu	Leu	Ser
755					760					765					
Gln	Phe	Val	Leu	Pro	Glu	Thr	Asn	Asp	Thr	Leu	Gly	Thr	Thr	Leu	Leu
770					775					780					
Phe	Ser	Leu	Val	Ser	Leu	Lys	Pro	Thr	Leu	Leu	Arg	Val	Asp	Asp	Met
785					790					795					
Ala	Glu	Val	Thr	Gln	Thr	Gly	Gln	Ala	Val	Thr	Ser	Val	Lys	Ala	Pro
805					810					815					
Thr	Gln	Ile	Tyr	Phe	Val	Pro	Lys	Pro	Glu	Leu	Arg	Ser	Leu	Phe	Ser
820					825					830					

S r Ala Ala His Asp Phe Arg Ser Asp Leu Thr Ser Leu Thr Ala Gly  
                   835                                  840                                  845  
 Thr Lys Leu Tyr Asp Val Tyr Ala Thr Ser Met Glu Ile Lys Thr Ser  
                   850                                  855                                  860  
 Ile Leu Pro Ser Thr Asn Arg Ser Tyr Ala Gln Gln Arg Arg Asn Ser  
 865                                  870                                  875                                  880  
 Ala Val Lys Ile Gly Glu Met Glu Leu Thr Ser Pro Phe Ile Ala Ser  
                                   885                                  890                                  895  
 Ala Phe Gly Asp Asn Gly Val Phe Phe Lys His Gln Arg His Glu Asp  
                   900                                  905                                  910  
 Lys

## (2) INFORMATION FOR SEQ ID NO:18:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 525 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

ATGCAGCGGG	GGCGCGGTTT	CACTCTGATC	GAGCTGCTGG	TGGTGCTGGT	GCTGCTGGGC	60
GTGCTCACCG	GCCTCGCCGT	GCTCGGCAGC	GGGATCGCCA	GCAGCCCCGC	GCGCAAGCTG	120
GCGGACGAGG	CGAGCGCCT	GCAGTCGCTG	CTGCGGGTGC	TGCTCGACGA	GCGGGTGCTG	180
GACAACCGCG	AGTATGGCGT	ACGCTTCGAC	GCCCCGAGCT	ACCGGGTGCT	GCGCTTCGAG	240
CCGCGCACGG	CGCGCTGGGA	GCOGCTCGAC	GAGCGCGTGC	ACGAGCTGCC	GGAGTGGCTC	300
GAGCTGGAGA	TCGAGGTGGA	CGAGCAGAGT	GTCGGGCTGC	CCGCCGCCCG	TGGCGAGCAG	360
GACAAAGCCG	CGGCCAAGGC	GCCACAGCTG	CTGCTGCTCT	CCAGTGGCGA	GCTGACCCCC	420
TTCCGCTTGC	GCCTGTCCGC	CGGCCGCGAG	CGCGGCGCGC	CGGTGCTGAC	GCTGGCCAGC	480
GACGGCTTCG	CCGAGCCCGA	GCTGCAGCAG	GAAGATCCC	GATGA		525

## (2) INFORMATION FOR SEQ ID NO:19:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 174 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Met	Gln	Arg	Gly	Arg	Gly	Phe	Thr	Leu	Ile	Glu	Leu	Leu	Val	Val	Leu
1				5				10					15		
Val	Leu	Leu	Gly	Val	Leu	Thr	Gly	Leu	Ala	Val	Leu	Gly	Ser	Gly	Ile
			20					25					30		
Ala	Ser	Ser	Pro	Ala	Arg	Lys	Leu	Ala	Asp	Glu	Ala	Glu	Arg	Leu	Gln
			35				40				45				
Ser	Leu	Leu	Arg	Val	Leu	Leu	Asp	Glu	Ala	Val	Leu	Asp	Asn	Arg	Glu
			50			55			60						
Tyr	Gly	Val	Arg	Phe	Asp	Ala	Arg	Ser	Tyr	Arg	Val	Leu	Arg	Phe	Glu
65				70				75					80		
Pro	Arg	Thr	Ala	Arg	Trp	Glu	Pro	Leu	Asp	Glu	Arg	Val	His	Glu	Leu
			85					90					95		
Pro	Glu	Trp	Leu	Glu	Leu	Glu	Ile	Glu	Val	Asp	Glu	Gln	Ser	Val	Gly
			100				105					110			
Leu	Pro	Ala	Ala	Arg	Gly	Glu	Gln	Asp	Lys	Ala	Ala	Ala	Lys	Ala	Pro

115	120	125
Gln Leu Leu Leu Ser Ser Gly Glu Leu Thr Pro Phe Ala Leu Arg		
130	135	140
Leu Ser Ala Gly Arg Glu Arg Gly Ala Pro Val Leu Thr Leu Ala Ser		
145	150	155
Asp Gly Phe Ala Glu Pro Glu Leu Gln Gln Glu Lys Ser Arg		160
165	170	

## (2) INFORMATION FOR SEQ ID NO:20:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 390 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

ATGAAGCGCG	GCCGCGGCTT	CACCCTGCTC	GAGGTGCTGG	TGGCCCTGGC	GATCTTCGCC	60
GTGGTCGCCG	CCAGCGTGCT	CAGCGCCAGC	GCTCGCTCGC	TGAAGACCGC	CGCGCGCCTG	120
GAGGACAAGA	CCTTCGCCAC	CTGGCTGGCG	GACAACCGCC	TGCAGGAGCT	GCAGCTGGCC	180
GACGTGCCCG	CGGGCGAGGG	CCGCGAGCAG	GGCGAGGAGA	GCTACGCCGG	GCGGCGCTGG	240
CTGTGGCAGA	GCGAGGTGCA	GGCCACCAGC	GAGCCGGAGA	TGCTGCGTGT	CACCGTACGG	300
GTGGCGCTGC	GGCCGGAGCG	CGGGCTGCAG	GGCAAGATCG	AAGACCATGC	CCTGGTGACC	360
CTGAGTGGCT	TCGTCGGGGT	CGAGCCATGA				390

## (2) INFORMATION FOR SEQ ID NO:21:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 129 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

Met Lys Arg Gly Arg Gly Phe Thr Leu Leu Glu Val Leu Val Ala Leu	
1	15
Ala Ile Phe Ala Val Val Ala Ala Ser Val Leu Ser Ala Ser Ala Arg	
20	30
Ser Leu Lys Thr Ala Ala Arg Leu Glu Asp Lys Thr Phe Ala Thr Trp	
35	45
Leu Ala Asp Asn Arg Leu Gln Glu Leu Ala Asp Val Pro Pro	
50	60
Gly Glu Gly Arg Glu Gln Gly Glu Glu Ser Tyr Ala Gly Arg Arg Trp	
65	80
Leu Trp Gln Ser Glu Val Gln Ala Thr Ser Glu Pro Glu Met Leu Arg	
85	95
Val Thr Val Arg Val Ala Leu Arg Pro Glu Arg Gly Leu Gln Gly Lys	
100	110
Ile Glu Asp His Ala Leu Val Thr Leu Ser Gly Phe Val Gly Val Glu	
115	125
Pro	

## (2) INFORMATION FOR SEQ ID NO:22:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 684 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

```

ATGAGGCAGC GCGGCTTCAC CCTGCTGGAA GTGCTGATCG CCATCGCCAT CTTGCCCCTG      60
CTGGCCATGG CCACCTACCG CATGCTCGAC AGCGTGCTGC AGACCGATCG TGGCCAGCGC      120
CAGCAGGAGC AGCGTCTGCG CGAGCTGACG CCGGCCATGG CAGCTTTTCA ACGCGACCTG      180
CTGCAGGTGC GCCTGCGTCC GGTGCGCGAC CCGCTGGGCG ACCTGCTGCC AGCCCTGCGC      240
GGCAGCAGTG GCCGCGACAC CCAGCTGGAG TTCACCGCA GCGGCTGGCG CAACCCGCTC      300
GGCCAGCCGC GCGCCACCCT ACAGCGGGTG CGCTGGCAGC TCGAAGGCGA GCGCTGGCAG      360
CGCGTTACT GGACGGTGCT GGACCAGGCC CAGGACAGCC AGCCGCGGGT GCAGCAGGCG      420
CTGGATGGCG TCGCGCGCTT CGACTTGCCG TTTCTCGACC AGGAGGGGCG CTGGCTGCAG      480
GACTGGCCGC CGGCCAACAG TGCTGCGGAC GAGGCCCTGA CCCAGCTGCC GCGTGCCGTC      540
GAGCTGGTGC TCGAGCACCG CCATTACGGT GAACTGCGCC GTCTCTGGCG CTTGCCCGAG      600
ATGCCGCAGC AGGAACAGAT CACGCCGCCG GGGGGCGAGC AGGGCGGTGA GCTGCTGCCG      660
GAAGAGCCGG AGCCCGAGGC ATGA                                           684

```

## (2) INFORMATION FOR SEQ ID NO:23:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 227 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

```

Met Arg Gln Arg Gly Phe Thr Leu Leu Glu Val Leu Ile Ala Ile Ala
 1           5           10          15
Ile Phe Ala Leu Leu Ala Met Ala Thr Tyr Arg Met Leu Asp Ser Val
          20          25          30
Leu Gln Thr Asp Arg Gly Gln Arg Gln Gln Glu Gln Arg Leu Arg Glu
          35          40          45
Leu Thr Arg Ala Met Ala Ala Phe Glu Arg Asp Leu Leu Gln Val Arg
          50          55          60
Leu Arg Pro Val Arg Asp Pro Leu Gly Asp Leu Leu Pro Ala Leu Arg
          65          70          75          80
Gly Ser Ser Gly Arg Asp Thr Gln Leu Glu Phe Thr Arg Ser Gly Trp
          85          90          95
Arg Asn Pro Leu Gly Gln Pro Arg Ala Thr Leu Gln Arg Val Arg Trp
          100         105         110
Gln Leu Glu Gly Glu Arg Trp Gln Arg Ala Tyr Trp Thr Val Leu Asp
          115         120         125
Gln Ala Gln Asp Ser Gln Pro Arg Val Gln Gln Ala Leu Asp Gly Val
          130         135         140
Arg Arg Phe Asp Leu Arg Phe Leu Asp Gln Glu Gly Arg Trp Leu Gln
          145         150         155         160
Asp Trp Pro Pro Ala Asn Ser Ala Ala Asp Glu Ala Leu Thr Gln Leu
          165         170         175
Pro Arg Ala Val Glu Leu Val Val Glu His Arg His Tyr Gly Glu Leu
          180         185         190
Arg Arg Leu Trp Arg Leu Pro Glu Met Pro Gln Gln Glu Gln Ile Thr
          195         200         205
Pro Pro Gly Gly Glu Gln Gly Gly Glu Leu Leu Pro Glu Glu Pro Glu

```



210  
Pro Glu Ala  
225

215

220

## (2) INFORMATION FOR SEQ ID NO:24:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 954 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

```

ATGAGCCGGC AGCGCGGCGT GGCACGTGATC ACCGTGCTGC TGGTGGTGGC GCTGGTGACC      60
GTGGTCTGCG CGGCCCTGCT GCTGCGCCAG CAGCTGGCCA TCCGCAGCAC CGGCAACCAG      120
CTGCTGGTGC GCCAGGCCCA GTACTACGCC GAAGGCGGCG AGCTGCTGGC CAAGGCCCTG      180
CTGCGTCCGC ACCTGGCCGC CGACCAGGTC GATCATCCCG GCGAGCCCTG GGCCAACCCC      240
GGCCTGCGCT TCCCCCTGGA TGAGGGCGGC GAGCTGCGCC TCGGCATCGA GGACCTGGCC      300
GGACGTTTCA ACCTCAACAG CCTGGCCGCC GGTGGTGAGG CCGGTGAGTT GGCGCTGCTG      360
CGCCTGCGGC GCCTGTGCA GCTGCTGCAG CTGACCCCGG CCTATGCCGA GCGCCTGCAG      420
GACTGGCTCG ACGGCGATCA GGAGGCCAGC GGCATGGCCG GCGCCGAGGA TGACCAGTAC      480
CTGCTGCAGA AACCGCCCTA CCGTACCGGC CCCGGGCGCA TTGCCGAGGT GTCGGAGCTG      540
CGCCTGCTGC TGGGCATGAG CGAGGCGGAC TACCGCCGCC TGGCCCCCTT CGTCAGCGCC      600
CTGCCGAGCC AGGTCGAGCT GAACATCAAC ACCGCCAGCG CCCTGGTGCT GGCTTGCTG      660
GGCGAGGGCA TNCCCGAGGC GGTGCTCGAG GCCGCCATCG ANGGTCGCGG CCGCAGCGGC      720
TATCGCGAGC CCGCTGCCTT CGTCCAGCAN CTTGCCAGCT ACGGCGTCAG CCCGAGGGG      780
CTGGGCATCG CCAGCCAGTA TTTCGTGTC ACCACCGAGG TGCTGCTGGG TGAGCGGCGC      840
CAGGTGCTGG CCAGTTATCT GCAACGTGGT AATGATGGGC GCGTCCGCTT GATGGCGCGC      900
GATCTGGGGC AGGAGGGCCT GGCGCCCCCA CCCGTGAGG AGTCCGAGAA ATGA          954

```

## (2) INFORMATION FOR SEQ ID NO:25:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 317 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

```

Met Ser Arg Gln Arg Gly Val Ala Leu Ile Thr Val Leu Leu Val Val
 1           5           10          15
Ala Leu Val Thr Val Val Cys Ala Ala Leu Leu Arg Gln Gln Leu
 20          25          30
Ala Ile Arg Ser Thr Gly Asn Gln Leu Leu Val Arg Gln Ala Gln Tyr
 35          40          45
Tyr Ala Glu Gly Gly Glu Leu Leu Ala Lys Ala Leu Leu Arg Arg Asp
 50          55          60
Leu Ala Ala Asp Gln Val Asp His Pro Gly Glu Pro Trp Ala Asn Pro
 65          70          75          80
Gly Leu Arg Phe Pro Leu Asp Glu Gly Gly Glu Leu Arg Leu Arg Ile
 85          90          95
Glu Asp Leu Ala Gly Arg Phe Asn Leu Asn Ser Leu Ala Ala Gly Gly
100         105         110
Glu Ala Gly Glu Leu Ala Leu Leu Arg Leu Arg Arg Leu Leu Gln Leu
115         120         125

```

Leu Gln Leu Thr Pro Ala Tyr Ala Glu Arg Leu Gln Asp Trp Leu Asp  
 130 135 140  
 Gly Asp Gln Glu Ala S r Gly Met Ala Gly Ala Glu Asp Asp Gln Tyr  
 145 150 155 160  
 Leu Leu Gln Lys Pro Pro Tyr Arg Thr Gly Pro Gly Arg Ile Ala Glu  
 165 170 175  
 Val Ser Glu Leu Arg Leu Leu Leu Gly Met Ser Glu Ala Asp Tyr Arg  
 180 185 190  
 Arg Leu Ala Pro Phe Val Ser Ala Leu Pro Ser Gln Val Glu Leu Asn  
 195 200 205  
 Ile Asn Thr Ala Ser Ala Leu Val Leu Ala Cys Leu Gly Glu Gly Xaa  
 210 215 220  
 Pro Glu Ala Val Leu Glu Ala Ala Ile Xaa Gly Arg Gly Arg Ser Gly  
 225 230 235 240  
 Tyr Arg Glu Pro Ala Ala Phe Val Gln Xaa Leu Ala Ser Tyr Gly Val  
 245 250 255  
 Ser Pro Gln Gly Leu Gly Ile Ala Ser Gln Tyr Phe Arg Val Thr Thr  
 260 265 270  
 Glu Val Leu Leu Gly Glu Arg Arg Gln Val Leu Ala Ser Tyr Leu Gln  
 275 280 285  
 Arg Gly Asn Asp Gly Arg Val Arg Leu Met Ala Arg Asp Leu Gly Gln  
 290 295 300  
 Glu Gly Leu Ala Pro Pro Val Glu Glu Ser Glu Lys  
 305 310 315

## (2) INFORMATION FOR SEQ ID NO:26:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1146 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

ATGAGTCTGC	TCACCTGTT	TCTGCCGCC	CAGGCCTGCA	CCGAGGCGAG	CGCCGACATG	60
CCGGTGTGGT	GCGTCGAGAG	CGACAGCTGC	CGTCAGCTGC	CCTTCGCCGA	GGCCTTGCCC	120
GCCGACGCGC	GGGTCTGGCG	CTTGGTGCTG	CCGGTGGAGG	CGGTGACCAC	CTGTGTCGTG	180
CAGTTGCCGA	CCACCAAGGC	ACGCTGGCTG	GCCAAGGCC	TGCCGTTCCG	CGTCGAGGAG	240
CTGCTGGCCG	AGGAGGTGGA	GCAGTTTCAC	CTGTGCGTCG	GTCGCGGCT	GGTCGATGGT	300
CGTCATCGTG	TTATGCCCT	GCGCCGCGAG	TGGCTGGCCG	GCTGGCTGGC	GCTGTGCGGC	360
GAGCGGCCGC	CGCAGTGGAT	CGAGGTGGAC	GCCGACCTGT	TGCCGAGGGA	GGGTAGCCAG	420
CTGCTCTGCC	TGGGCGAGCG	CTGGTTGCTC	GGCGGGTCGG	GCGAGGCGCG	CCTGGCCCTG	480
CGTGGCGAGG	ACTGGCCGCA	GCTGGCGGCG	CTCTGTCCGC	CGCCCCGGCA	AGCCTATGTG	540
CCGCCCCGGC	AGGCGGCGCC	GCCGGGCGTC	GAGGCCTGCC	AGACGCTGGA	GCAGCCGTGG	600
CTCTGGCTGG	CCGCGCAGAA	GTCCGGCTGC	AACCTGGCCC	AGGGGCCTTT	CGCCCGTCCG	660
GAGCCTTCCG	GCCAGTGGCA	GCGCTGGCGG	CCGCTGGCGG	GGCTGCTCGG	TCTCTGGCTG	720
GTGCTGCAKT	GGGGCTTCAA	CCTTGCCCAN	GGCTGGCAGC	TGCAGCGCGA	GGGTGAACGC	780
TATGCCGTGG	CCAACGAGCC	GCTGTATCGC	GAGCTGTTCC	CCGAGGATCG	CAAGGTGATC	840
AACCTGCGTG	CGCAGTTCGA	CCAGCACCTG	GCCGAGGCGG	CTGGGAGCGG	CCAGAGCCAG	900
TTGCTGGCCC	TGCTCGATCA	GGCCGCCGCG	GCCATCGGCG	AAGGGGGGGC	GCAGGTGCAG	960
GTGGATCAGC	TCGACTTCAA	CGCCCAGCGT	GGCGACCTGG	CCTTCAACCT	GCGTGCCAGC	1020
GACTTCGCGG	CGCTGGAAG	CCTGCGGGCG	CGCCTGCAGG	AGGCCGGCCT	GGCCGTGGAC	1080
ATGGGCTCGG	CGAGCCGCGA	GGACAACGGC	GTCAGTCCGC	GCCTGGTGAT	CGGGGGTAAC	1140
GGATGA						1146

## (2) INFORMATION FOR SEQ ID NO:27:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 381 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

```

Met Ser Leu Leu Thr Leu Phe Leu Pro Pro Gln Ala Cys Thr Glu Ala
 1           5           10           15
Ser Ala Asp Met Pro Val Trp Cys Val Glu Ser Asp Ser Cys Arg Gln
 20           25           30
Leu Pro Phe Ala Glu Ala Leu Pro Ala Asp Ala Arg Val Trp Arg Leu
 35           40           45
Val Leu Pro Val Glu Ala Val Thr Thr Cys Val Val Gln Leu Pro Thr
 50           55           60
Thr Lys Ala Arg Trp Leu Ala Lys Ala Leu Pro Phe Ala Val Glu Glu
 65           70           75           80
Leu Leu Ala Glu Glu Val Glu Gln Phe His Leu Cys Val Gly Ser Ala
 85           90           95
Leu Val Asp Gly Arg His Arg Val His Ala Leu Arg Arg Glu Trp Leu
 100          105          110
Ala Gly Trp Leu Ala Leu Cys Gly Glu Arg Pro Pro Gln Trp Ile Glu
 115          120          125
Val Asp Ala Asp Leu Leu Pro Glu Glu Gly Ser Gln Leu Leu Cys Leu
 130          135          140
Gly Glu Arg Trp Leu Leu Gly Gly Ser Gly Glu Ala Arg Leu Ala Leu
 145          150          155          160
Arg Gly Glu Asp Trp Pro Gln Leu Ala Ala Leu Cys Pro Pro Pro Arg
 165          170          175          180
Gln Ala Tyr Val Pro Pro Gly Gln Ala Ala Pro Pro Gly Val Glu Ala
 180          185          190
Cys Gln Thr Leu Glu Gln Pro Trp Leu Trp Leu Ala Ala Gln Lys Ser
 195          200          205
Gly Cys Asn Leu Ala Gln Gly Pro Phe Ala Arg Arg Glu Pro Ser Gly
 210          215          220
Gln Trp Gln Arg Trp Arg Pro Leu Ala Gly Leu Leu Gly Leu Trp Leu
 225          230          235          240
Val Leu Xaa Trp Gly Phe Asn Leu Ala Xaa Gly Trp Gln Leu Gln Arg
 245          250          255
Glu Gly Glu Arg Tyr Ala Val Ala Asn Glu Ala Leu Tyr Arg Glu Leu
 260          265          270
Phe Pro Glu Asp Arg Lys Val Ile Asn Leu Arg Ala Gln Phe Asp Gln
 275          280          285
His Leu Ala Glu Ala Ala Gly Ser Gly Gln Ser Gln Leu Leu Ala Leu
 290          295          300
Leu Asp Gln Ala Ala Ala Ala Ile Gly Glu Gly Gly Ala Gln Val Gln
 305          310          315          320
Val Asp Gln Leu Asp Phe Asn Ala Gln Arg Gly Asp Leu Ala Phe Asn
 325          330          335
Leu Arg Ala Ser Asp Phe Ala Ala Leu Glu Ser Leu Arg Ala Arg Leu
 340          345          350
Gln Glu Ala Gly Leu Ala Val Asp Met Gly Ser Ala Ser Arg Glu Asp
 355          360          365
Asn Gly Val Ser Ala Arg Leu Val Ile Gly Gly Asn Gly
 370          375          380

```

## (2) INFORMATION FOR SEQ ID NO:28:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4377 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

GAATTCGCCG	CCGAGCTGGC	CAAGCCGCTG	GGCGCGGTGA	CCGCACAGAA	GGAAGTGGAG	60
CGTGCCCTGC	GCGACCTGCA	CCTGCCCTTC	GACGAGCGCC	GTCCCTACGC	CCTGCGCCGT	120
CTGCGCGAGC	GCATCGAGGC	CAATCTCTCC	GGCCTGATGG	GCCCCAGCGT	GGCCCAGGAC	180
ATGGTGGAAA	CCTTCCTGCC	CTACAAGGCC	GGCAGCGAGG	CCTATGTCAG	CGAAGACATC	240
CACTTCATCG	AGAGTCGCCT	GGAGGATTAC	CAGTCGCGCC	TCACCGGCCT	GGCCGCCGAG	300
CTCGACGCGC	TGCGCCGCTT	CCACCGCCAG	ACCCTGCAGG	AACTGCCGAT	GGGCGTATGT	360
TCGCTGGCCA	AGGACCAGGA	AGTGCTGATG	TGGAACCGCG	CCATGGAGGA	ACTCACCGGC	420
ATCAGCGCGC	AGCAGGTGGT	CGGCTCGCGC	CTGCTCAGCC	TGGAGCACCC	CTGGCGCGAG	480
CTGCTGCAGG	ACTTCATCGC	CCAGGACGAG	GAGCACCTGC	ACAAGCAGCA	CCTGCAACTG	540
GACGGCGAGG	TGCGCTGGCT	CAACCTGCAC	AAGGCGGCCA	TCGACGAACC	GCTGGCGCCG	600
GGCAACAGCG	GCCTGGTGCT	GCTGGTCGAG	GACGTCACCG	AGACCGCGGT	GCTGGAAGAC	660
CAGCTGGTGC	ACTCCGAGCG	TCTGGCCAGC	ATCGGCCCGC	TGGCCGCCGG	GGTGGCCAC	720
GAGATCGGCA	ATCCGGTCAC	CGGCATCGCC	TGCCTGGCGC	AGAACCTGCG	CGAGGAGCGC	780
GAGGGCGACG	AGGAGCTCGG	CGAGATCAGC	AACCAGATCC	TCGACCAGAC	CAAGCGCATC	840
TCGCGCATCG	TCCAGTCGCT	GATGAACTTC	GCCCACGCCG	GCCAGCAGCA	GCGCGCCGAA	900
TACCCGGTGA	GCCTGGCCGA	AGTGGCGCAG	GACGCCATCG	GCCTGCTGTC	GCTGAACCGC	960
CATGGCACCG	AAGTGCAGTT	CTACAACCTG	TGCGATCCCG	AGCACCTGGC	CAAGGGCGAC	1020
CCGCAGCGCC	TGGCCAGGT	GCTGATCAAC	CTGCTGTCCA	ACGCCCGCGA	TGCCTCGCCG	1080
GCGGGCGGTG	CCATCCGCGT	GCGTAGCGAG	GCCGAGGAGC	AGAGCGTGGT	GCTGATCGTC	1140
GAGGACGAGG	GCACGGGCAT	TCCGAGGCG	ATCATGGACC	GCCTGTTCTG	ACCTTCTTTC	1200
ACCACCAAGG	ACCCCGGCAA	GGGCACCGGT	TGGGGCTCG	CGCTGGTCTA	TTCGATCGTG	1260
GAAGAGCATT	ATGGGCAGAT	CACCATCGAC	AGCCCGGCCG	ATCCCGAGCA	CCAGCGCGGA	1320
ACCGTTTCC	GCGTGACCCT	GCCGCGCTAT	GTCGAAGCGA	CGTCCACAGC	GACCTGAGTA	1380
GTGACCTAGA	ACCGCCGAGG	GGCCACAAGC	CCGGCGGATT	CGGAGACCGT	CGAGAGAACA	1440
CAATGCCGCA	TATCCTCATC	GTCGAAGACG	AAACCATCAT	CCGCTCCGCC	CTGCGCCGCC	1500
TGCTGGAACG	CAACCAGTAC	CAGGTCAAGC	AGGCCGGTTC	GGTTCAGGAG	GCCCAGGAGC	1560
GCTACAGCAT	TCCGACCTTC	GACCTGGTGG	TCAGCGACCT	GCGCCTGCCC	GGCGCCCCCG	1620
GCACCGAGCT	GATCAAGCTG	GCCGACGGCA	CCCGGTACT	GATCATGACC	AGCTATGCCA	1680
GCCTGCGCTC	GGCGGTGGAC	TGATGAAGA	TGGGCGCGGT	GGACTACATC	GCCAAAGCCCT	1740
TCCATCACGA	CGAGATGCTC	CAGGCCGTGG	CGCGTATCCT	GCGCGATCAC	CAGGAGGCCA	1800
AGCGCAACCC	GCCAAGCGAG	GCGCCAGCA	AGTCCGCGG	CAAGGGCAAC	GGCGCCACCG	1860
CCGAGGGCGA	GATCGGCATC	ATCGGCTCCT	GCGCCGCCAT	GCAGGACCTT	TACGGCAAGA	1920
TCCGCAAGGT	CGCTCCCACC	GATTCCAACG	TACTGATCCA	GGGCGAGTCC	GGCACCGGCA	1980
AGGAGCTGGT	CGCGCGTGCG	CTGCACAACC	TCTCGCGTCG	CGCCAAGGCA	CCGCTGATCT	2040
CGGTGAACTG	CGCGGCCATC	CCCAGACCC	TGATCGAGTC	CGAACTGTTT	GGCCACGAGA	2100
AAGGTGCCTT	CACCGCGGCC	AGCGCCGGCC	GCGCCGGCCT	GGTCGAAGCG	GCCGACGGCG	2160
GCACCCTGTT	CCTCGACGAG	ATCGGCGAGC	TGCCGCTGGA	GGCGCAGGCC	CGCCTGCTGC	2220
GCGTGCTGCA	GGAGGGCGAG	ATCCGTCGGG	TCCGCTCGGT	GCAGTCACAG	AAGGTGATG	2280
TACGCTGAT	CGCGCTACC	CACCGCGACC	TCAAGACGCT	GGCCAAGACC	GGCCAGTTCC	2340
GCGAGGACCT	CTACTACCGC	CTGCACGTCA	TGCCCCCAA	GCTGCCGCCA	CTGCGCGAGC	2400
GCGGCGCCGA	CGTCAACGAG	ATCGCCCGCG	CCTTCCTCGT	CCGCCAGTGC	CAGCGCATGG	2460
GCGCGAGGA	CCTGCGCTTC	GCTCAGGATG	CCGAGCAGGC	GATCCGCCAC	TACCCCTGGC	2520
CGGGCAACGT	GCGCGAGCTG	GAGAAATGCCA	TCGAGCGCGC	GGTGATCCTC	TGCGAGGGCG	2580
CGGAAATTTT	CGCGGAGCTG	CTGGGCATCG	ACATCGAGCT	GGACGACCTG	GAGGACGGCG	2640
ACTTCGGCGA	ACAGCCACAG	CAGACCGCGG	CCAACCACGA	ACCGACCGAG	GACCTGTGCG	2700
TGGAGGACTA	CTTCCAGCAC	TTCTGACTGG	AGCACCAGGA	TCACATGACC	GAGACCGAAC	2760
TGGCGCGCAA	GCTCGGCATC	AGCCGCAAGT	GCTCTGGA	GCGCGTCAG	CGCCTGGGCA	2820
TTCCGCGCGG	CAAGTCCGGC	GCGGCGACCG	GCCTCTGAAC	GGGACGAACG	GTGACAGGCC	2880
TGCGCGCAA	AGGTTCCGCG	CCTGTTACCC	CGCACAAATA	TCGCGTAACA	AAAGCCGGGT	2940

TCATCGGTAA	CGGGAACCCG	CTTTTTTCT	GCCGCGCGCC	CGCACCAAAA	AATCATAACT	3000
CATTGAAAAA	CAAGGAATTA	CAAAAACTGG	CACGGCTTCT	GCTTTATCTC	TGGCACAACA	3060
ACAATAACAA	CGCTCGAAAC	CTCAACAATA	AAAAACAATAC	AGAACGACTC	CAGCACAAACA	3120
AAAAACAACAA	CGCGGAGGCG	CAGCTAACTG	ATTCTTTTGG	AGAGGATTTG	CCCTTGGGGT	3180
TCGCCCCACA	ACCAGGCCGA	GAACAACAAA	AACTGCACTA	AAGCAGCGCC	TGCACTGGTT	3240
GGGTTCATGA	ATGATCAAGG	CAGCATCAGC	ATCCAAAGCA	ATCCGTTTGC	TCCTGGTACC	3300
CGATTTGGGC	TACCTGAAAC	GGGCCTACAA	CAAAAAACAAC	AGGCCCGCAC	AATAATAAAA	3360
ACAAAGCACG	CACCTATTTG	GGGGGGAGCT	TCGGCTCCCC	CAGTAGCTTC	ACCCCACTTC	3420
GCGTTCCCCA	GCCTGCCTTT	TCCACCATCC	CCCTTCCCGA	TGCTAGAATC	CGCGCCAATC	3480
CTGCGCGGAT	CTGCAATTGT	GGCGGCCTAT	TCCTGCAAAAC	AGTGCATCCC	ATGCTGAAAA	3540
AGCTGTTCAA	GTCGTTTCGT	TCACCTCTCA	AGCGCCAAGC	ACGCCCCCGC	AGCACGCCGG	3600
AAGTTCTCGG	CCCGCGCCAG	CATTCCCTGC	AACGCAGCCA	GTTCAGCCGC	AATGCGGTAA	3660
ACGTGGTGGA	GCGCCTGCAG	AACGCGGGCT	ACCAGGCCTA	TCTGGTCGGC	GGCTGCGTAC	3720
GCGACCTGCT	GATCGGCGTG	CAGCCCCAAG	ACTTCGACGT	GGCCACCAGC	GCCACCCCCG	3780
AGCAGGTGCG	GGCCGAGTTT	CGCAACGCC	GGGTGATCGG	CCGCGCTTC	AAGCTGGCGC	3840
ATGTGCATT	CGGCCGCGAG	ATCATCGAGG	TGGCGACCTT	CCACAGCAAC	CACCCGAGG	3900
GCGACGACGA	GGAAGACAGC	CACCAGTCGG	CCCGTAACGA	GAGCGGGCGC	ATCTGCGCG	3960
ACAACGTCTA	CGGCAGTCAG	GAGAGCGATG	CCCAGCGCGG	CGACTTCACC	ATCAACGCC	4020
TGTACTTCGA	CGTCAGCGGC	GAGCGCGTGC	TGGACTATGC	CCACGGCGTG	CACGACATCC	4080
GCAACCGCCT	GATCGCCCTG	ATCGGCGACC	CCGAGCAGCG	CTACCTGGAA	GACCCGGTAC	4140
GCATGCTCGG	CGCGGTACGC	TTCCGCGCCA	AGCTGGACTT	CGACATCGAG	AAACACAGCG	4200
CCGCGCCGAT	CCGCGCGCTG	GCGCGGATGC	TGCGCGACAT	CCCTGCGCGG	CGCTGTTCG	4260
ACGAGGTGCT	CAAGCTGTTT	CTCGCGGGCT	ACGCGGAGCG	CACCTTCGAA	CTGCTGCTCG	4320
AGTACGACCT	GTTCCGCCCG	CTGTTCCCGG	CCAGCGCCCG	CGCCCTGGAG	CGCGATC	4377

## (2) INFORMATION FOR SEQ ID NO:29:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17612 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GATCTCGAGG	GCGTCGGCTT	CGACACCCTG	GCGGTGCGCG	CCGGTCAGCA	TGCGACGCCG	60
GAGGGCGAGC	ATGGCGAGGC	CATGTTCTCT	ACCTCCAGCT	ATGTGTTCCG	CAGCGCCGCC	120
GACGCGCGCG	CGCGCTTCGC	CGGCGAGCAG	CCGGGCAACG	TCTACTCGCG	CTACACCAAC	180
CCGACCGTGC	GCGCCTTCGA	GGAGCGCATC	GCCGCCCTGG	AAGGCGCCGA	GCAGGCGGTG	240
GCCACCGCCT	CCGGCATGGC	CGCCATCCTG	GCCATCGTCA	TGAGCCTGTG	CAGCGCCGGC	300
GACCATGTGC	TGGTGTGCGG	CAGCGTGTTC	GGCTCGACCA	TCAGCCTGTT	CGAGAAGTAC	360
CTCAAGCGCT	TCGGCATCGA	GGTGGACTAC	CCGCGCGCTG	CCGATCTGGA	CGCCTGGCAG	420
GCAGCCTTCA	AGCCCAACAC	CAAGCTGCTG	TTCGTGGAAT	CGCCGTCCAA	CCCGTTGGCC	480
GAGCTGGTGG	ACATAGGCGC	CCTGGCCGAG	ATCGCCACG	CCCGCGGCGC	CCTGCTGGCG	540
GTGGACAAC	GCTTCTGCAC	CCCGGCCCTG	CAGCAGCCGC	TGGCGCTGGG	CGCCGATATG	600
GTCATGCATT	CGGCGACCAA	GTTTCATCGAT	GGCCAGGGCC	GCGGCCTGGG	CGGCGTGGTG	660
GCGGGCGGCC	GTGCGCAGAT	GGAGCAGGTG	GTCGGCTTCC	TGCGCACCGC	CGGGCCGACC	720
CTCAGCCCGT	TCAACGCCTG	GATGTTCTCT	AAGGGCCTGG	AGACCCTGCG	TATCCGCATG	780
CAGGCGCAGA	GCGCCAGCGC	CCTGGAACTG	GCCCCTGGT	TGGAGACCCA	GCCGGGCATC	840
GACAGGGTCT	ACTATGCCGG	CCTGCCCAGC	CACCCGAGC	ACGAGCTGGC	CAAGCGGCAG	900
CAGAGTGCTT	TCGGCGCGGT	GCTGAGCTTC	GAGGTCAAGG	GCGGCAAGGA	GGCGGCCTGG	960
CGTTTCATCG	ATGCCACCCG	GGTGATCTCC	ATCACCACCA	ACCTGGGCGA	TACCAAGACC	1020
ACCATCGCCC	ATCGGCGGAC	CACCTCCAC	GGTGTCTGT	CGCCGAGGA	GCGCGCCAGC	1080
GCGGTTATCC	GCGACAACCT	GGTGCGTGTC	GCGGTGGGCC	TGGAAGACGT	GGTGACCTC	1140
AAGGCCGACC	TGGCCCGTGG	CCTGGCCGCG	CTCTGAGGAC	GGGGGCCCCC	GTTCTGCTCG	1200
CGAAGGGCAG	GGGCGGGGGC	TTGCGCGGG	CCTTTGCGCG	ATCAGCAGCT	AGTCTTGGGG	1260
AAACGTCTTA	GCCCAGGAGC	TACCCCATGA	ACCTCATCCT	TTTCTGATC	ATCGGCGCCG	1320
TTGCCGGCTG	GATCGCCGGC	AAGTTGCTGC	GTGGTGGCGG	CTTCGGGCTG	ATCGGCAACC	1380

TGGTGGTGGG	CATAGTGGGC	GCGGTGATCG	GCGGCCACCT	GTTGAGCTAC	CTGGGCGTGT	1440
CCGCCGGTGG	TGGGCTGATC	GGCTCGCTGG	TGACCGCGGT	GATCGGTGCC	CTGGTCTCTG	1500
TGTTTCATCGT	CGGCCTGATC	AAGAAGGCCC	AGTAGCGCTG	GCGGGACGCC	GTCCCGCCGC	1560
CCATCACTGG	TGCGCGAGGT	CCACGGCACC	GCGCCGGGT	TTGTCGAACA	GGCGCTCGGC	1620
GCTGCCCGGC	AGGCTGCTGT	GGCCATCCTC	GTCGGCACCC	AGCACGCTGA	TGTCGCTGTA	1680
CTTCTTGCCC	GACAGCGCGG	CCATGCCGGC	GCGGTGCGGG	ACGATGGTCG	GGCGCAGGAA	1740
CACCATCAGG	TTGCGCTTGA	CGTGGGTGTC	CTTGGTGGAG	CGGAACAGCC	GGCCGATCAG	1800
CGGGATGTCA	CCCAGCAGCG	GCACCTTGGA	GTCGGTGGTG	GTGACGTCGT	CCTGGATCAG	1860
CCCTCCCAGC	ACTATGACCT	GGCCGTGCTC	GGCCAGGATC	ACGCTCTTGA	TCGAGCGCTT	1920
GTTGGTCACC	AGGTCCACCG	CCTGGGCATT	GACCCCGCGG	CTGGGGGCGA	TGGAGGAGAT	1980
CTCCTGCTCC	ACTTCCAGGC	GCAGGGTGGC	GCCGTGCTTG	ATGTGCGGGG	TGACCTTGAG	2040
GGTCACGCCG	ATGTCTCTCG	GCTCAATGGT	GGTGAAGGGG	TTGTTGCCCC	CCGAGGCGTC	2100
GGTGGTGTAG	GAGCCGGTCT	GGAAAGGCAC	GTTCTGCCCG	ACCAGGATTT	CCGCCTCCTG	2160
GTGTCCAGG	GTCAGCAGGC	TGGGCGTGGA	CAGCAGGTTG	CTCTTGCTGT	TGGCAGAGAG	2220
GGCAGTGATC	AGCGCGCCGA	AGTTCTCGGT	GCGGATGCCG	ATGATGGCGC	CGTCCGGCAG	2280
GGTCAGGTCA	TCGGGGATTT	CCTCGTTCTG	GATGGCCTTG	AGCACGGTGC	CCACCGATAG	2340
CCCGGTATTG	CCGAAGTTGA	CCCGCGCGAG	GCGCCCGGTG	CCGCGCGGGG	CATCCACCGC	2400
CCACTGCACG	CCGAGGGCGT	CGCTGATGTC	CCCGGAGATT	TCCACGATGG	CCGCCTCGAC	2460
CATCACCTGG	GCGCGCGGCA	CGTCGAGGTT	GCGCACGATT	TCTTCGAGGG	TCGCCACGGT	2520
GTCCGGATCG	GCCAGCAGGA	CCAGGGCATT	GAGGCTCTCG	TCGGCGCGGA	TCAGGATGTT	2580
CTGCGGCTTG	CTGCTGGCGG	CTTCGCCACC	ACCCTCCGCG	GTCTTCAACC	CCTCGGAGAT	2640
GTCCGCCAGG	GTCTCGGCCA	GGCTCTTGCG	GTCGCTGTGG	CGTAGGCGAA	TTACCCGCGC	2700
ATTGGCCGAA	CGGGTGCTGG	GGATGTCCAG	CGAGCGGGCC	AGGTTGGCCA	GGCGCTGGCG	2760
GGCGGCCCGG	GGGCGGAGGA	GGATCAGGCG	GTTGGTGGCG	GCGTCGGCAA	TCACCCGGGT	2820
GCGGGCGCTG	TTTTTCTCGT	TGCGCATCAC	CGCGTTGTTT	AGTGCCTCGG	CGGCGTCCAG	2880
TACCCAGGCA	TGCTGCAGGT	TGATCACGTT	GTAGTCGCGG	CCGCCCTGGG	CATCGAGCTC	2940
GGCGATCAGT	TCGCGGATGC	GTTTCGATATT	NGCCCGGCGG	TCGCTGATGA	TCAGCGCGTT	3000
GGAGGCGCGG	ACCGCGGCCA	GGTGGCCGTT	CTGCGGCACC	AGCGGGCGGA	TCAGCGGGAT	3060
CAGTTCTGTT	ACCGAGGTGT	GCTGCACCTG	GATCAGCTCG	GTCTGCACAT	CGTCCGGCGC	3120
GCTGCGGCTG	CTGTTGGCGC	CGCTACGCGC	CTCGGTGACC	GGCAGGATGC	GCGCCTGGTC	3180
GCCCTGTGCC	AGCACGCTGA	AGCCATGGGT	GCTCATCACC	GAAAGGAACA	GCTGGTAGAC	3240
CTCCTCGAGG	CCGAGCGGGG	TCTTGGAGAT	CACCGTGACC	TGCCCCCTGA	CCCGCGGATC	3300
GACGACGAAG	GTCTCGCCAG	AGATCTGCGC	CACCTGGTCG	ATGAAGTCGC	GGATATCGGC	3360
GTCCTTCATG	TTGATGGTCC	AGGTCTCGGC	GCCCTGGCTC	ACCGCCACCG	GCTCGGCGGC	3420
ATGGACGAGC	GGCAGCGGGG	CGGCGAGGCA	GCTCGCGGCC	AGCAGCAGGG	CGAGGGGCAG	3480
GCGTTTGTGC	GGCGGAATTC	TGGAGTCGAT	CATGGGCTGT	CTTCGGCTTC	CGGTATTTTCG	3540
GGCTGCGGGA	TGTCCGCGCC	TTCCATGCGT	TGTTGAAGGG	TCTGGATGCG	CTCCTGCAGG	3600
GCCTGGACGT	CTTCGTCCTG	CAGCTGTTCC	AGTTGGCTGG	CGGTGGGCTC	CAGCGCGAG	3660
TAGGCCCGCG	TCAGAGAGGG	CTGGCGCAGC	CGGGGGAAGC	GCAGGCTCTC	CTCGACGCGG	3720
CCGCGGTGCA	GCACCACTG	GTCTGATAG	ACCGCTGACA	GGCGGGTGCT	GACGTTGACC	3780
GATTGCCCCA	CGGCGATGCG	CTTGGGTTTG	TCGCCGGCGA	CCTGGATGAT	CGCGGTGGAG	3840
CGCTTGCGCT	CCGGGTTGAC	GAAGCTGGCC	AGCAGGGTCA	TCTGCTGCCG	GGTGGCGGGG	3900
GCGGCCTGGT	CGCGCGCGCG	CCTGGCGCGG	GGCGTGCCGA	ACAGATGCTG	CAGGCGCTGG	3960
ATGGACAGCG	GCTGGCGCTC	GGCGATGCTC	TCTGGGGCGG	GCGGTGGCGC	GGCCTCGCTG	4020
CGCAGCAGGC	GAAGGAAGTC	GATGCTCTGC	TTGCTCAGGC	TGAGGGTGAT	GAGCAGCACC	4080
ACGAGCAGGC	AGAGGCCGGT	CACGCCGTGG	CGCTGCAGCC	AGGCGGGCAG	GCGGGTCCGG	4140
GTGCTACTCA	AGGCATGGTT	CCCCCGGTGT	TCTTCTTATT	CTGTGCGGAC	GCTCTGCTCG	4200
GCGTCTCGCA	ATCCGGCCCG	TACTCTGCGG	GCGCAGGCAA	CCTTAACGCA	AGTCTCCTGT	4260
CCATGGCGCA	CCTGCTTCGT	CTATCTGCGC	GCTGGCGCAC	TGTCGCGCGC	TGCCGGAAGC	4320
GTGAAACATT	TCGAAACTTT	CGGCGAACGA	GTCGCTATCA	TCGGCCCCAC	GCGCTTCCCG	4380
TTCAACAATA	GCAATAAGCC	AGACGGATTA	CCGCCATGGA	AGATCGCAAG	CCGCCTGCCG	4440
CGGCTCCCGT	GGGGTTTGGG	CGCGCGGAGC	TGCTGGAGCT	GCTCTGCCGC	TGCGAGCAGT	4500
TTCCCTTGAC	CCTGCTGCTG	GCGCCCGCCG	GTTCCGGCAA	GTGACCCCTG	CTGGCCCACT	4560
GGCAGGCCAG	CCGGCCCTTC	GGCAGTGTGG	TGCACATATC	ACTGCAGGCG	CGTGACAACG	4620
AGCCGGTACG	CTTCTTCCGC	CACCTGGCCG	AAAGCATCCG	CGCCCAAGTC	GAGGACTTCG	4680
ACCTGTCTCT	GTTCAACCCC	TTCCGCGCCG	AGATGCACCA	GGCGCCCGAG	GTGCTCGGCG	4740
AGTACCTGGC	CGACGCCCTC	AATCGCATCG	AGAGCCGCTT	CTACCTCGTC	CTCGACGACT	4800
TCCAGTGATC	CGGCCAGCCG	ATCATCTCTG	ACGTGCTCTC	GGCCATGCTC	GAACGCTTGG	4860
CGGGCAACAC	CCGGGTGATT	CTGTCCGGGC	GCAACCATCC	GGGGTTCTCC	CTCAGCCGCC	4920

TGAAACTGGA	CAACAAGCTG	CTGTGCATCG	ACCAGCACGA	CATGCGCCTG	TCGCCAGTGC	4980
AGATCCAACA	CCTCAATGCC	TACCTGGGCG	GTCCCGAGCT	CAGCCCGGCC	TATGTGGCA	5040
GCCTGATGGC	CATGACCGAG	GGCTGGATGG	TCGGGGTGAA	GATGGCCCTG	ATGGCCCATG	5100
CGCGCTTCG	CACCGAGGCC	CTGCAGCGCT	TCGTGGCGG	CCATCCGAG	ATAGTCGACT	5160
ACTTCGGCCA	TGTGGTGCTG	AAGAAGCTGT	CGCCGAGCT	GCACGACTTC	CTGTTGTGCA	5220
GCGCGATCTT	CGAGCGCTTC	GACGGCGAGC	TATGCGACCG	GGTGCTGGAT	CGCAGCGGTT	5280
CGGCCCTGCT	GCTGGAGGAC	CTGGCCGCGC	GCGAGCTGTT	CATGCTGCCG	GTGGACGAGT	5340
ATCCCGGCTG	CTACCGCTAC	CACGCCCTGT	TGCACGATTT	CCTCGCCCGG	CGCCTGGCCG	5400
TGCACAAGCC	ACAGGAAGTG	GCGCAACTGC	ACCGGGGGC	GGCCCTGGCG	CTGCAGCAGC	5460
GTGGCGACCT	GGAGCTGGCC	CTGCAGCATG	CCGAGCGCAG	TGGCGACCGC	GCGTTGTTCC	5520
AAAGCATGCT	GGGCGAGGCC	TGCGAGCAAT	GGGTGCGCAG	CGGTCACTTC	GCCGAGGTGC	5580
TGAAGTGGCT	GGAGCCGCTG	AGCGAGGCGG	AACTCTGCGN	GCAGTCGCGC	CTGCTGGTGC	5640
TGATGACCTA	TGCCCTGACC	CTGTGCGGGC	GTTTCCACCA	GGCGCGCTAC	TGCTTGGACG	5700
AACTGGTGGC	GCGCTGCACC	GGTCAGCCGG	GCCTGGAGGA	GCCGACCCGC	CAGCTGCTGG	5760
CGCTCAACCT	CGAGCTGTTT	CAGCAGCAGC	TGGCCTTCGA	CCCCGGCCAG	CGCTGGTCCG	5820
ACCTGCTGGC	CGCGGGCGTC	GCCTCGGACA	TCCGTGCCCT	GGCGCTGAGC	ATCCTCGCCT	5880
ATCACCACCT	GATGCAOGGC	CGCCTGGAGC	AGTCGATCCA	GCTGGCGCTG	GAGGCCAAGG	5940
CGCTGCTGGC	CAGCACCGGC	CAGCTGTTCC	TGGAGAGCTA	CGCCGACCTG	ATCATCGCCC	6000
TGTGCAACCG	CACGCGGGG	CGCGCCACCA	CGCGCGCAA	GGACGCTGTC	CTGGATTACC	6060
AGCGCACCGA	GCGCTCCTCG	CCGCGCTGGG	TCAACCGTGC	CACCGCCATG	GTGGTGGCGC	6120
TGTACGAGCA	GAACCAGCTG	GCCGCGCCCC	AGCAGCTGTG	CGAGGACCTG	ATGGCCATGG	6180
TCACGTCGTC	CTCGGCCACC	GAGACCATCG	CCACCGTGCA	CATCACCTCG	TCGCGCCTGC	6240
TCCACCGCGC	CCAGTCCCAG	GGCGCGCCA	CGCGCCTGCT	GGAGCAGCTG	TCGCGCATCC	6300
TGCAACTGGG	CAACTACGCC	CGCTTCGCCA	GCCAGGCGGC	GCAGGAGAGC	ATGCGCCAGG	6360
CCTATCTCGA	CGGGCGCCCG	GCGGCGCTCG	ACGCACTGGC	CCACGCGCTG	GGTATCGAGG	6420
AGCGCCTGGC	CGCCGGGGAG	TGGGAGAGGG	TGCGGCCCTA	TGAAGAGTGC	TGGGAACGCT	6480
ACGGCCTGGC	CGCGGTGTAC	TGGCTGGTGA	TGCGGGCGC	CCAGCCGCGC	GCCTGCCGCA	6540
TCCTCAAGT	CTGGCGCAG	GCGNTGNAGA	ACAGCGAGAT	GAAGGCCCGT	GCGTGGTGG	6600
TGGAGGCCAA	CCTGCTGGTG	CTGAACGCCC	CGCAGCTGGG	GGCGGACGAG	CAGGACAGGG	6660
CCCTGCTGGC	GCTGGTTCGAG	CGCTTCGGCA	TCGTCAACAT	CAACCGCTCG	GTATTTCGACG	6720
AGGCGCCCGG	CTTCGCGGAG	GCGGTGTTCC	GCCTGCTGCG	CTCGGGCCGG	CTGCAGGCGC	6780
CGGAGGCCCTA	TCGCGAGGCC	TATGCCGACT	TCCTCCAGGG	CACAGGCCAG	GCGCGCCGG	6840
CGCTCCTGTC	CGAGTCGCTG	AAACAGCTTA	CCGACAAGGA	GGCGGCGATC	TTCCGCTGCC	6900
TGCTCAGGGG	GCTGTCCAAC	AGCGAGATCA	GCGCCAGCAC	CGGCATCGCC	CTGTCCACCA	6960
CCAAGTGGCA	CCTGAAGAAC	ATCTACTCGA	AGCTGAGCCT	CTCGGGCGGT	ACCGAAGCCA	7020
TCCTCGCCAT	GCAGGCCCGC	AACGGATAAT	GCGCCATGCC	CCTCCCCGGG	GAGGGGGGAG	7080
GGGCGCGCGC	AACCTGCTTA	TCTCCCGCCT	GCGGAAAG	CCGGCAAGCA	ACCCATTAG	7140
TACAAGAAGA	AATCGGGAGA	TATCGCCATG	TCTGTTTGGG	TCACGTGGCC	GGGCTTGGTC	7200
AAGTTCGGCA	CCCTGGGCAT	CTATGCCGGC	CTGATCACGC	TCGCGCTTGA	GCGCGACGTG	7260
CTGTTCAAGA	ACAACCTGTT	CGACGTCGAC	AACCTGCCCG	CGGCCAACGC	CAGCATCACC	7320
TGTGATGCCC	GCAGCCAGGT	GGCGGTACC	GAGGACGGCA	CCTGTAACAT	CCTCGCCAAC	7380
CCGGCCGAGG	GCTCGGTGTA	CCGCGCTTC	GGGCGCAACG	TCGACCCAG	CGTGACCCAT	7440
GGCGAGACCG	AGGCGGACAC	CCTGCTCAGT	CCCAATCCGC	GGGAGGTGAG	TAACGTGCTG	7500
ATGGCGCGTG	GCGAGTTCAA	GCCGGCGCCC	AGCCTCAACT	TCATCGCCGC	CTCCTGGATC	7560
CAGTTCATGG	TGCATGACTG	GGTCCAACAC	GGCCCCAACG	CCGAAGCCAA	CCCGATCCAG	7620
GTGCGCTGTC	CGGCTGGCGA	CGCGCTCGGC	TCCGGCAGCC	TGTCCGTGCG	CCGCACCCAG	7680
CCCGACCCGA	CCCGTACCCC	GGCGGAGGCC	GGCAAGCCGG	CCACCTACCG	CAACCACAAC	7740
ACCCACTGGT	GGGATGGCTC	GCAGTTGTAT	GGCAGCAGCA	AGGACATCAA	CGACAAGGTG	7800
CGCGCCTTCG	AGGGTGGCAA	GCTGAAGATC	AATCCCGACG	GTACCCTGCC	GACCGAGTTC	7860
CTCAGCGGCA	AGCCGATCAC	CGGCTTCAAC	GAGAACTGGT	GGGTGGCCT	GAGCATGCTG	7920
CACCAGCTGT	TACTAAGGA	GCACAACGCC	ATCGCGGCGA	TGCTCCAGCA	GAAGTACCCG	7980
GACAAGGACG	ACCAAGTGGCT	GTACGACCAT	GCGCGCCTGG	TCAACTCCGC	GCTGATGGCC	8040
AAGATCCACA	CCGTGGAATG	GACCCGGGCG	GTGATCGCCA	ACCGGTCAC	CGAACGCGCC	8100
ATGTATGCCA	ACTGGTGGGG	CCTGCTGGGT	TCCGTTCCGG	AGCGTGACAA	GTACCAGGAA	8160
GAGGCGCGCA	TGCTGCAGGA	GGACCTGGCC	AGCTCCAAC	CCTTCGTCTC	GCGCATTCCTC	8220
GGCATCGACG	CGAGCCAGGC	GGCAGTTCCG	CCCATCGACC	ATGCCCTGGC	CGGCATCGTC	8280
GGCTCGACCA	ACCCGAACAA	CTACGGCGTG	CCCTACACCC	TGACCGAGGA	GTTGCTCGCG	8340
GTCTACCGCA	TGCACCCGCT	GATGCGCGAC	AAGGTGATG	TCTACGACAT	CGGCTCGAAC	8400
ATCATCGCGC	GCAGCGTGCC	GCTGCAGGAG	ACCCGCGATG	CCGACGCGCA	GGAGCTGCTG	8460

GCGGACGAGA	ATCCCGAGCG	CCTGTGGTAC	TCCTTCGGCA	TCACCAACCC	GGGCTCGCTG	8520
ACCCCTCAACA	ACTACCCGAA	CTTCCTGCGC	AACCTGTCCA	TGCCGCTGGT	CGGCAACATC	8580
GACCTGGGCA	CCATCGACGT	GCTGTGTGAC	CGCGAGCGCG	GGGTGCCGCG	CTACAACGAG	8640
TTCCGCGCGG	AGATCGGCCT	CAACCCGATC	ACCAAGTTGG	AGGACCTGAC	CACCGACCCG	8700
GCCACCCCTGG	CCAACCTCAA	GCGCATCTAC	GGCAACGACA	TCGAGAAGAT	TGACACCCTG	8760
GTCCGCATGC	TGGCCGAGAC	CGTGCCTCCG	GACGGCTTCG	CCTTCGGCGA	GACGGCCTTC	8820
CAGATCTTCA	TCATGAACGC	CTCGCGGCGC	CTGATGACCG	ACCGCTTCTA	TACCAAGGAC	8880
TACCGCCCGG	AGATCTACAC	CGCCGAGGGC	CTGGCCTGGG	TCGAGAACAC	CACCATGGTC	8940
GACGTGCTCA	AACGCCACAA	TCCGCAGCTG	GTCAACAGCC	TGGTTGGCGT	GGAAAACGCC	9000
TTCAAACCCCT	GGGGCCTGAA	CATCCCGGCC	GACTACGAGA	GCTGGCCGGG	CAAGGCCAAG	9060
CAGGACAACC	TGTGGGTCAA	CGGCGCCNTG	CGCACCCAGT	ACGCGCGAGG	CCAGCTGCCG	9120
GCCATTCCGC	CGGTGGACGT	CGGCGGCCTG	ATCAGTTCCG	TGCTGTGGAA	GAAGGTGCAG	9180
ACCAANTCCG	AGTTGGCCGC	GGCCGGCTAC	GAGAAGGCCA	TGCACCCGCA	TGGCGTGATG	9240
GCCAAGGTCA	AGTTCAACGC	CGTGCCGGGG	CACCCCTACA	CGGCGCTGTT	CCAGGGTGCC	9300
GACAGCGGCC	TGCTGCGCCT	GTCGGTGGCC	GGGACCCCGG	CAACCAACGG	CTTCCAGCCG	9360
GGTCTGGCGT	GGAAGGCCCT	CGTCGACGGC	AAGCCGTCCG	AGAACGTCTC	CGCGCTCTAC	9420
ACCCGTAGCG	GGCAGGGCAG	CAACCACAAC	TTCTTCGCCA	ACGAGCTGTC	GCAGTTCCGT	9480
CTGCCGGAGA	CCAACGATAC	CCTGGGCACC	ACGCTGCTGT	TCTCGCTGGT	CAGECTCAAG	9540
CCGACCTTGC	TGCGCGTGGA	CGACATGGCC	GAAGTGACCC	AGACCGGCCA	GGCCGTGACT	9600
TCGGTCAAGG	CGCCGACGCA	GATCTACTTC	GTGCCCAAGC	CGGAGCTGCG	CAGCCTGTTC	9660
TCCAGTGCGG	CGCATGACTT	CCGCAGCGAC	CTGACGAGCC	TCACCGCCGG	CACCAAGCTG	9720
TACGACGTCT	ACGCTACCTC	GATGGAGATC	AAGACCTCGA	TCCTGCCGTC	GACCAATCGT	9780
AGCTACGCCC	AGCAACGGCG	CAACAGCGCG	GTGAAGATCG	GCGAGATGGA	GCTGACCTCG	9840
CCGTTTCATCG	CCTCGGCCCT	CGGCGACAAC	GGGGTGTTC	TCAAGCACCA	GCGTCACGAA	9900
GACAAATAAG	GGTCATCCCT	TGCTGAACAG	CCCCGGCCCC	TGCCGGGGCT	TTTTTGTGCA	9960
CGCCTTACGT	CCATCACACT	TCTGCGCCAG	GCTGTGCTGC	CGCCTGCAAA	ATCGGCACTG	10020
CAGTTTTTGC	GCAAATCCGT	TAACTTGGCG	CCTCGGCCAT	GCCATAAAAA	CAACAAGAAC	10080
AACAGCAAGA	TGGATCTTCT	GTTCCGGGGA	CGCATCCGCC	CATGTCCACC	GATACCCACG	10140
COGCCCTGAC	GGCTCCCGCA	AGCCCCCGCT	TGCGCCCGCT	GCCCTTCGCC	TTCCGCAAAAC	10200
GCCAOCGGCT	GCTGCTGCGC	GAGCCCTTCG	GCCAGGTCCA	GCTGCAGGTG	CGCCGCGGTG	10260
CCAGCCTGGC	CGCCGTGCAG	GAGGCCAGC	GCTTCGCCCG	CCGCGTGCTG	CCGCTGCACT	10320
GGCTGGAGCC	CGAGGCCCTC	GAGCAGGAGC	TGGCCCTGGC	CTACCAGCGC	GACTCCTCCG	10380
AGGTGCCGCA	GATGGCCGAG	GGCATGGGTG	COGAACCTGA	CCTAGCCAGC	CTGGCCGAAC	10440
TCATCTCCGA	ATCCGGCGAC	CTGCTGGAGC	AGGAAGATGA	CGCGCGATC	ATCCGCCTGA	10500
TCAACGCCAT	CCTCAGCGAG	GCGATCAAGG	CCGGCGCCTC	CGACATCCAC	CTGGAAACCT	10560
TCGAGAAACG	CCTGGTGGTG	CGCTTTCGCG	TCGACGGCAT	CCTCCGCGAA	GTGATCGAAC	10620
CGCGCCGCGA	GCTGGCGCGC	CTGCTGGTCT	CGCGGGTCAA	GGTCATGGCG	CGCCTGGACA	10680
TCGCCGAGAA	GCGCGTACCG	CAGGACGGCC	GTATTTCCGT	CAAGGTCCGC	GGTCGCGAGG	10740
TGGATATCCG	CGTCTCCACC	CTGCCGTCCG	CCAACGGCGA	GCGGGTGGTG	CTGCGTCTGC	10800
TCGACAAAGCA	GGCCGGGGCG	CTGTGCTCA	CGCATCTGGG	CATGAGCGAG	CGCGACCGCC	10860
GCCCTGCTCGA	CGACAACCTG	CGCAAGCCGC	ACGGCATCAT	CCTAGTCACC	GGCCCCACCG	10920
GCTCGGGCAA	GACCACCACC	CTGTACGCCG	GCCTGGTCAC	CCTCAACGAC	CGCTCGCGCA	10980
ATATCCTCAC	GGTGAAGAC	CCGATCGAGT	ACTACCTGGA	AGGCATCGGC	CAGACCCAGG	11040
TCAACCCGCG	GGTGGACATG	ACCTTCGCCC	CGGGCCTGCG	CGCCATCCTG	CGCCAGGACC	11100
CGGACGTGGT	GATGGTCGCG	GAGATCCGCG	ACCAGGAGAC	CGCCGACATC	GCCGTGCAGG	11160
CCTCGCTCAC	CGGCCACCTG	GTGCTCTCCA	CCCTGCACAC	CAACAGCGCC	GTCCGGCGCG	11220
TCACCCGCCT	GGTCGACATG	GGCGTCGAGC	CCTTCCTGCT	GTGCTCGTCC	CTGCTCGGCG	11280
TGCTGGCCCA	GCGCCTGGTG	CGCGTGCTCT	GCGTGCACTG	CCGCGAGGCG	CGCCCGGCTG	11340
AGCGGGCCGA	GTGCGGCCCT	CTCGGCCCTG	ACCCGACAG	CCAGCCCCTG	ATCTACCACG	11400
CCAAGGGCTG	CCCGGAGTGC	CACCAGCAGG	GCTACCGCGG	CCGTACTGGC	ATCTACGAGC	11460
TGGTGATCTT	CGACGACCCG	ATGCGCACCC	TGGTGACAAA	CGGCGCCGGT	GAGCAGGAGC	11520
TGATTCCGCA	CGCCCGCAGC	CTCGGCCCGA	GCATCCGCGA	CGATGGCCGG	CGCAAGGTGC	11580
TGGAAGGGGT	GACCAGCCTG	GAAGAAGTGT	TGCGCGTGAC	CCGGGAAGAC	TGATGGCCGC	11640
CTTCGAATAC	ATCGCCCTGG	ATGCCAGGGG	CCGCCAGCAG	AAGGGCGTGC	TGGAGGGCGA	11700
CAGCGCCCGC	CAGGTGCGCC	AGCTGCTGCG	CGACAAACAG	TTGTGCGCGC	TGCAGGTGCA	11760
GCCGGTACAG	CGCAGGGAGC	AGGCCGAGGC	TGGTGGCTTC	AGCCTGCGCC	GTGGCCTGTC	11820
GGCGCGCGAC	CTGGCGCTGG	TCACCCGTCA	GCTGGCGACC	CTGATCGGCG	CCGCGCTGCC	11880
CATCGAGGAA	GCGCTGCGCG	CCGCCCGCGC	CGAGTCGCGC	CAGCCGCGCA	TCCAGTCGAT	11940
GCTGTTGGCG	GTGCGCGCCA	AGGTGCTCGA	GGGCCACAGC	CTGGCCAAGG	CCCTGGCCTC	12000



CTACCCGGCG	GCCTTCCCCG	AGCTGTACCG	CGCCACGGTG	GCGGCCGGCG	AGCATGCGGG	12060
GCACCTGGCG	COGGTGCTGG	AGCAGCTGGC	CGACTACACC	GAGCAGCGCC	AGCAGTCGCG	12120
GCAGAAGATC	CAGATGGCGC	TGCTCTACCC	GGTGATCCTG	ATGCTCGCTT	CGCTGGGCAT	12180
CGTCGGTTTT	CTGCTCGGCT	ACGTGGTGCC	GGATGTGGTG	CGGGTGTTCC	TCGACTCCGG	12240
GCAGACCCTG	CCGGCGCTGA	CCCGCGGGCT	GATTTTCCTC	AGCGAGCTGG	TCAAGTCCTG	12300
GGGCGCCCTG	GCCATCGTCC	TGGCGGTGCT	CGGCGTGCTC	GCCTTTCGCC	GCGCCTTGCG	12360
CAGCGAGGAT	CTGCGCCGGC	GCTGGCATGC	CTTCCTGCTG	CGCGTGCCGC	TGGTCGGTGG	12420
GCTGATCGCC	GCCACCGAGA	CGGCACGCTT	CGCCTCGACC	CTGGCCATCC	TGGTGCGCAG	12480
CGGCGTGCCA	CTGGTGAGG	CGCTGGCCAT	CGGCGCGAG	GTGGTGCCA	ACCTGATCAT	12540
CCGCAGCGAC	GTGGCCAACG	CCACCCAGCG	CGTGCGGAG	GGCGGCAGCC	TGTCGCGCGC	12600
GCTGGAAGCC	AGCCGGCAGT	TTCCGCGGAT	GATGCTGCAC	ATGATCGCCA	GCGGCGAGCG	12660
TTCCGCGGAG	CTGGACCAGA	TGCTGGCGCG	CACGGCGCGC	AACCAGGAAA	ACGACCTGGC	12720
GGCCACCATC	GCCCTGCTGG	TGGGGCTGTT	CGAGCCGTTT	ATGCTGGTAT	TCATGGGCGC	12780
GGTGGTGCTG	GTGATCGTGC	TGGCCATCCT	GCTGCCGATT	CTTTCTCTGA	ACCAACTGGT	12840
GGGTTGATAG	CGATGTACAA	ACAGAAAGGC	TTACGCTGA	TCGAAATCAT	GGTGGTGGTG	12900
GTCTATCCTC	GCATTCTCGC	TGCCCTGGTG	GTGCCGAGG	TGATGGGCCG	CCCGGACCAG	12960
GCCAAGGTCA	CCGCGGCGCA	GAACGACATC	CGCGCCATCG	GCGCCGCGCT	GGACATGTAC	13020
AAGCTGGACA	ACCAGAACTA	CCCGAGCACC	CAGCAGGGCC	TGGAGGCCCT	GGTGAAGAAA	13080
CCCACCGGCA	CGCCGGCGGC	GAAGAACTGG	AACGCGGAGG	GCTACCTGAA	GAAGCTGCCG	13140
GTCGACCCCT	GGGGCAACCA	GTACCTGTAC	CTGTCCCGCG	GCACCCGCGG	CAAGATCGAC	13200
CTGTATTTCG	TGGGCGCGA	CGGCCAGGAA	GGCGGCGAGG	GGACCGACGC	CGACATCCGC	13260
AACTGGGATC	TCGACTCGC	AATGCAGCGG	GGGCGCGGTT	TCACTCTGAT	CGAGCTGCTG	13320
GTGGTGCTGG	TGCTGTGGG	CGTGCTCACC	GGCCTCGCG	TGCTCGGCAG	CGGGATCGCC	13380
AGCAGCCCCG	CGCGCAAGCT	GGCGGACGAG	GCCGAGCGCC	TGCAGTCGCT	GCTGCGGGTG	13440
CTGCTCGACG	AGGCGGTGCT	GGACAACCGC	GAGTATGGCG	TACGCTTCGA	CGCCCGGAGC	13500
TACCGGGTGC	TGCGCTTCGA	GCCGCGCACC	GCGCGCTGGG	AGCCGCTCGA	CGAGCGCGTG	13560
CACGAGCTGC	CGGAGTGGCT	CGAGCTGGAG	ATCGAGGTCG	ACGAGCAGAG	TGTCGGGGCTG	13620
CCCGCCGCCC	GTGGCGAGCA	GGACAAAGCC	GCGGCCAAGG	CGCCACAGCT	GCTGCTGCTC	13680
TCCAGTGGCG	AGCTGACCCC	CTTCGCCCTG	CGCTGTCCG	CCGGCCGCGA	GCGCGCGCGC	13740
CCGGTGTGTA	CGCTGGCCAG	CGACGGCTTC	GCCGAGCCCG	AGCTGCAGCA	GGAAAAGTCC	13800
CGATGAAGCG	CGGCCGCGGC	TTCAACCCTG	TCGAGGTGCT	GGTGCCCTG	GCGATCTTCG	13860
CCGTGGTTCG	CGCCAGCGTG	CTCAGCGCCA	GCGCTCGCTC	GCTGAAGACC	GCCGCGCGCC	13920
TGGAGGACAA	GACCTTCGCC	ACCTGGCTGG	CGGACAACCG	CCTGCAGGAG	CTGCAGCTGG	13980
CCGACGTGCC	GCCGGGCGAG	GGCCGCGAGC	AGGGCGAGGA	GAGCTACGCC	GGGCGGCGCT	14040
GGCTGTGGCA	GAGCGAGGTG	CAGGCCACCA	GCGAGCCGGA	GATGCTGCGT	GTCACCGTAC	14100
GGGTGGCGCT	GCGGCCGGAG	CGCGGGCTGC	AGGGCAAGAT	CGAAGACCAT	GCCCTGGTGA	14160
CCCTGAGTGG	CTTCGTCCGG	GTGAGCCAT	GAGGCAGCGC	GGCTTACCCC	TGCTGGAAGT	14220
GCTGATCGCC	ATCGCCATCT	TGCGCCTGCT	GGCCATGGCC	ACCTACCGCA	TGCTCGACAG	14280
CGTGCTGCAG	ACCGATCGTG	GCCAGCGCCA	GCAGGAGCAG	CGTCTGCGCG	AGCTGACGCG	14340
GGCCATGGCA	GCTTTCGAAC	GCGACCTGCT	GCAGGTGCGC	CTGCGTCCGG	TGCGCGACCC	14400
GCTGGGCGAC	CTGCTGCCAG	CCCTGCGCGG	CAGCAGTGGC	CGCGACACCC	AGCTGGAGTT	14460
CACCCGCGAG	GGCTGGCGCA	ACCCGCTCGG	CCAGCCGCGC	GCCACCCCTAC	AGCGGGTGCG	14520
CTGGCAGCTC	GAAGGCGAGC	GCTGGCAGCG	CGCTTACTGG	ACGGTGCTGG	ACCAGGCCCA	14580
GGACAGCCAG	CCGCGGGTGC	AGCAGGCGCT	GGATGGCGTG	CGCCGCTTCG	ACTTGCGCTT	14640
TCTCGACCAG	GAGGGGCGCT	GGCTGCAGGA	CTGGCCGCGG	GCCAACAGTG	CTGCCGACGA	14700
GGCCCTGACC	CAGCTGCCGC	GTGCCGTGCA	GCTGGTCTGC	GAGCACCGCC	ATTACGGTGA	14760
ACTGCGCCGT	CTCTGGCGCT	TGCCCGAGAT	GCCGACGAG	GAACAGATCA	CGCCGCCCGG	14820
GGGCGAGCAG	GGCGGTGAGC	TGCTGCCGGA	AGAGCCGAG	CCCGAGGCAT	GAGCCGGCAG	14880
CGCGGCGTGG	CACTGATCAC	CGTGCTGCTG	GTGGTGCGC	TGGTGACCGT	GGTCTGCGCG	14940
GCCCTGCTGC	TGCGCCAGCA	GCTGGCCATC	CGCAGCACCG	GCAACCAGCT	GCTGGTGCGC	15000
CAGGCCCAGT	ACTACGCCGA	AGGCGGCGAG	CTGCTGGCCA	AGGCCCTGCT	GCGTCGCGAC	15060
CTGGCCGCGG	ACCAGGTGCA	TCATCCCGGC	GAGCCCTGGG	CCAACCCCGG	CCTGCGCTTC	15120
CCCCTGGATG	AGGGCGGCGA	GCTGCGCCTG	CGCATCGAGG	ACCTGGCCCG	ACGTTTCAAC	15180
CTCAACAGCC	TGGCCGCCCG	TGGTGAGGCC	GGTGAGTTGG	CGTGCTGCG	CCTGCGGCGC	15240
CTGCTGCAGC	TGCTGCAGCT	GACCCCGGCC	TATGCCGAGC	GCCTGCAGGA	CTGGCTCGAC	15300
GGCGATCAGG	AGGCCAGCGG	CATGGCCGGG	CCGAGGATG	ACCAGTACCT	GCTGCAGAAA	15360
CCGCCCTACC	GTACCGGCC	CGGGCGCATT	GCCGAGGTGT	CGGAGCTGCG	CCTGCTGCTG	15420
GGCATGAGCG	AGGCCGACTA	CCGCCGCTG	GCCCCCTTCG	TCAGCGCCCT	GCCGAGCCAG	15480
GTCGAGCTGA	ACATCAACAC	CGCCAGCGCC	CTGGTGCTGG	CTTGCCCTGGG	CGAGGGCATN	15540

CCCGAGGCGG	TGCTCGAGGC	CGCCATCGAN	GGTCGCGGCC	GCAGCGGCTA	TCGCGAGCCC	15600
GCTGCCTTCG	TCCAGCANCT	TGCCAGCTAC	GGCGTCAGCC	CGCAGGGGCT	GGGCATCGCC	15660
AGCCAGTATT	TCCGTGTCAC	CACCGAGGTG	CTGCTGGGTG	AGCGGCGCCA	GGTGCTGGCC	15720
AGTTATCTGC	AACGTGGTAA	TGATGGGCGC	GTCGCGCTGA	TGGCGCGCGA	TCTGGGGCAG	15780
GAGGGCCTGG	CGCCCCCACC	CGTCGAGGAG	TCCGAGAAAT	GAGTCTGCTC	ACCCTGTTTC	15840
TGCCGCCCCA	GGCTGCGACC	GAGGCGAGCG	CCGACATGCC	GGTGTGGTGC	GTCGAGAGCG	15900
ACAGCTGCCG	TCAGCTGCCC	TTGCGCGAGG	CCTTGCGGGC	CGACGCGCGG	GTCTGGCGCT	15960
TGGTGCTGCC	GGTGGAGGCG	GTGACCACCT	GTGTGCTGCA	GTTGCGGACC	ACCAAGGCAC	16020
GCTGGCTGGC	CAAGGCCCTG	CCGTTGCGCG	TCGAGGAGCT	GCTGGCGGAG	GAGGTGGAGC	16080
AGTTTCACCT	GTGCGTGGGT	AGCGCGCTGG	TCGATGGTGC	TCATCGTGTT	CATGCCCTGC	16140
GCCGCGAGTG	GCTGGCGGGC	TGGCTGGCGC	TGTGCGGCGA	GCGGCCGCGG	CAGTGGATCG	16200
AGGTGGACGC	CGACCTGTTG	CCGAGGAGGG	GTAGCCAGCT	GCTCTGCCTG	GGCGAGCGCT	16260
GGTTGCTCGG	CGGGTCGGGC	GAGGCGCGCC	TGGCCCTGCG	TGGCGAGGAC	TGGCCGCAGC	16320
TGGCGGCGCT	CTGTCCGCGC	CCCGGCGAAG	CCTATGTGCC	GCCCGGGCAG	GCGGCGCCGC	16380
CGGGCTGCGA	GGCCTGCCAG	ACCCTGGAGC	AGCCGTGGCT	CTGCTGGGCC	GCGCAGAAAT	16440
CCGGCTGCAA	CCTGGCCGAG	GGGCTTTTCG	CCCGTCGCGA	GCCTTCGGGC	CAGTGGCAGC	16500
GCTGGCGGGC	GCTGGCGGGG	CTGCTCGGTC	TCTGGCTGGT	GCTGCAKTGG	GGCTTCAACC	16560
TTGCCCANGG	CTGGCAGCTG	CAGCGCGAGG	GTGAACGCTA	TGCCGTGGCC	AACGAGGCGC	16620
TGTATCGCGA	GCTGTTCCCC	GAGGATCGCA	AGGTGATCAA	CCTGCGTGCG	CAGTTCGACC	16680
AGCACCTGGC	CGAGGCGGCT	GGGAGCGGCC	AGAGCCAGTT	GCTGCCCTTG	CTCGATCAGG	16740
COGCGCGGCG	CATCGGCGAA	GGGGGGGCGC	AGGTGCAGGT	GGATCAGCTC	GACTTCAACG	16800
CCCAGCGTGG	CGACCTGGCC	TTCAACCTGC	GTGCCAGCGA	CTTCGCCGCG	CTGGAAAGCC	16860
TGCGGGCGCG	CCTGCAGGAG	GCCGGCCTGG	CGGTGGACAT	GGGTCTCGCG	AGCCGCGAGG	16920
ACAAACGGCGT	CAGTCCGCGC	CTGGTGATCG	GGGGTAACGG	ATGAACGGCC	TGCTCATGCA	16980
ATGGCAAGCG	CGCCTGGCGC	AGAACCCTTT	GATGCTGCGC	TGGCAGGGCC	TGCCGCCACG	17040
CGACCGGCTG	GCCCTGGGCC	TGCTCGCTGC	CTTCCTGTTG	CTGGTGCTGC	TGTACCTGTT	17100
GCTGTGGCGG	COGGTCAGCC	AGAACCCTGA	GCGGGCGCGC	GGCTTCCTGC	AGCAGCAGCG	17160
TACGCTGCAC	GCCTACCTGC	AGGAGCATGC	ACCGCAGGTG	CGGGCACGGC	AGGTCGCACC	17220
GCAGGCCAGT	ATCGAGCCTG	CCGCGCTGCA	GGGGTTGGTG	ACCGCCAGTG	CCGCCAGCCA	17280
GGGGCTGAAT	GTCGAGCGTC	TGGACAACCA	GGGTGATGGT	GGCCTGCAGG	TGAGCCTGCA	17340
GCCGGTGCAG	TTGCCCCGTC	TGCTGCAGTG	GCTGGTGAGC	CTGCAGGAGC	AGGGCGTGCG	17400
CGTCAAGAG	GCCGGTCTGG	AACGTGCCGA	CAGGGGCTG	GTGAGCAGCC	GCCTGCTGCT	17460
GCGTGCCGGT	TGAGCCCGGC	TGCACCAGGC	GAGTGCCTCG	GCACTCGCGC	GGAGCATCTG	17520
GAAAACCCGT	CCGCGAAGAA	AAATTCAAGC	AGGGTGTTGA	CTTAGCTATG	ACCTCTNCGT	17580
CAATTGCGCG	CCTCGCANGC	TAACGGCTGG	AT			17612

## (2) INFORMATION FOR SEQ ID NO:30:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2634 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

ATGGAAGATC	GCAAGCGGCC	TGCCGCGGCT	CCCGTGGGGT	TTGCGCGCGC	GGAGCTGCTG	60
GAGCTGCTCT	GCCGCTGCGA	GCAGTTTCCC	CTGACCCTGC	TGCTGGCGCC	CGCCGGTTCC	120
GGCAAGTCTG	CCCTGCTGGC	CCAGTGGCAG	CGCAGCGGCG	CCTTCGGCAG	TGTGGTGCAC	180
TATCCACTGC	AGGCGCGTGA	CAACGAGCCG	GTACGCTTCT	TCCGCCACCT	GGCGAAAGC	240
ATCCGCGCCC	AGGTCGAGGA	CTTCGACCTG	TCCTGGTTCA	ACCCCTTCGC	CGCCGAGATG	300
CACCAGGCGC	CCGAGGTGCT	CGGCGAGTAC	CTGGCGGACG	CCCTCAATCG	CATCGAGAGC	360
CGCCTCTACC	TCGTCTCGA	CGACTTCCAG	TGCATCGGCC	AGCCGATCAT	CCTCGACGTG	420
CTCTCGGCCA	TGCTCGAACG	CCTGGCGGGC	AACACCCGGG	TCATTCTGTC	CGGGCGCAAC	480
CATCCGGGGT	TCTCCCTCAG	CCGCCTGAAA	CTGGACAACA	AGCTGCTGTG	CATCGACCAG	540
CACGACATGC	GCCTGTGCGC	AGTGCAGATC	CAACACCTCA	ATGCCTACCT	GGGCGGTCCC	600
GAGCTCAGCC	CGGCCTATGT	CGGCAGCCTG	ATGGCCATGA	CCGAGGGCTG	GATGGTCGGG	660
GTGAAGATGG	CCCTGATGGC	CCATGCGCGC	TTCGGCACCG	AGGCCCTGCA	GCGCTTCGGT	720

GGCGGCCATC	CGGAGATAGT	CGACTACTTC	GGCCATGTGG	TGCTGAAGAA	GCTGTGCGCCG	780
CAGCTGCACG	ACTTCCTGTT	GTGCAGCGCG	ATCTTCGAGC	GCTTCGACGG	CGAGCTATGC	840
GACCGGGTGC	TGGATCGCAG	CGGTTGCGCC	CTGCTGCTGG	AGGACCTGGC	CGCGCGCGAG	900
CTGTTTCATGC	TGCCGGTGA	CGAGTATCCC	GGCTGCTACC	GCTACCACGC	CCTGTTGCAC	960
GATTTCCTCG	CCCGGCGCCT	GGCCGTGCAC	AAGCCACAGG	AAGTGGCGCA	ACTGCACCGG	1020
CGGGCGGCC	TGGCGCTGCA	GCAGCGTGGC	GACCTGGAGC	TGGCCCTGCA	GCATGCCCAG	1080
CGCAGTGGCG	ACCGCGCGTT	GTTCCAAAGC	ATGCTGGGCG	AGGCCTGCGA	GCAATGGGTG	1140
CGCAGCGGTC	ACTTCGCGGA	GGTGCTGAAG	TGGCTGGAGC	CGCTGAGCGA	GGCGGAACCTC	1200
TGCGNGCAGT	CGCGCCTGCT	GGTGCTGATG	ACCTATGCCC	TGACCCTGTC	GCGGCGTTTC	1260
CACCAGGCGC	GCTACTGCTT	GGACGAACTG	GTGGCGCGCT	GCACCGGTCA	GCGGGGCGCTG	1320
GAGGAGCCGA	CCCGCCAGCT	GCTGGCGCTC	AACCTGGAGC	TGTTCCAGCA	CGACCTGGCC	1380
TTCGACCCCG	GCCAGCGCTG	GTCCGACCTG	CTGGCCGCGG	GCGTCGCCTC	GGACATCCGT	1440
GCCCTGGCGC	TGAGCATCCT	CGCCTATCAC	CACCTGATGC	ACGGCCGCTC	GGAGCAGTCG	1500
ATCCAGCTGG	CGCTGGAGGC	CAAGGCGCTG	CTGGCCAGCA	CCGGCCAGCT	GTTCTGAGAG	1560
AGCTACGCG	ACCTGATCAT	CGCCCTGTGC	AACCGCAACG	CCGGGCGCGC	CACCAGCGCG	1620
CGCAAGGACG	TCTGCCTGGA	TTACCAGCGC	ACCGAGCGCT	CCTCGCCGGC	CTGGGTCAAC	1680
CGTGCCACCG	CCATGGTGGT	GGCGCTGTAC	GAGCAGAAC	AGCTGGCCGC	CGCCCAGCAG	1740
CTGTGCGAGG	ACCTGATGGC	CATGGTCAAG	TCGTCTCTCG	CCACCGAGAC	CATCGCCACC	1800
GTGCACATCA	CCCTGTGCGG	CCTGTCTCAC	CGGCGCCAGT	CCCAGGGCCG	CGCCACGCGC	1860
CTGCTGGAGC	AGCTGTGCGG	CATCTGCAA	CTGGGCAACT	ACGCCGCTT	CGCCAGCCAG	1920
GCGGCGCAGG	AGAGCATGCG	CCAGGCTAT	CTCGACGGGC	GCCCGGCGGC	GCTCGACGCA	1980
CTGGCCCAAC	GCCCTGGGTAT	CGAGGAGCGC	CTGGCCGCGG	GGGAGTGGGA	GAGGGTGGCG	2040
CCCTATGAAG	AGTGCTGGGA	ACGCTACGGC	CTGGCCGCGG	TGTACTGGCT	GGTGATGCGC	2100
GGCGCCAGC	CGCGCGCCTG	CCGCATCCTC	AAGGTGCTGG	CGCAGGCGNT	GNAGAACAGC	2160
GAGATGAAGG	CCCGTGCGCT	GGTGGTGGAG	GCCAACCTGC	TGGTGCTGAA	CGCCCCGCGAG	2220
CTGGGGGCGG	ACGAGCAGGA	CAGGGCCCTG	CTGGCGCTGG	TCGAGCGCTT	CGGCATCGTC	2280
AACATCAACC	GCTCGGTATT	CGACGAGGCG	CCCGGCTTCG	CCGAGGCGGT	GTTCCGGCCTG	2340
CTGCGCTCGG	GCCGGCTGCA	GGCGCCGGAG	GCCTATCGCG	AGGCCTATGC	CGACTTCCTC	2400
CAGGGCACAG	GCCAGGCGCC	GCCGGCGCTC	CTGTCCGAGT	CGCTGAAACA	GCTTACCGAC	2460
AAGGAGGCGG	CGATCTTCGC	CTGCCTGCTC	AGGGGGCTGT	CCAACAGCGA	GATCAGCGCC	2520
AGCACCGGCA	TCGCCCTGTC	CACCACCAAG	TGGCACCTGA	AGAACATCTA	CTCGAAGCTG	2580
AGCCTCTCCG	GGCGTACCGA	AGCCATCCTC	GCCATGCAGG	CCCGCAACGG	ATAA	2634

## (2) INFORMATION FOR SEQ ID NO:31:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 877 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

```

Met Glu Asp Arg Lys Pro Pro Ala Ala Ala Pro Val Gly Phe Ala Arg
 1           5           10           15
Ala Glu Leu Leu Glu Leu Leu Cys Arg Cys Glu Gln Phe Pro Leu Thr
      20           25           30
Leu Leu Leu Ala Pro Ala Gly Ser Gly Lys Ser Thr Leu Leu Ala Gln
      35           40           45
Trp Gln Ala Ser Arg Pro Phe Gly Ser Val Val His Tyr Pro Leu Gln
      50           55           60
Ala Arg Asp Asn Glu Pro Val Arg Phe Phe Arg His Leu Ala Glu Ser
      65           70           75           80
Ile Arg Ala Gln Val Glu Asp Phe Asp Leu Ser Trp Phe Asn Pro Phe
      85           90           95
Ala Ala Glu Met His Gln Ala Pro Glu Val Leu Gly Glu Tyr Leu Ala
      100          105          110
Asp Ala Leu Asn Arg Ile Glu Ser Arg Leu Tyr Leu Val Leu Asp Asp

```

115	120	125
Phe Gln Cys Ile Gly Gln Pro Ile Ile Leu Asp Val Leu Ser Ala Met		
130	135	140
Leu Glu Arg Leu Ala Gly Asn Thr Arg Val Ile Leu Ser Gly Arg Asn		
145	150	155
His Pro Gly Phe Ser Leu Ser Arg Leu Lys Leu Asp Asn Lys Leu Leu		
165	170	175
Cys Ile Asp Gln His Asp Met Arg Leu Ser Pro Val Gln Ile Gln His		
180	185	190
Leu Asn Ala Tyr Leu Gly Gly Pro Glu Leu Ser Pro Ala Tyr Val Gly		
195	200	205
Ser Leu Met Ala Met Thr Glu Gly Trp Met Val Gly Val Lys Met Ala		
210	215	220
Leu Met Ala His Ala Arg Phe Gly Thr Glu Ala Leu Gln Arg Phe Gly		
225	230	235
Gly Gly His Pro Glu Ile Val Asp Tyr Phe Gly His Val Val Leu Lys		
245	250	255
Lys Leu Ser Pro Gln Leu His Asp Phe Leu Leu Cys Ser Ala Ile Phe		
260	265	270
Glu Arg Phe Asp Gly Glu Leu Cys Asp Arg Val Leu Asp Arg Ser Gly		
275	280	285
Ser Ala Leu Leu Leu Glu Asp Leu Ala Ala Arg Glu Leu Phe Met Leu		
290	295	300
Pro Val Asp Glu Tyr Pro Gly Cys Tyr Arg Tyr His Ala Leu Leu His		
305	310	315
Asp Phe Leu Ala Arg Arg Leu Ala Val His Lys Pro Gln Glu Val Ala		
325	330	335
Gln Leu His Arg Arg Ala Ala Leu Ala Leu Gln Gln Arg Gly Asp Leu		
340	345	350
Glu Leu Ala Leu Gln His Ala Gln Arg Ser Gly Asp Arg Ala Leu Phe		
355	360	365
Gln Ser Met Leu Gly Glu Ala Cys Glu Gln Trp Val Arg Ser Gly His		
370	375	380
Phe Ala Glu Val Leu Lys Trp Leu Glu Pro Leu Ser Glu Ala Glu Leu		
385	390	395
Cys Xaa Gln Ser Arg Leu Leu Val Leu Met Thr Tyr Ala Leu Thr Leu		
405	410	415
Ser Arg Arg Phe His Gln Ala Arg Tyr Cys Leu Asp Glu Leu Val Ala		
420	425	430
Arg Cys Thr Gly Gln Pro Gly Leu Glu Glu Pro Thr Arg Gln Leu Leu		
435	440	445
Ala Leu Asn Leu Glu Leu Phe Gln His Asp Leu Ala Phe Asp Pro Gly		
450	455	460
Gln Arg Trp Ser Asp Leu Leu Ala Ala Gly Val Ala Ser Asp Ile Arg		
465	470	475
Ala Leu Ala Leu Ser Ile Leu Ala Tyr His His Leu Met His Gly Arg		
485	490	495
Leu Glu Gln Ser Ile Gln Leu Ala Leu Glu Ala Lys Ala Leu Leu Ala		
500	505	510
Ser Thr Gly Gln Leu Phe Leu Glu Ser Tyr Ala Asp Leu Ile Ile Ala		
515	520	525
Leu Cys Asn Arg Asn Ala Gly Arg Ala Thr Ser Ala Arg Lys Asp Val		
530	535	540
Cys Leu Asp Tyr Gln Arg Thr Glu Arg Ser Ser Pro Ala Trp Val Asn		
545	550	555
Arg Ala Thr Ala Met Val Val Ala Leu Tyr Glu Gln Asn Gln Leu Ala		
565	570	575
Ala Ala Gln Gln Leu Cys Glu Asp Leu Met Ala Met Val Thr Ser Ser		
580	585	590

Ser Ala Thr Glu Thr Ile Ala Thr Val His Ile Thr Leu Ser Arg Leu  
595 600 605  
Leu His Arg Arg Gln Ser Gln Gly Arg Ala Thr Arg Leu Leu Glu Gln  
610 615 620  
Leu Ser Arg Ile Leu Gln Leu Gly Asn Tyr Ala Arg Phe Ala Ser Gln  
625 630 635 640  
Ala Ala Gln Glu Ser Met Arg Gln Ala Tyr Leu Asp Gly Arg Pro Ala  
645 650 655  
Ala Leu Asp Ala Leu Ala Gln Arg Leu Gly Ile Glu Glu Arg Leu Ala  
660 665 670  
Ala Gly Glu Trp Glu Arg Val Arg Pro Tyr Glu Glu Cys Trp Glu Arg  
675 680 685  
Tyr Gly Leu Ala Ala Val Tyr Trp Leu Val Met Arg Gly Ala Gln Pro  
690 695 700  
Arg Ala Cys Arg Ile Leu Lys Val Leu Ala Gln Ala Xaa Xaa Asn Ser  
705 710 715 720  
Glu Met Lys Ala Arg Ala Leu Val Val Glu Ala Asn Leu Leu Val Leu  
725 730 735  
Asn Ala Pro Gln Leu Gly Ala Asp Glu Gln Asp Arg Ala Leu Leu Ala  
740 745 750  
Leu Val Glu Arg Phe Gly Ile Val Asn Ile Asn Arg Ser Val Phe Asp  
755 760 765  
Glu Ala Pro Gly Phe Ala Glu Ala Val Phe Gly Leu Leu Arg Ser Gly  
770 775 780  
Arg Leu Gln Ala Pro Glu Ala Tyr Arg Glu Ala Tyr Ala Asp Phe Leu  
785 790 795 800  
Gln Gly Thr Gly Gln Ala Pro Pro Ala Leu Ser Glu Ser Leu Lys  
805 810 815  
Gln Leu Thr Asp Lys Glu Ala Ala Ile Phe Ala Cys Leu Leu Arg Gly  
820 825 830  
Leu Ser Asn Ser Glu Ile Ser Ala Ser Thr Gly Ile Ala Leu Ser Thr  
835 840 845  
Thr Lys Trp His Leu Lys Asn Ile Tyr Ser Lys Leu Ser Leu Ser Gly  
850 855 860  
Arg Thr Glu Ala Ile Leu Ala Met Gln Ala Arg Asn Gly  
865 870 875

## (2) INFORMATION FOR SEQ ID NO:32:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 513 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

ATGAACGGCC TGCTCATGCA ATGGCAAGCG CGCCTGGGCC AGAACCCCTTT GATGCTGCGC 60  
TGGCAGGGCC TGCCGCCACG CGACCGGCTG GCCCTGGGCC TGCTCGCTGC CTTCTGTGTT 120  
CTGGTGCTGC TGTACCTGTT GCTGTGGCGG CCGGTCAGCC AGAACCTGGA GCGGGCGCGC 180  
GGCTTCTGTC AGCAGCAGCG TACGCTGCAC GCCTACCTGC AGGAGCATGC ACCGCAGGTG 240  
CGGGCAGCGC AGGTCGCACC GCAGGCCAGT ATCGAGCCTG CCGCGCTGCA GGGGTTGGTG 300  
ACCGCCAGTG CCGCCAGCCA GGGGCTGAAT GTCGAGCGTC TGGACAACCA GGGTGATGGT 360  
GGCCTGCAGG TGAGCCTGCA GCCGGTCGAG TTCGCCCGTC TGCTGCAGTG GCTGCTGAGC 420  
CTGCAGGAGC AGGGCGTGCG CGTCGAAGAG GCCGGTCTGG AACGTGCCGA CAAGGGGCTG 480  
GTGAGCAGCC GCCTGCTGCT GCGTGCCGGT TGA 513

## (2) INFORMATION FOR SEQ ID NO:33:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 170 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

```

Met Asn Gly Leu Leu Met Gln Trp Gln Ala Arg Leu Ala Gln Asn Pro
 1           5           10           15
Leu Met Leu Arg Trp Gln Gly Leu Pro Pro Arg Asp Arg Leu Ala Leu
 20           25           30
Gly Leu Leu Ala Ala Phe Leu Leu Leu Val Leu Leu Tyr Leu Leu Leu
 35           40           45
Trp Arg Pro Val Ser Gln Asn Leu Glu Arg Ala Arg Gly Phe Leu Gln
 50           55           60
Gln Gln Arg Thr Leu His Ala Tyr Leu Gln Glu His Ala Pro Gln Val
 65           70           75           80
Arg Ala Arg Gln Val Ala Pro Gln Ala Ser Ile Glu Pro Ala Ala Leu
 85           90           95
Gln Gly Leu Val Thr Ala Ser Ala Ala Ser Gln Gly Leu Asn Val Glu
100           105           110
Arg Leu Asp Asn Gln Gly Asp Gly Gly Leu Gln Val Ser Leu Gln Pro
115           120           125
Val Glu Phe Ala Arg Leu Leu Gln Trp Leu Val Ser Leu Gln Glu Gln
130           135           140
Gly Val Arg Val Glu Glu Ala Gly Leu Glu Arg Ala Asp Lys Gly Leu
145           150           155           160
Val Ser Ser Arg Leu Leu Arg Ala Gly
165           170

```

## (2) INFORMATION FOR SEQ ID NO:34:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1176 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

```

GATCTCGAGG GCGTCGGCTT CGACACCCCTG GCGGTGCGCG CCGGTCAGCA TCGCACGCCG 60
GAGGGCGAGC ATGGCGAGGC CATGTTCCCTC ACCTCCAGCT ATGTGTTCCG CAGCGCCGCC 120
GACGCCGCCG CGCGCTTCGC CGGCGAGCAG CCGGGCAACG TCTACTCGCG CTACACCAAC 180
CCGACCGTGC GCGCCTTCGA GGAGCGCATC GCGGCCCTGG AAGGCGCCGA GCAGGCGGTG 240
GCCACCGCCT CCGGCATGGC CGCCATCCTG GCCATCGTCA TGAGCCTGTG CAGCGCCGGC 300
GACCATGTGC TGGTGTGCGG CAGCGTGTTC GGCTCGACCA TCAGCCTGTT CGAGAAGTAC 360
CTCAAGCGCT TCGGCATCGA GGTGGACTAC CCGCGCTGG CCGATCTGGA CGCCTGGCAG 420
GCAGCCTTCA AGCCCAACAC CAAGCTGCTG TTCGTGAAT CGCCGTCCAA CCCGTTGGCC 480
GAGCTGGTGG ACATAGCGGC CCTGGCCGAG ATCGCCACG CCGCGCGCGC CCTGCTGGCG 540
GTGACAACCT GCTTCTGCAC CCCGGCCCTG CAGCAGCCGC TGGCGCTGGG CGCCGATATG 600
GTCATGCATT CCGCGACCAA GTTCATCGAT GGCCAGGGCC GCGGCCTGGG CGGCGTGGTG 660
GCCGGCGGCC GTGCGCAGAT GGAGCAGGTG GTCGGCTTCC TGCGCACCGC CCGGCGGACC 720
CTCAGCCCGT TCAACGCCTG GATGTTCCCTC AAGGGCCTGG AGACCCTGCG TATCCGCATG 780
CAGGCGCAGA GCGCCAGCGC CCTGGAACTG GCCCGCTGGT TGGAGACCCA GCCGGGCATC 840
GACAGGGTCT ACTATGCCGG CCTGCCCAGC CACCGCAGC ACGAGCTGGC CAAGCGGCAG 900

```

CAGAGTGCCT	TCGGCGCGGT	GCTGAGCTTC	GAGGTCAAGG	GCGGCAAGGA	GGCGGCCTGG	960
CGTTTCATCG	ATGCCACCG	GGTGATCTCC	ATCACCACCA	ACCTGGGCGA	TACCAAGACC	1020
ACCATCGCCC	ATCGGGCGAC	CACCTCCCAC	GGTCGTCTGT	CGCCGCAGGA	GCGCGCCAGC	1080
GCCGGTATCC	GCGACAACCT	GGTGGGTGTC	GCCGTGGGCC	TGGAAGACGT	GGTCGACCTC	1140
AAGGCCGACC	TGGCCCGTGG	CCTGGCCGCG	CTCTGA			1176

## (2) INFORMATION FOR SEQ ID NO:35:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 392 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Tyr	Asp	Leu	Glu	Gly	Val	Gly	Phe	Asp	Thr	Leu	Ala	Val	Arg	Ala	Gly
1				5					10					15	
Gln	His	Arg	Thr	Pro	Glu	Gly	Glu	His	Gly	Glu	Ala	Met	Phe	Leu	Thr
			20					25					30		
Ser	Ser	Tyr	Val	Phe	Arg	Ser	Ala	Ala	Asp	Ala	Ala	Ala	Arg	Phe	Ala
		35					40					45			
Gly	Glu	Gln	Pro	Gly	Asn	Val	Tyr	Ser	Arg	Tyr	Thr	Asn	Pro	Thr	Val
	50				55						60				
Arg	Ala	Phe	Glu	Glu	Arg	Ile	Ala	Ala	Leu	Glu	Gly	Ala	Glu	Gln	Ala
65					70				75					80	
Val	Ala	Thr	Ala	Ser	Gly	Met	Ala	Ala	Ile	Leu	Ala	Ile	Val	Met	Ser
				85					90					95	
Leu	Cys	Ser	Ala	Gly	Asp	His	Val	Leu	Val	Ser	Arg	Ser	Val	Phe	Gly
		100						105					110		
Ser	Thr	Ile	Ser	Leu	Phe	Glu	Lys	Tyr	Leu	Lys	Arg	Phe	Gly	Ile	Glu
		115					120					125			
Val	Asp	Tyr	Pro	Pro	Leu	Ala	Asp	Leu	Asp	Ala	Trp	Gln	Ala	Ala	Phe
	130					135					140				
Lys	Pro	Asn	Thr	Lys	Leu	Phe	Val	Glu	Ser	Pro	Ser	Asn	Pro	Leu	
145					150				155					160	
Ala	Glu	Leu	Val	Asp	Ile	Gly	Ala	Leu	Ala	Glu	Ile	Ala	His	Ala	Arg
				165					170					175	
Gly	Ala	Leu	Leu	Ala	Val	Asp	Asn	Cys	Phe	Cys	Thr	Pro	Ala	Leu	Gln
			180					185					190		
Gln	Pro	Leu	Ala	Leu	Gly	Ala	Asp	Met	Val	Met	His	Ser	Ala	Thr	Lys
		195					200					205			
Phe	Ile	Asp	Gly	Gln	Gly	Arg	Gly	Leu	Gly	Gly	Val	Val	Ala	Gly	Arg
	210					215					220				
Arg	Ala	Gln	Met	Glu	Gln	Val	Val	Gly	Phe	Leu	Arg	Thr	Ala	Gly	Pro
225					230					235					240
Thr	Leu	Ser	Pro	Phe	Asn	Ala	Trp	Met	Phe	Leu	Lys	Gly	Leu	Glu	Thr
				245					250					255	
Leu	Arg	Ile	Arg	Met	Gln	Ala	Gln	Ser	Ala	Ser	Ala	Leu	Glu	Leu	Ala
			260					265					270		
Arg	Trp	Leu	Glu	Thr	Gln	Pro	Gly	Ile	Asp	Arg	Val	Tyr	Tyr	Ala	Gly
	275						280					285			
Leu	Pro	Ser	His	Pro	Gln	His	Glu	Leu	Ala	Lys	Arg	Gln	Gln	Ser	Ala
	290					295					300				
Phe	Gly	Ala	Val	Leu	Ser	Phe	Glu	Val	Lys	Gly	Gly	Lys	Glu	Ala	Ala
305					310					315				320	
Trp	Arg	Phe	Ile	Asp	Ala	Thr	Arg	Val	Ile	Ser	Ile	Thr	Thr	Asn	Leu
			325						330					335	

Gly Asp Thr Lys Thr Thr Ile Ala His Pro Ala Thr Thr Ser His Gly  
                   340                  345                  350  
 Arg Leu Ser Pro Gln Glu Arg Ala Ser Ala Gly Ile Arg Asp Asn Leu  
                   355                  360                  365  
 Val Arg Val Ala Val Gly Leu Glu Asp Val Val Asp Leu Lys Ala Asp  
                   370                  375                  380  
 Leu Ala Arg Gly Leu Ala Ala Leu  
 385                  390

## (2) INFORMATION FOR SEQ ID NO:36:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 847 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

ATGCTGAAAA AGCTGTTCAA GTCGTTTCGT TCACCTCTCA AGCGCCAAGC ACGCCCCCGC 60  
 AGCACGCCGG AAGTTCCTCGG CCGCGCCAG CATTCCCTGC AACGCAGCCA GTTCAGCCGC 120  
 AATGCGGTAA ACGTGGTGA GCGCCTGCAG AACGCCGGCT ACCAGGCCTA TCTGGTCGGC 180  
 GGCTGCGTAC GCGACCTGCT GATCGGCGTG CAGCCCAAGG ACTTCGACGT GGCCACCAGC 240  
 GCCACCCCCG AGCAGGTGCG GGCCGAGTTT CGCAACGCCC GGGTGATCGG CCGCCGCTTC 300  
 AAGCTGGCGC ATGTGCATT CCGCCGCGAG ATCATCGAGG TGGCGACCTT CCACAGCAAC 360  
 CACCCGACAG GCGACGACGA GGAAGACAGC CACCAGTCGG CCCGTAACGA GAGCGGGCGC 420  
 ATCCTGCGCG ACAACGTCTA CGGCAGTCAG GAGAGCGAT CCGAGCGCCG CGACTTCACC 480  
 ATCAACGCC TGTACTTCGA CGTCAGCGGC GAGCGCGTGC TGGAGATGC CCACGGCGTG 540  
 CACGACATCC GCAACCGCCT GATCCGCGTG ATCGGCGACC CCGAGCAGCG CTACCTGGAA 600  
 GACCCGGTAC GCATGCTGCG CGCCGTACGC TTCGCCGCCA AGCTGGACTT CGACATCGAG 660  
 AAACACAGCG CCGCGCGGAT CCGCCGCGTG GCGCCGATGC TGCGCGACAT CCCTGCCGCG 720  
 CGCCTGTTTC ACGAGGTGCT CAAGCTGTTC CTCGCCGGCT ACGCCGAGCG CACCTTCGAA 780  
 CTGCTGCTCG AGTACGACCT GTTCGCCCCG CTGTTCCCGG CCAGCGCCCG CGCCCTGGAG 840  
 CGCGATC 847

## (2) INFORMATION FOR SEQ ID NO:37:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 282 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Met Leu Lys Lys Leu Phe Lys Ser Phe Arg Ser Pro Leu Lys Arg Gln  
 1                  5                  10                  15  
 Ala Arg Pro Arg Ser Thr Pro Glu Val Leu Gly Pro Arg Gln His Ser  
                   20                  25                  30  
 Leu Gln Arg Ser Gln Phe Ser Arg Asn Ala Val Asn Val Val Glu Arg  
                   35                  40                  45  
 Leu Gln Asn Ala Gly Tyr Gln Ala Tyr Leu Val Gly Gly Cys Val Arg  
                   50                  55                  60  
 Asp Leu Leu Ile Gly Val Gln Pro Lys Asp Phe Asp Val Ala Thr Ser  
                   65                  70                  75                  80  
 Ala Thr Pro Glu Gln Val Arg Ala Glu Phe Arg Asn Ala Arg Val Ile  
                   85                  90                  95



Gly	Arg	Arg	Phe	Lys	Leu	Ala	His	Val	His	Phe	Gly	Arg	Glu	Ile	Ile
			100					105					110		
Glu	Val	Ala	Thr	Phe	His	Ser	Asn	His	Pro	Gln	Gly	Asp	Asp	Glu	Glu
			115				120					125			
Asp	Ser	His	Gln	Ser	Ala	Arg	Asn	Glu	Ser	Gly	Arg	Ile	Leu	Arg	Asp
						135					140				
Asn	Val	Tyr	Gly	Ser	Gln	Glu	Ser	Asp	Ala	Gln	Arg	Arg	Asp	Phe	Thr
145					150					155					160
Ile	Asn	Ala	Leu	Tyr	Phe	Asp	Val	Ser	Gly	Glu	Arg	Val	Leu	Asp	Tyr
				165					170					175	
Ala	His	Gly	Val	His	Asp	Ile	Arg	Asn	Arg	Leu	Ile	Arg	Leu	Ile	Gly
			180					185					190		
Asp	Pro	Glu	Gln	Arg	Tyr	Leu	Glu	Asp	Pro	Val	Arg	Met	Leu	Arg	Ala
		195					200					205			
Val	Arg	Phe	Ala	Ala	Lys	Leu	Asp	Phe	Asp	Ile	Glu	Lys	His	Ser	Ala
		210				215					220				
Ala	Pro	Ile	Arg	Arg	Leu	Ala	Pro	Met	Leu	Arg	Asp	Ile	Pro	Ala	Ala
225					230					235					240
Arg	Leu	Phe	Asp	Glu	Val	Leu	Lys	Leu	Phe	Leu	Ala	Gly	Tyr	Ala	Glu
			245						250					255	
Arg	Thr	Phe	Glu	Leu	Leu	Leu	Glu	Tyr	Asp	Leu	Phe	Ala	Pro	Leu	Phe
		260						265					270		
Pro	Ala	Ser	Ala	Arg	Ala	Leu	Glu	Arg	Asp						
		275					280								

**What is Claimed:**

1. An isolated nucleic acid encoding a kinase from a *Pseudomonad* that can regulate the expression of a lipase.
2. The nucleic acid of Claim 1, wherein the kinase is LipQ.
3. The nucleic acid of Claim 1, having the sequence as shown in SEQ ID NO:1.
4. A purified kinase encoded by a nucleic acid of Claims 1-3.
5. An isolated nucleic acid encoding a DNA binding regulator from a *Pseudomonad* that can regulate the expression of a lipase.
6. The nucleic acid of Claim 6, wherein the DNA binding regulator is LipR.
7. The nucleic acid of Claim 6 having the DNA sequence as shown in SEQ ID NO:3.
8. A purified DNA binding regulator encoded by the nucleic acid of Claims 5-7.
9. An isolated nucleic acid encoding a *Pseudomonas alcaligenes* upstream activating sequence having the DNA sequence as shown in SEQ ID NO:5.
10. An isolated nucleic acid encoding a *Pseudomonas alcaligenes* sigma 54 promoter that can regulate expression of a lipase.
11. A purified *Pseudomonas alcaligenes* sigma 54 promoter that can regulate expression of a lipase.
12. An isolated nucleic acid encoding a *Pseudomonas alcaligenes* secretion factor selected from the group consisting of XcpP, XcpQ, Orf V, OrfX, XcpR, XcpS, XcpT, XcpU, XcpV, XcpW, XcpX, XcpY, XcpZ and OrfY.

13. The nucleic acid of Claim 12 wherein said nucleic acid has a sequence selected from the group consisting of SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 30, SEQ ID NO: 16, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 32 and SEQ ID NO: 34.

14. An expression vector comprising nucleic acids encoding a kinase, a DNA binding regulator, a promoter and an upstream activating sequence.

15. The expression vector of Claim 14, wherein the kinase is LipQ, the DNA binding regulator is LipR, the promoter is a sigma 54 promoter from a Pseudomonad, and the upstream activating sequence is UAS.

16. The expression vector of Claim 14, wherein the nucleic acid encoding the kinase has the sequence shown in SEQ ID NO:1.

17. The expression vector of Claim 14, wherein the nucleic acid encoding the DNA binding regulator has the sequence shown in SEQ ID NO:3.

18. The expression vector of Claim 14, wherein the nucleic acid encoding the upstream activating sequence has the sequence shown in SEQ ID NO:5.

19. The expression vector of Claim 14, further comprising a secretion factor.

20. The expression vector of Claim 19, wherein the secretion factor is selected from the group consisting of XcpP, XcpQ, Orf V, OrfX, XcpR, XcpS, XcpT, XcpU, XcpV, XcpW, XcpX, XcpY, XcpZ and OrfY.

21. A plasmid containing the expression vector of Claim 14.

22. A method of transforming a host cell comprising adding a plasmid containing the expression vector of Claim 14 to host cells under appropriate conditions.

23. The method of Claim 22, wherein the host cells are bacteria.
24. A method of transforming a host cell comprising adding a plasmid containing the expression vector of Claim 19 to host cells under appropriate conditions.
25. The method of Claim 24, wherein the host cells are bacteria.
26. A transformed host cell containing the expression vector of Claim 14.
27. The transformed host cell of Claim 26, wherein the host cell is a bacteria.
28. The transformed host cell of Claim 27, wherein the bacteria is a *Pseudomonad*.
29. The expression vector of Claim 14 further comprising nucleic acid encoding a protein.
30. The expression vector of Claim 29, wherein the protein is an enzyme.
31. The expression vector of Claim 30, wherein the enzyme is a lipase.
32. An isolated nucleic acid encoding a *Pseudomonas alcaligenes lux*-box binding element.
33. An isolated nucleic acid encoding an *orfV*-box binding element.



2/46

CAGCGCCTGCCCCAGGTGCTGATCAACCTGCTGTCCAAACGCCCCGATGCCCTCGCCGGCCGGGGTGGCATCCGC  
 750  
 Gln Arg Leu Ala Gln Val Leu Ile Asn Leu Leu Ser Asn Ala Arg Asp Ala Ser Pro Ala Gly Gly Ala Ile Arg  
 lipQ  
 GTGCGTAGCGAGGCCGAGGAGCAGAGCGTGGTGGTGCATCGTCGAGGACGAGGGCACGGGCATTCCGCAGGGGATC  
 825  
 Val Arg Ser Glu Ala Glu Glu Gln Ser Val Val Leu Ile Val Glu Asp Glu Gly Thr Gly Ile Pro Gln Ala Ile  
 lipQ  
 ATGGACCGCCTGTTCGAACCTCTTTCACCAACCAAGGACCCCGGCAAGGGCACCGGTTTGGGGCTCGCGCTGGTC  
 900  
 Met Asp Arg Leu Phe Glu Pro Phe Phe Thr Thr Lys Asp Pro Gly Lys Gly Thr Gly Leu Gly Leu Ala Leu Val  
 lipQ  
 TATTCGATCGTGGGAAGAGCATTATGGGCAGATCACCATCGACAGCCCGGCGGATCCCGAGCACCAGCGCGGAACC  
 975  
 Tyr Ser Ile Val Glu Glu His Tyr Gly Gln Ile Thr Ile Asp Ser Pro Ala Asp Pro Glu His Gln Arg Gly Thr  
 lipQ  
 CGTTTCGGCGTGACCCCTGCGCGGCTATGTGGAAGCGACGTCCACAGCGACCTGA  
 1029  
 Arg Phe Arg Val Thr Leu Pro Arg Tyr Val Glu Ala Thr Ser Thr Ala Thr  
 lipQ

FIGURE 1B



4/46

GCCAGCGCCGCGCGCGCGCGCTGGTCGAAGCGCGCGCGCGCGCACCCCTGTTCCCTCGACGAGATCGCGCGAGCTG  
 Ala Ser Ala Gly Arg Ala Gly Leu Val Glu Ala Ala Asp Gly Gly Thr Leu Phe Leu Asp Glu Ile Gly Glu Leu  
 lipR 750

CCGCTGGAGGCGCAGGCGCGCGCTGCTGCGCGTCTGTCAGGAGGCGCGAGATCCGTCGGGTGGGTGGGTGCACTCA  
 Pro Leu Glu Ala Gln Ala Arg Leu Leu Arg Val Leu Gln Glu Gly Glu Ile Arg Arg Val Gly Ser Val Gln Ser  
 lipR 825

CAGAAGCTGATGTACGCGCTGATCGCGCTACCCACCGCGACCTCAAGACGCTGGCCAAGACCGCGCGAGTTCCGC  
 Gln Lys Val Asp Val Arg Leu Ile Ala Ala Thr His Arg Asp Leu Lys Thr Leu Ala Lys Thr Gly Gln Phe Arg  
 lipR 900

GAGGACCTCTACTACGCGCTGCACTGCTGCGCTCAAGCTGCGCGCACTGCGCGAGCGCGCGCGCGCGAGCTCAAC  
 Glu Asp Leu Tyr Tyr Arg Leu His Val Ile Ala Leu Lys Leu Pro Pro Leu Arg Glu Arg Gly Ala Asp Val Asn  
 lipR 975

GAGATCGCGCGCGCTTCTCTGCTCGCGCGAGTGGCGCGCGAGGACCTGCGCTTCTGCTCAGGATGCC  
 Glu Ile Ala Arg Ala Phe Leu Val Arg Gln Cys Gln Arg Met Gly Arg Glu Asp Leu Arg Phe Ala Gln Asp Ala  
 lipR 1050

GAGCAGCGGATCGCGCACTACCCCTGGCGCGCGCAAGCTGCGCGAGCTGGAGAATGCCATCGAGCGCGCGGTGATC  
 Glu Gln Ala Ile Arg His Tyr Pro Pro Pro Gln Asn Val Arg Glu Leu Glu Asn Ala Ile Glu Arg Ala Val Ile  
 lipR 1125

CTCTGCGAGGCGCGGAAATTTCTGCGCGAGCTGCTGGGCGATCGACATCGAGCTGGACGACCTGGAGGACGGCGAC  
 Leu Cys Glu Gly Ala Glu Ile Ser Ala Glu Leu Leu Gly Ile Asp Ile Glu Leu Asp Asp Leu Glu Asp Gly Asp  
 lipR 1200

TTCGGGGAACAGCCACAGCAGACCGCGCGCAACCACGAACCGACCGAGGACCTGTCTGCTGGAGGACTACTTCCAG  
 Phe Gly Glu Gln Pro Gln Gln Thr Ala Ala Asn His Glu Pro Thr Glu Asp Leu Ser Leu Glu Asp Tyr Phe Gln  
 lipR 1275

CACTTCGTACTGGAGCACCAGGATCACATGACCGAGACCGAACTGGCGCGCAAGCTCGGCATCAGCGCGCAAGTGC  
 His Phe Val Leu Glu His Gln Asp His Met Thr Glu Thr Glu Leu Ala Arg Lys Leu Gly Ile Ser Arg Lys Cys  
 lipR 1350

CTGTGGGAGCGCGCTCAGCGCGCTGGCGATTCGCGCGCGCAAGTGGCGCGCGCGCGCGCGCGCTCTGA  
 Leu Trp Glu Arg Arg Gln Arg Leu Gly Ile Pro Arg Arg Lys Ser Gly Ala Ala Thr Gly Ser  
 lipR 1416

FIGURE 2B



5/46

GATCTCSAGGCGCTCGCTTCGACACCTTGGCGGTGCGCGCGGTGAGCATCGCACGCGGAGGCGGAGC → 70  
CTAGAGCTCCCGCAGCGGAAGCTGTGGGACCGCCACGCGCGCGCGAGTCTAGCTGCGCGCTCGCGCTCG  
D L E G V S F D T L A V R A S D M R T P E S E  
Orf

ATGGCGAGGCGCATGTTCTCACCTCCAGCTATGTGTTCCGAGCGCGCGCGCGCGCGCGCGCTTCGC → 140  
TACCGCTCCCGTACAAGGAGTGGAGGTGATACACAAGGCTCGCGCGCGCTCGCGCGCGCGCGGAAGCG  
M G E A M F L T S S Y V F R S A A D A A A R F A  
Orf

CGGCGAGCAGCGCGCGCAACGTCTACTCGCGCTACAACCAACCGCGCGCGCTTCGAGGAGCGCATC → 210  
GCCGCTCGTGGCGCGCTTCAGATGAGCGCGATGTGGTTGGCGTGGCACGCGCGGAAGCTTCGCGCTAG  
G E D P G N V Y S R V T N P T V R A F E E R I  
Orf

GCGCGCTGGAGGCGCGCGAGCGCGCGTGGCGCACCGCTCGCGCATCGCGCGCATCTGGCGATCGTCA → 280  
CGGCGGAGCTTCGCGCGCTCGTGGCGCACCGCTGGCGGAGCGCGTACCGCGCGTGGAGCGCTAGCGT  
A A L E G A E D A V A T A S G M A A I L S I V  
Orf

TGAGCCTTGCGAGCGCGCGCGACCATGTGCTGCTGCGCGCGCGCTGCTGCGCTGCGCATCGCGCTGT → 350  
ACTCGGACAGCTCGCGCGCGCTGGTACACGACCGCGCGCTGGCGACAGCGCGCTGGTGGTGGAGAA  
M S L C S A G D M V L I S D S V F S S T I S L F  
Orf

CGAGAAGTACCTGAAGCGCTTCGGCATCGAGGTGGAGTACCGCGCGCTGGCGCATCTGGAGCGCTGGAG → 420  
GCTCTTCATGGAGTTCGCGAGCGCTAGCTCGAGCTGATGGCGCGCGCGCGCTAGAGCTGGCGCGCT  
E K Y L K R F S I E I S V P P L A D L E A H G  
Orf

GCAGCCTTCAAGCGCGACACCAAGCTGCTGTTCTCGAATCGCGCTCGCAACCGCTTGGCGAGCTGGTG → 490  
CGTCGGAGTTCGCGTGTGTTGACGACAAAGCAGCTTAGCGCGCGCTGGCGCAACCGCTGACCAAC  
A A F K P N T K L L F V E S P S N P L A E L V  
Orf

ACATAGCGCGCTGGCGGAGATCGCGCGCGCGCGCGCGCTGCTGGCGGTGGACAAGCTGCTTTCGAC → 560  
TGTATCGCGCGACCGCTCTAGCGGTGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGT  
D I G A L A E I A H A R G A L L A V D N C F E T  
Orf

CCGCGCGCTCGAGCAGCGCTGCGCGTGGCGCGCGCATATGGTCAATCGCGCGCGCGCGCGCGCGCGT → 630  
GGCGCGCGCGCTGCTGGCGAGCGT  
P A L D O P L A L G A D M V M H S A T K F I D  
Orf

3AA

6/46

GGCCAGGGCCGCGGCTGGGCGCGTGGTG GGGGCGCGTGGCGAGATGGAGCAGGTGGTCGGCTTC 70  
CCGGTCCCGGCGCGGACCCCGCGACCAACCGGCGCGGCGCGGCGTCTACCTCGTCCACCGCGAAGG  
G O G R G L S G V V A G R R A O M E O V V G F  
TGGCACCGCGCGCGGACCCCGCGGCTTCAACCGCTGGATGTTCTCAAGGGCGCTGGAGACCTGCG 770  
ACGCGTGGCGCGCGGCTGGGAGTCGGGCAAGTTGGCGACCTACAAGGAGTTCCCGGACCTCTGGGACCG  
L R T A S P T L S P F N A W M F L K G L E T L R  
TATCCGCATGCAGGCGCAGAGCGCCAGCGCCCTGGAACTGGCGCGCTGGTTGGAGACCCAGCGCGCATC 840  
ATAGCGCTACGTCCGCGTCTCGCGGTGCGGGGACCTTGACCGGGCGACCAACCTCTGGGTGCGCGCGTAG  
I R M O A O S A S A L E L A R W L E T O P G I  
GACAGGGTCTACTATCGCGGCTGCGGACCGCCAGCGAGCGTGGCGAAGCGCGCAGAGTGGCT 910  
CTGTCCAGATGATACCGCGCGGCGGCTGGTGGCGGTGCTGCGACCGGTTCGCGGTGCTGCGCGA  
D R V V Y A G L P S H P O F E L A K R O O S A  
TCGGCGCGGTGCTGAGCTTCAGGTCAAGGGCGGCAAGGAGCGCGCTGGCGTTTCATCGATGCGACCG 980  
AGCGCGCGCAGGACTCGAAGTCCAGTTCCCGCGCTTCCTCGCGCGGACCGCAAGTAGCTACGGTGGG  
F G A V L S F E V K G G K E A A W R F I D A T P  
GGTCATCTECATCACCACCAACCTGGGEGATACCAAGACCAACATGCGCATCGCGCGACCACTGCGAC 1050  
CCACTAGAGGTAGTGGTGGTGGACCGGTATGGTTCTGGTGGTAGCGGGTAGCGCGGTGGTGGAGGGT  
V I S I T T V L G D T K T T A H P A T T S  
GGTCGTCTGTGCGCGGAGGAGCGCGCGGATCCCGGACAACTGGTGGCTGTGCGCGTGGCGG 1120  
CCAGGAGACAGCGCGGTGCTGGCGGGTGGCGGCGCATAGGCGCTGTTGGACACCGACAGCGCGGCGG  
G R L S P O E R A S A G I R D N L V R V A V S  
TGGAGACGTGGTGCACCTCAAGGCGGACCTGGCGCGTGGCGTGGCGCGCTCTGAGGAAGGGGGCGCG 1190  
ACCTTCTGCACCAAGTGGAGTTCGGCTGGACCGGGACCGGACCGCGCGGAGACTCTGCGCGCGGGG  
L E D V V D L K A D L A R G L A A L  
GTTCTGCGCGAAGGGCAGGGCGGGGGCTTGGCGGGCGCTTGGCGGATCAGCAGCTAGTCTTGGG 1260  
CAAGGACGGCGCTTCCGTCGCGCGCGCGGAAAGCGCGTAGTCTGCGATCAGAACCG

→ ←

3AB

7146

AAACGTCCTAGCCAGGAGGTACCCCATGAALTCATCCTTTTCTGATCATCGGCGCGGTTCGCGGCTG  
TTTGCAGGATCGGGTCTCTGATGGGGTACTTGGASTAGGAAAAGGACTAGTAGCGCGGCAACGGCGAC 1330

GATCGCGCGCAAGTTGCTGCGTGGTGGCGGCTTCGGGCTGATCGGCAACCTGGTGGTGGGATAGTGGGC  
CTAGCGCGGTTCAACGACGCAACCGCGGAAGCCGACTAGCGGTTGGACCAACCGCTATCAGCGG 1400

GCGGTGATCGCGCGCACCTGTTCAAGTACCTGGGCGTGTGCGCGGCTGGTGGGCTGATCGGCTGGCTGG  
CGCCACTAGCGCGCGGTGGACAAGTCGATGGACCGCACAGGCGGCCACCGCGACTAGCGGAGCGGACC 1470

TGACCGCGGTGATCGGTGCGCTGGTCTGCTGTTTCATCGGTGCGCTGATCAAGAAGCGCCAGTAGCGCTG  
ACTGCGCGCACTAGCGCGGACCGAGGACGACAAGTAGCAGCGGACTAGTTCTTCGCGGTGATCGCGAC 1540

GCGGACGCGCTGCGCGCGCGCTACTGGTGGCGAGGTGCGCGCACCGCGCGCGGTTCGCGAACA  
CGCCCTGCGCGAGCGCGCGCGGTAGTGACCGCGCGCTGCGCGGTGCGCGGTGCGCGCGCGCGCGCGGTTCG 1610

→ ← D O R L D V A G A G P V D F L  
XcpO

GCGGCTCGGCGGTGCGCGCGCGGTGCTGTGGCTGCTGCTGCGCGCACCGAGCGCTGATGCTGCTGTA  
CGCGGAGCGCGCGCGCGCGGTGCGAGGACCGGTAGGAGCGCGGTGCGGTGCTGCGGCTGCGGCTGCGGCT 1680

R E A S G P L S S H G D E D A G L V S I D S Y  
XcpO

CTTCTTGGCGSACAGCGCGCGGTGCGCGCGCGGTGCGCGGACGATGGTGGCGCGCGGAGAACCGATGAGG  
GAAGAAGCGGCTGTCGCGCGCGGTACGCGCGCGCGCGCGGTGCTACGCGCGCGGTGCTGCTGCTGCTGCTG 1750

K K G S L A A M G A R D R V I T P R L F V M L  
XcpO

TTGCGCTTGACGTGGGTGCTGCTGGTGGAGCGGAAACAGCGCGCGGATGAGCGGGATGTGCGCGCGCGG  
AAGCGGAAGTGCACCGACAGGAACCGAGTGGCTTGTGGCGCGGCTAGTGGCGCTACAGTGGGTGGTGGC 1820

N R K V H T D K T S R F L R G I L P I D G L L P  
XcpO

GCACCTTGGAGTGGGTGCTGCTGGAGTGGCTGCTGGATCAGCGCTGCGAGCACTATGACCTGGCGGTGCT  
CGTGGAACTCAGCGACGACCACTGCAGCAGGACCTAGTGGGAGGGTGGTGATACTGACCGCGCGAGGAG 1890

V K S D T S T V D D D I L G G L V I V D S D D  
XcpO

GGCCAGGATCAGCGCTTTCATCGAGCGCTTGTGGGTCAACAGGTCCACCGCTGGGCATTGACCGCGCGG  
CGGCTCTAGTGGGAGAACTAGCTCGCGAACAACAGTGGTCCAGGTGGCGGACCGGTAACCTGGGCGCGG 1960

A L I V S K : S R K N T V L D V A D A N V G A  
XcpO

3 AC

8/46

CTGGGGGCGATGGAGAGATCTCTGCTCCALITCCAGGCGCAGGGTGCGCGCTGTTGATGTGCGGGG 2030  
GACCCCGGTACCTCTCTAGAGGACGAGGTGAAGGTCGCGCTCCACCGCGGAGCAACTACACGCCCC  
S P A I S S I E Q E V E L R L T A G D N I H P T  
XcpO  
TGACCTTGAGGGTCACGCCGA\*GTCTCGCGCTCAATGGTGGTGAAGGGGTTGTTGCGCCCGAGGGCTC 2100  
ACTGGAATCCCACTGCGGCTACAGGAGCGGAGTTACCACCACTTCCCAACAAGCGGGGCTCCGCAG  
V K L T V G I D E R E I T T F P N N A G S A D  
XcpO  
GGTGGTGTAGGAGCGGTCTGAAAGGCACGTTCTGCCCGACCAGGATTTCGGCTCTCTGGTTGTCCAGG 2170  
CCACCACATCTCTGGCAGACCTTTCGTGCAAGACGGGCTGGTCTAAAGCGGAGGACCAACAGGTCC  
T T Y S S T Q F P V N Q C V L I E A E Q N D L  
XcpO  
GTCAGCAGGCTGCGGTGACAGCAGGTTGCTCTTGTGTGGCAGAGAGGCACTGATCAGCGCGCGA 2240  
CAGTCGTCCGACCGCACCTGTCTGTCACGAGAAAGACAACCGTCTCTCCGTCAGTAGTGGCGGCT  
T L L S P T S L L N S K S N A S L A T I L A G F  
XcpO  
AGTTCTCGGTGCGATGCCGATGATGGCGCGCTCCGGCAGGGTCAGGTCACTCGGGATTCTCTCTCTG 2310  
TCAAGAGCCACCGTACGGCTACTACCGCGGCGAGGCGTCCAGTCCAGTAGCCCTAAAGGAGCAAGAC  
N E T G I G I I A G D P L T L D D P I E E N D  
XcpO  
GATGGCTTGAGCAGGGTGGCCACCGATAGCCCGGTATTGCGGAAGTTGACCCCGAGGCGCGCGGTS 2380  
CTACCGGAACCTGTGCCACGGTGGCTATCGGGCATAACGGCTCAACTGGGGCGGCTCGCGCGCGCAC  
I A K L V T G V S L G T N G F N V G G L G S T  
XcpO  
CEGCGCGGGCATCCACCGCCCACTGCACGCGAGGGCGTCTGATGTCCCGGAGATTTCACGATGG 2450  
GGCGCGCGCGGTAGGTGGCGGGTGACGTGCGGCTCCCGCAGCGAETACAGGGGCTCTAAAGGTCTACC  
G G R A D V A W O V G L A D S I D G S I E V I A  
XcpO  
CEGCTCGACCATCACTGGCGCGCGGCACGTGAGGTTGCGCACGATTCTCTGAGGGTGGCCACGGT 2520  
GGCGGAGCTGGTAGTGGACCCCGCGCGGCTGCAGCTCAACCGGTGCTAAAGGAGCTCCACAGCGTGCCA  
A E V M V O A R P V D L N R V I E E L T A V T  
XcpO  
GTCCGGATCGGCGAGCAGGACAGGGCAATTGAGGCTCTCTGTCGGCGCGGATCAGGATGTTCTGCGGCTTG 2590  
CAGGCTAGCGGCTGCTCTGTCTCCGTAACCTCCGAGAGCAGCGCGGCTAGTCTCTACAAGACCGCGAAC  
D P D A L L V L A N L S E D A R I L I N O P K  
XcpO

3AD

9/46

CTGCTGGCGGGETTGCCACCACCTCCGCTTCAACCCCTCGGAGATGTCGCCCAGGGTCTCGGCCA  
GACGACCGCCGAAGCGGTGCTGGGAGGCGCCAGAAGTTGGGGAGCCTCTACAGCGGGTCCAGAGCGGT 2600  
S S A A E G G G E A T K L G E S I D G L T E A L  
XcpO  
GGCTCTTGCGCTCGCTGTGGCGTAGGCGAATTACCCGCGCATTTGCCGAACGGGTGCTGGGGATGTCAG  
CCGAGAACCGCAGCGACACCGCATCCGCTTAATGGGCGGTAAACGGCTTCCCCACGACCCCTACAGGTC 2730  
S K A D S H R L R I V R A N A S R T S P I D L  
XcpO  
CGAGCGGGCCAGGTTGCCAGGCGCTGGCGGGCGGCGCGGGCGGAGGAGATCAGGCGGTGGTGCGG  
GCTCGCCCGGTCCAACCGGTCCGACCGCCCGCGGCGCGCGGCTCCTCTAGTCCGCAACCACGCC 2800  
S R A L N A L R O R A A P P G L L I L R N T R  
XcpO  
GCGTCGCAATCACCCGGGTGCCGGCGCTGTTTTCTCGTTGCGCATCACCGGTTGTTCACTGCTCCG  
CGCAGCGGTAGTGGGCGCACGGCGCGACAAAAGAGCAACCGGTAGTGGCGCAACAAGTCAGGAGCC 2870  
A D A I V R T G A S N K E N P M V A N N L A E A  
XcpO  
CGCGCTCAGTACCCAGGATGCTGCAGGTTGATCACGTTGTAGTCCGCGCGCGCGTGGGATCGAGTC  
GCGCAGGTCATGGGTCCGTACGACGTCCAACTAGTGCACATCAGCGCGCGCGGACCGGTAGCTCAG 2940  
A D L V W A H O L N I V N Y D G G G A D L E  
XcpO  
GGCGATCAGTTCGGGATGGCTTCGATATTNGCCCGCGCGTGGGTGATGATCAGCGGTGGAGCGCGG  
CCGCTAGTCAAGCGCTACGCAAGCTATAACCGCGCGCGCGGACTACTAGTCCGCGACCTTCGCGCG 3010  
A I L E R I R E I N A R R D S I I L A N E A A  
XcpO  
ACCGCGCGAGGTGGCGGTTCGCGGCACCGCGCGGATCAGCGGATCAGTTCGTGACCGAGGTGT  
TGGCGGCGGTCCACCGCAAGACCGCGTGGTGGCGCGCGCTAGTCCGCTAGTCAAGCAACTGGTCCACA 3080  
V A A L H G N D P V L P R I L P I L E N V S T H  
XcpO  
GCTGCACCTGGATCAGCTCGTCTGCACATCGTCCGGCGCGCTGGCGGTGCTGTTGGCGCGCTACCGC  
CGACGTGGACCTAGTTCGAGCCAGCGTGTAGCAGGCGCGCGGACGCGCAGCAACCGCGCGGATGCGCG 3150  
D V O I L E T O V D D P A S R S S N A G S R A  
XcpO  
CTCGGTACCGCGCAGATGCGCGCTGGTCCGCTGTGCCAGCACGCTGAAGCCATGGGTGCTCAGC  
GAGCCACTGCGCGTCTACGCGCGGACCGCGGACACGGTGTGCGACTTCGTTACCCACGAGTAGTGG 3220  
E T V P V I R A O D G O A L V S F G H T S M V  
XcpO

3AE

10/46

GAAAGGAACAGCTGGTAGACCTCTCGAGGCCAGCGGGGTCTTGGAGATCACCGTGACCTGGCCCTTGA  
CTTTCTCTTGTGACCATCTGGAGGAGCTCCGGGTGCCCCAGAACCTCTAGTGGCACTGACCGGGAAT  
S L F L O Y V E E L G L P T K S I V T V Q G K V  
CCCCGGATCGACGACGAAGGTCTGCCAGAGATCTGCCCACTCTGGTCGATGAAGTCGGGATATCGGC  
GGCGCCTAGCTGCTGCTTCCAGAGCGGTCTCTAGACGGGTGGACCAGCTACTTCAGCGCCTATAGCCG  
R P D V V F T E G S I O A V Q D I F D R I D A  
GTCTTCATGTTGATGGTCCAGGTCTGGCGCCCTGGCTCACCGCCACCGGCTCGGCGGCATGGACGAGC  
CAGGAAGTACAACTACCAGGTCCAGAGCGCGGGACCGAGTGGCGGTGGCCGAGCCGCCGTACCTGCTCG  
D K H N I T T E A G D S V A V P E A A H V L  
GGCAGCGGGGGCGGAGGCACTCGCGGCCAGCAGCGAGGGGCGAGGGCTTTTGGCGCGGAATTC  
CCGTGCCCCCGGCTCGCTCGAGCGCGGTCTGTCTCGCTCGCGTCCGCAACACGCGCGCTTAAG  
P L P A A L E S A A L L L A L P L R K H P P I R  
TGGAGTCGATCGGGCTCTCTCGGCTTCCGGTATTTCGCGCTCGCGGATGTGCGCGCTTCCATCGGT  
ACCTCAGCTAGTACCGGACGAGGCGGAAGGCCATAAAGCGCGACCGCTACAGCGCGGAGGATCGGA  
S D I M  
P S C E A E P I E P Q P I D S G E M P  
TGTGAAGGGTCTGGATCGGCTCTCGAGGGCTGGACCTCTTCTCTCTGCAAGCTGTTCAGCTTGGTGG  
ACAACCTTCCAGACCTACCGGAGGACGTCCCGGACCTGCGAAGCAGGACGTGACAGGCTGACCGGAGC  
D O L T D I P E O L A Q V D E D O L D E L D E A  
CGGTGGGCTCGAGCGCGCTAGGCGGGCTCAGAGGGGCTGGCGCACCGCGGGAAGCGEAGGCTCTC  
GCCACCGGAGTCCGGGTCTATCGGCGGAGTCTCTCCGACCGGTGCGCGCCCTTCCGCTCGGAGAG  
T P E L A S Y A P T L S P O R V A P F R L S E  
CTCGAGCGCGCGCGGTCTGAGCACCAGTGGTCTGATAGACGGCTGCGAGCGGGTGGTGAAGTTGACC  
GAGCTGCGCGCGCGGAGCTGCTGGTGCACCAAGACTATCTGCGGAGCTGCGGCCACGACTGCAACTGG  
E V G G R D L V V H D O Y V A D L R T S V N V  
GATTGCGCCACGGGATCGGCTTGGGTTTGTGCGCGCGGACCTGGATGATCGGCTGGAGCGCTTGGCT  
CTAAGCGGGTCCGCTACCGGAACCAACAGCGCGCGCTGGACCTACTAGCGGACCTCGCGAACCGCA  
S E G V A I P K P K D G A V O I I A T S R K A D

3AF



12/46

GCTCTGCCGCTGCGAGCAGTTTCCCTGACCCGCTGCTGGCGCCCGCGGTTCGGCAAGTCGACCCCTG 4550  
CGAGACGGCGACGCTCGTCAAAGGGGACTGGGACGACGACCSCGGGCGGCCAAGGCCGTTACGCTGGGAC  
L C R C E D F P L T L L L A P A G S G K S T L  
OnV

CTGGCCCACTGGCAGGCCAGCCGCGCCCTTCGGCAGTGTGGTGCACTATCCACTGCAGGCGCGTGACAACG 4620  
GACCGGGTCACCGTCCGGTCCGCGGGAAGCCGTCACACCAAGTGATAGGTGACGTCCGCGCACTGTTCG  
L A D W O A S R P F G S V V H Y P L O A R D N  
OnV

AGCCGGTACGCTTCTTCGGCCACCTGGCCGAAAGCATCCGCGCCAGGTGAGGACTTCGACCTGTCTTG 4690  
TCGGCCATGCGAAGAAGCGCGTGGACCGCTTTCGTAGGCGCGGTCCAGCTCTGAAGCTGGACAGGAC  
E P V R F F R H L A E S I R A D V E D F D L S W  
OnV

GTTCAACCCCTTCGGCCGAGATGCACCAGGCGCCGAGGTGCTGGGAGTACCTGGCCGACGCCCTC 4760  
CAAGTTGGGGAAGCGCGGCTCTACGTGGTCCGCGGCTCCACGAGCCGCTCATGGACCGGCTCGGGGAG  
F N P F A A E M H O A P E V L G E Y L A D A L  
OnV

AATCGCATCGAGAGCCGCTTACCTCGTCTCGACGACTTCAGTGCATCGGCCAGCCGATCAGCTCG 4830  
TTAGCGTAGCTCTCGCGGAGATGGAGCAGGAGCTGCTGAAGGTACGTAGCCGCTCGGCTAGTAGGAGC  
N R I E S R L Y L V L D D F O C I S O P I L  
OnV

AEGTGCTCTGGCCATGCTCGAAGCCCTGGCGGCAACACCCGGGTCATTCTGTCCGGGCGCAACCATCC 4900  
TGCAAGAGAGCCGCTACGAGCTTGGGACCGCCGTTGTGGGCCAGTAAGACAGGCCCGCTGTGGTAGG  
D V L S A M L E R L A G N T R V I L S G P V H P  
OnV

GGGGTTCTCCCTCAGCCGCTGAAACTGGACAACAAGCTGCTGTGCATCGACAGCAGCATGCGGCTG 4970  
CCCCAAGAGGAGTCCGCGGACTTTGACCTGTTGTTGACGACACGTAGCTGGTGTGTGTACGCGGAC  
G F S L S R L K L D N K L L C I D O H D M R L  
OnV

TGCCCAGTGCAGATCCACACCTCAATGCTACCTGGCGGTCCEGAGCTCAGCCCGGCTATGTGGCA 5040  
AGCGGTCAAGTCTAGGTTGTGGAGTTACGGATGGACCCGCCAGGGCTCGAGTCGGCCCGGATACAGCCGT  
S P V Q I O H L N A Y L G G P E L S P A Y V G  
OnV

GCCTGATGGCCATGACCGAGGCTGGATGGTCCGGGTGAAGATGSCCCTGATGGCCCATGCGGCTTCGG 5110  
CGGACTACCGGTAAGTGGTCCCGACCTACGAGCCCACTTCTACCGGACTACCGGGTAAGCGCGAAGCC  
S L M A M T E G W M V G V K M A L M A H A R F G  
OnV

3AH



13/46

CACCGAGGCCCTGCAGCGCTTCGGTGGCGG .TCCGAGATAGTCGACTACTTCGGCCATGTGGTGGTG 5180  
GTGGCTCCGGGACGTGCGGAAGCCACCGCGGTAGGCCTCTATCAGCTGATGAAGCCGGTACACCAAGSAC  
T E A L O R F G G G H P E I V D Y F G H V V L  
Onv

AAGAAGCTGTGSCCGCAGCTGCACGACTTCTGTGTGTCAGCGGATCTTCGAGCGCTTCGACGGCGAGC 5250  
TTCTTCGACAGCGGCGTGCACGTGCTGAAGGACAACACGTGCGGCTAGAAGCTCGCGAAGCTGCGGCTCG  
K K L S P O L H D F L L C S A I F E R F D G E  
Onv

TATGCGACCGGCTGTGGATCGCAGCGGTTCGGCCCTGCTGCTGGAGGACCTGGCGCGCGCGAGCTGTY 5320  
ATACGCTGSCCCACGACCTAGCGTGCCTAAGCCGGGACGACGACCTCTGGACCGGCGCGGCTGCGACAA  
L C D R V L D R S G S A L L L E D L A A R E L F  
Onv

CATGCTGCGCGGTGACGAGTATCCCGGTGCTACCGCTACGACGCGCTGTTCGACGATTTCTGCGCGCG 5390  
GTACGACGCGCCACCTGCTCATAGGGCGGACGATGGCGATGGTGGCGGACAACGTGCTAAAGGAGCGCGCG  
H L P V D E Y P G C Y R Y H A L L H D F L A P  
Onv

CGCCTGGCGGTGCACAAGCCACAGGAAGTGGCGCAACTGCACCGCGCGCGCGCGCTGGCGGTGACGAGC 5460  
GCGGACGCGGACGTGTTCGCTGCTTACCGCTTGAAGTGGCGCGCGCGCGCGGACCGGACGCTGCTCG  
R L A V H K P D E V A O L H R R A A L A L C D  
Onv

GTGGCGACCTGGAGCTGGGCTGCGCATGCCGAGCGAGTGGCGACCGCGGCTGTTCGAAAGCATGCT 5530  
CACCCTGGACCTGACCGGACGTGCTACGGGTGCGGTGACGCTGGCGCGCAACAGGTGTTCGACGA  
R G D L E L A L O H A O R S S D R A L F D S M L  
Onv

GGGCGAGGCTGCGAGCAATGGGTGCGCAGCGGTCACTTCGCGGAGGTGCTGAAGTGGCTGGAGCGGCTG 5600  
CCCGCTCCGACGCTGCTTACCCACGCGTGGCGAGTGAAGCGGCTCCACGACTTACCGACCTGCGGAC  
G E A C E O W V R S G H F A E V L K W L E P L  
Onv

AGCGAGGCGGAACCTCTGCGNCGAGTCCGCGCTGCTGGTGTGATGACCTATGCCCTGACCTGTGCGCGC 5670  
TCGCTCCGCTTGAGACGCGCTGAGCGCGGACGACGACGACTACTGGATACGGGACTGGGACAGCGCGC  
S E A E L C ? O S R L L V L M T Y A L T L S R  
Onv

GTTTCACCGAGCGCGCTACTGCTTGGACGAACTGGTGGCGCGCTGCACCGGTGACCGCGGCTGGAGGA 5740  
CAAAGGTGGTCCGCGGATGACGAACCTGCTTACCACCGCGCGGACGTGGCGAGTGGCGCGGACCTCT  
R F H O A R Y C L D E L V A R C T G O P G L E E  
Onv

3AI

14/46

SCCGACCCGCCAGCTGCTGSSCCTCAACCTGLAGCTGTTCCAGCACGACCTGGCCTTCGACCCCGGCCAG 5810  
CGGCTGGGCGGTGACGACCCGCGAGTTGGACCTGACAAAGGTCTGCTGGACGGGAAGCTGGGCGCGGT

P T R O L L A L N L E L F G H D L A F D P G O  
Orv

CGCTGGTCCGACCTGCTGGCCGCGGGCGCTCGCCTCGGACATCCGTGCTGCGCTGAGCATCCTCGCCT 5880  
GCGACACGGCTGGACGACCCGCGCCGCGAGCGGAGCCTGTAGGCACGGGACCGGACTCGTAGGAGCGGA

R W S O L L A A G V A S D I R A L A L S I L A  
Orv

ATCACCACTGATGCAAGGCCCGCTGGAGCAGTCGATCCAGCTGGCGCTGGAGGCCAAGGCGCTGCTGGC 5950  
TAGTGGTGGACTACGTGCGCGCGGACCTCGTCAGCTAGGTGACCGCGACCTCCGGTTCCGCGACGACCG

Y H H L M M G R L E O S I O L A L E A K A L L A  
Orv

CAGCACCGGCCAGCTGTTCCTGGAGAGCTACGCGACCTGATCATCCCTTGTGCAACCGCAACCGCGGG 6020  
GTCGTGGCGCGGTGACAAAGGACCTCTCGATGCGGCTGGACTAGTAGCGGGACACGTTGGCGTTCGCGGCC

S T G O L F L E S Y A O L I A L C N R N A S  
Orv

CGCGCCACGAGCGCGCGCAAGGACGCTGCGCTGGATTACGAGCGACCGAGCGCTCTCGCGCGCGCTGGG 6090  
GCGCGGTGGTTCGCGCGGTCTCTGCAGACGGACCTAATGGTTCGCGTGGCTCGCGAGGAGCGCGCGGACCG

R A T S A R K D V C L D Y G R T E R S S P A \*  
Orv

TCAACCGTCCACCGGCCATGGTGGTGGCGCTGTACGAGCAGAACCGAGCTGGCGCGCGCGCGCGCGCGT 6160  
AGTTGGCAGCGTGGCGGTACCAACCGCGACATGCTGCTGCTGGTGGACCGCGCGCGCGCGTGGTGGAC

V N R A T A M V V A L Y E O N G L A A A D G L C  
Orv

CGAGGACCTGATGGCCATGGTCACTGCTGCTCGGCGACCGAGACCATCGGCGCGCGTGCATCAGCGT 6230  
GCTCTGGACTACCGGTACCACTGCAGCAGGAGCGCGTGGCTCTGGTAGCGGTGGCACGCTGATGGGAC

E D L H A M V T S S S A T E T I A T V H I T L  
Orv

TGCGCGCTGCTCCACCGCGCGCAGTCCCAGGGCGCGCGCACGCGCGCTGCTGGAGCAGCTGTGGCGCATCC 6300  
AGCGCGGACGAGGTGGCGCGGTGAGGTCCCGCGCGGTGCGCGGACGACCTCTCGACAGCGCGTAGG

S R L L H R R O S O G R A T R L L E O L S R !  
Orv

TGCAACTGGGCAACTACGCCCGCTTCGCCAGCCAGGCGGCGCAGGAGCATGGCGCAGCGCTATCTCGA 6370  
ACGTTGACCGCTGATGCGCGCAAGCGGTGCGTCCCGCGCGTCTCTGTAACCGGTTCGGATAGAGCT

L O L G N Y A R F A S O A A Q E S M R O A Y L D  
Orv

3.7

15/46

CGGGCGCCCGGGCGCTGACGCACTGGCLLACGCTGGGTATGAGGAGCGCTGGCGCGGGGAG 6440  
GCCCCGGCGCGCGGAGGTGGGTGACCGGGTTGGGACCCATAGCTCCTCGCGGACCGCGCGCCCTC

G R P A A L D A L A O R L S I E E R L A A G E  
Orv

TGGGAGAGGGTGGCGCCTATGAAGAGTGGTGGGAACGCTACGGCCTGGCGCGCTGTACTGGGTGGTGA 6510  
ACCTCTCCACGCGCGGATACTTCTCAGACCCCTTGGGATGGCGACCGCGGACATGACCGACCACT

W E R V R P Y E E C W E R Y G L A A V Y W L V  
Orv

TGGCGGCGCCAGCGCGCGCGCTGGCGCATCCTCAAGGTGGTGGCGCAGGCGTGNAGAACACGAGAT 6580  
ACGCGCGCGGGTGGCGCGCGGACGGGTAGGAGTTCACGACCGGTCGCGNACNTCTTGTGCTCTA

M R G A D P R A C R I L K V L A D A ? ? N S E M  
Orv

GAAGGCGCGTGGCTGGTGGTGGAGGCCAACCTGGTGGTGGTGAACGCGCGGAGCTGGGGCGGGACGAG 6650  
CTTCGCGGACCGGACCAACCTCGGTTGGAAGACCACTTGGGGCGGTGAGCGCGCGCTGGCT

K A R A L V I E A N L L V L N A P O L S A D E  
Orv

CAGGACAGGCGCTGGTGGCGCTGGTGGAGCGCTTGGCATGGTCAACATCAACCGCTGGGTATGAGCG 6720  
GTCTGTCCCGGACGACCGGACCACTGGGAGCGGTAGGAGTGTAGTGGGAGCGCATAGGCTG

O D R A L L A L V E R F S I V N I N R S V F S  
Orv

AGGCGCGCGCTTGGCGGAGCGGTGTTCGGCTGGTGGCTGGCGCGCGTGGAGCGCGGAGCGCTA 6790  
TCCGCGGCGGAGGCGGTGGCGGACCAAGCGGAGCGGAGCGCGCGGAGCGTGGCGCGGTGGGAG

E A P S F A E A V F S L L P S G R L D A P E A  
Orv

TGGGAGGCGTATGGGAGTGGTGGAGGCGACAGGCGAGCGCGCGCGCGCTGGTGGGAGTGGCTG 6860  
AGCGCTCGGATACGGGTGAAGGAGGTCCGTTGGGTTGGCGCGCGCGGAGGAGCGGTGAGCGAG

R E A Y A D F L O G T G O A P P A L L S E S L  
Orv

AAACAGCTTACCGACAAGGAGCGCGGATCTTCGCTGGCTGGTGGGCGGTGTCCAACAGCGAGATCA 6930  
TTTGTGGAATGGCTGTCTCTCGCGGCTAGAAGCGGACGGAGCTCCCCGACAGGTGTGCTCTAGT

K O L T D K E A A I F A C L L R G L S N S E I  
Orv

GGCGAGCAGCGCATCGCGCTGTCCACCAAGTGGCACCTGAAGAATCTACTGAAGCTGAGCGT 7000  
CGCGGTGGTGGGAGCGGAGGTTGGTGGTTCACCGTGGACTTCTTGTAGATGAGCTTGGACTGGA

S A S T G I A L S T T K W H L K N I Y S K L S L  
Orv

3 AK

16/46

CTCCGGGCTACCGAAGCCATCTCGCCATGCAGGCGCGCAACGGATAATCGCCATGCCCTCCCGGG  
GAGGCGCGCATGGCTTCGGTAGGAGCGGTACGTCCGGCGTTCCCTATTACGCGGTACGGGAGGGGCCC 7070

S G R T E A I L A M Q A R N G  
OrfX

GAGGGGGAGGGGCGCGCACTGCTTAATCTCCGCTTCCGGAAAGCGCGCAAGCAACCCATTAG  
CTCCCCCTCCCGCGCGCTTGACGAATTAGAGGCGGACGGCCTTTTCGGCGTTCGTTGGGGTAATC 7140

TACAAGAAGAAATCGGAGATATCGCCATGCTGTTTGGGTACGTGGCGGGCTTGGTCAAGTTCGGCA  
ATGTTCTTCTTTAGCCCTCTATAGCGGTACAGACAAACCCAGTGCACCGGCCGGAACCAAGTTCAGCCGT 7210

M S V W V T W P G L V K F G  
OrfX

CCCTGGGCATCTATGCCGCGCTGATCAGCTCGGCTTGAGCGGACGTGCTGTTCAAGAACAACCTGTT  
GGGACCGTAGATACGGCGGACTAGTCCGAGCGCGAAGTCCGCTGCACGACAATTCTTGTGGACAA  
T L G I Y A G L I T L A L E R D V L F K N N L F  
OrfX

CGACGTGCAACCTGCCCGCGGCAACGCCAGCATEACCTGTGATGCCCGCAGCCAGGTGGCGCTACC  
GCTGCAGCTGTTGACCGGCGCGGTTGCGGTCTGAGTGGACACTACGGGCGTGGTCCACCGGCATGG 7350

D V D N L P A A M A S T C D A R S D V A R F  
OrfX

GAGGACGGCAGCTGTAACATCTGCGCAACCGCGCGAGGGCTGGGTGTACCGCGCTTCGGCGCAACG  
CTCCTGCGCTGGACATTGTAGGAGCGGTTGGCGCGCTTCCGAGCCACATGGCGCGAAGCGCGCTTGC 7420

E D G T C N I L A N P A E G S V Y R R F S R N  
OrfX

TCGACCCAGCGTGACCCATGGCGAGACCGAGGCGSACACCTGCTCAGTCCCAATCGCGCGAGGTGAG  
AGGTGGGCTCAGCTGGGTACCGCTCTGGCTCCGGCTGTGGGACGAGTCAGGTTAGCGCGCTCCACTC 7490

V D P S V T H G E T E A O T L L S P N P R E V S  
OrfX

TACGTGCTGATGGCGCGTGGCAGTTCAGCGCGCGCCAGCTCAACTTCATCGCGCGCTCCTGGATC  
ATTGCACGACTACCGCGCACCGCTCAAGTTGCGCGCGGTCGGAGTTGAAGTAGCGCGGAGGACCTAG 7560

N V L N A R G E F K P A P S L N F I A A S W I  
OrfX

CAGTTCATGCTGATGACTGGGTGCAACACGGCCCCAACGCGGAAGCCAAACCGATCCAGGTGCCGCTSC  
GTCAAGTACCAGTAETGACCCAGCTTGTGCGGGGTTGCGGCTTCGGTTGGGTAGGTCCACGGCGACG 7630

O F H V H D W V E H G P N A E A N P I O V P L  
OrfX

3AL



18/46

ATGCCCTGGCCGSCATEGTGGCTCGACCAALCGAACAACACGGCGTGCCCTACACCTGACCGAGGA 8330  
TACGGGACCGCCGTAGCAGCGAGCTGGTGGGCTTGTTCATGCCGACGGGATGTGGGACTGGCTCCT  
H A L A G I V G S T N P N N Y G V P Y T L T E E  
Orfx

GTTCTGCGCGTCTACCGCATGCAACCGCTGATGCGCGACAAGGTGATGTCTACGACATGGCTCGAAC 8400  
CAAGCAGCGCCAGATGGCGTACGTGGGCGACTACGCGCTGTTCCAGCTACAGATGCTGTAGCCGAGCTG  
F V A V Y R M H P L M R O K V D V Y D I G S N  
Orfx

ATCATCGCGCGAGCGTGGCGCTGCAGGAGACCCGCGATGCCGACCGCGAGGAGCTGCTGGCGGACGAGA 8470  
TAGTAGCGCGCTGCGACGGCGACGCTCTGCGGCTACGGCTGGGCTCTCTGACGACCGCTGCTCT  
I I A R S V P L Q E T R D A D A E E L L A D E  
Orfx

ATCCCGAGCGCTGTGGTACTCTTCGGCATCACCAACCGCGCTGCTGACCTCAACAACACCGGAA 8540  
TAGGGCTCGCGGACCACTAGGAGCGCTAGTGGTTGGCGCGGAGCGACTGGAGTGTTCATGGCT  
N P E R L W Y S F G I T N P G S L T L N N Y P N  
Orfx

CTTCTGCGCAACCTGTCCATGCGCGTGGTGGCAACATGACCTGGCGGACCATGACGCTGCTGTGAG 8610  
GAAGGACGCGTGGACAGGTACGGCGACCGCGTTGTAGCTGGACCGCTGCTAGCTGACGACACCTG  
F L R N L S M P L V G N I D L A T I D V L C D  
Orfx

CGCGAGCGCGGGTGGCGGCTACAACGAGTTCGCGCGGAGATCGGCTCAACCGGATCAGCAAGTGG 8680  
GCGCTCGCGCGCGAGCGGCGATGTTCCTCAAGCGCGCGCTGACCGGAGTGGCGTGGTGGTGGTGG  
R E R S V P F Y N E F R R E I G L N P I T A L  
Orfx

AGGACCTGACGACCGACCGCGCGACCTGGCCAACTCAAGCGGATCTACGGCAACGACATGAGAGAT 8750  
TCCTGGACTGGTGGCTGGCGCGTGGGACCGCTTGGAGTTCGCTAGATGCGGTTGCTGAGCTGCTGA  
E D L T T D P A T L A N L K R I Y G N D I E K I  
Orfx

TGACACCTGGTGGCATGCTGGCGGAGACCGTGGCTCGGACGCTTGGCTTGGCGGAGACGGCTTC 8820  
ACTGTGGGACCGCGTACGACCGGCTCTGGCAGCGAGGCTGGCGAAGCGGAAGCGCTCTGGCGGAAG  
D T L V G H L A E T V R P D G F A F G E T A F  
Orfx

CAGATCTTCATCATGAACCGCTCGCGCGCGCTGATGACCGACCGCTTCTATACCAAGGACTACCGCGCG 8890  
GTCTAGAAGTAGTACTTGGGAGCGCGCGGACTACTGGCTGGCGAAGATATGGTTCCTGATGGCGCGCG  
O I F I M N A S R R L M T D R F Y T K D Y R P  
Orfx

3AN

19/46

AGATCTACACCCCGAGGGGCTGGGCTGGG. AGAACACACCATGGTGGACGTGCTAAACCCACAA 8960  
TCTAGATGTGGGGCTCCCGAACCGACCGCTCTGTGGTGGTACCAGCTGCACGAGTTTGGGGTGT  
E I Y T A E S L A W V E N T T H V D V L P H N  
Orfx

TCCGAGCTGTTACACAGCTGGTGGGCTGGAAACCGCTTCAACCGCTGGGGCTGACATCGGGCT 9030  
AGCGCTGACACAGTTGTTCGGACCAACCGACCTTTTSCGGAAGTTTGGGACCCCGAGCTTGTAGGGCGGG  
P D L V N S L V G V E N A F X P W G L V I P A  
Orfx

GACTACGAGAGTGGCGGGCAAGGCCAAGCAGGACAACTGTGGGTCAACGGCGGCTGGCGACCCAGT 9100  
CTGATGCTCTGACCGGGCGGCTTCGGGTTCGTCTGTGGACACCCAGTTGCCCGGACCGGTGGGTCA  
D Y E S W P G K A K D D N L W V N G A T P T D  
Orfx

ACGGCGAGGGGAGCTGGCGGGCTTCGGGGCTGGAGCTGGCGGGCTGATCAGTTGGGTGGTGGAA 9170  
TGGCGGGTGGGTGGAGCGGGCTTAAGCGGGGACCTGGAGCGGGGAGTAGTCAAGGGAGGACAGCTT  
Y A A G C L P A I P P I C A G G L I S S L W K  
Orfx

GAAGGTGACAGACAANTCCGAGCTGGCGGGCGGGCTAGGAGAAGGGCATGGACGGGATGGCGTATG 9240  
CTTCACGCTGTGTTAGGGTGGACCGGGCGGGGATGCTGTTCGGGTACGTGGGGTACGGTACTAC  
K V G T T S D V A P A G Y E K A M M P W S I W  
Orfx

GCCAAGGTCAAGTTCACCGGGCTGGCGGGGACCGCTACACCGGGCTTTCAGGGTGGGACAGGGGG 9310  
CGGTTCAGTTCAGGTGGCGGGGACGGGGCTGGGGATGTGGCGGGACAGGTTCACCGGGTGGGGGG  
A K V K F T A V P G H P V T S L F G S A D S S  
Orfx

TGCTGGCGCTGTGGGTGGCGGGGACCGGCAACCAACGGCTTCAGCGGGCTGGGGTGGAAAGGGCTT 9380  
ACGACCGGACAGGCAACCGGGCTGGGGCTGTGGTGGGAAGGTGGCGGGACAGCGGAGCTTGGGAA  
L L R L S V A G D P A T N G F D P G L A W K A F  
Orfx

CGTCACGGCAAGCGCTGCGAGAAGCTCTCCGGCTCTACACCGCTGAGCGGGGAGGGCAGCAACCAAC 9450  
GCAGCTGCCCTTGGGACGGCTTTCAGAGGGCGCGAGATGTGGGACTGCGCGCTGGGTGGTGTG  
V D G K P S D N V S A L Y T L S G G S S N H N  
Orfx

TTCTTCCCAACGAGCTGTGCGAGTTGCTCTGGCGGAGACCAACGATACCTGGGACCGAGCTGCTGT 9520  
AAGAAGCGGTTGGTGGACAGCTCAAGCAGGAGGGCTCTGGTGGCTATGGGACCGGTGGTGGAGACA  
F F A N E L S O F V L P E T N D T L S T Y L L  
Orfx

3 A0

20/46

TCTCGCTGGTCAAGCCGACCTTGTGCGCGTGGACGACATGGCCGAAGTGAACCCAGACCGGCCA 9590  
AGAGCGACCGAGTGGAGTTCCGCTGGAACGACGCGCACCTGCTGTACCGGCTTCACTGGGTCTGGCGGT

F S L V S L K P T L L R V D D M A E V T C T G D  
OrfX

GGCGGTGACTTGGTCAAGGCGCGGACGACATCTACTTCTGCGCAAGCCGAGCTGGCGAGCTGTTC 9660  
CEGCGACTGAGCGAGTTCGCGGGCTGGCTCTAGATGAAGCAAGGCTTCGGCTCGACCGCTGGACAAG

A V T S V K A P T Q I Y F V P K P E L R S L F  
OrfX

TCCAGTGGCGGCATGACTTCGCGAGCGACCTGACGAGCCTCACCGCGCGCACCAAGCTGTACGAGCTT 9730  
AGGTCAAGCGCGTACTGAAGCGCTGGCTGGACTGCTCGGAGTGGCGCGCGTGGTTCGACATGCTGCAGA

S S A A H D F R S D L T S L T A G T K L Y D V  
OrfX

ACGCTACCTCGATGGAGATCAAGACCTCGATCGCTGCGCTGACCAATCGTAGCTACGCGCGACCAAGCG 9800  
TGGATGGAGCTACCTCTAGTTCTTGGAGCTAGGACGCGAGCTGCTTAGCATCGATGCGGCTGCTTGGCG

Y A T S M E I K T S I L P S T V R S Y A Q D R R  
OrfX

CAACAGCGCGGTGAAGATCGCGGAGATGGAGCTGACCTGCGCTTCATCGGCTGCGCTTCGCGGACAA 9870  
GTTGTGCGCGACTTCTAGCGGCTCTACCTCGACTGGAGCGGCAAGTAGCGGAGCGGAGCGGCTGTTG

N S A V K I G E M E L S P F I A S A F S D N  
OrfX

GGGCTTTCTTCAAGCACCAGCGTCAAGACAAATAAGGGTCACTCCCTTCTGTAACAGCGCGCGCGCG 9940  
CCCCACAAGAAGTCTGTGGTGGCAGTGTCTGTCTTATTCGCGAGTAGGGAACGACTTCTCGCGCGCGCG

G V F F K H D R H E D K  
OrfX

TGCGCGCGCTTTTCTGCAAGCGCTTACGTGCATCACTTCTGCGCGAGGCTGTCTGCGCGCTGCAAA 10010  
ACGGCGCGGAAAAACAGTGGCGAATGCAGGTAGTGTGAAGACGCGTCCGACACGCGCGCGAGCTTT

ATCGGCACTGCAGTTTTTGGCGAAATCCGTTAACTTGGCGCGCTCGGCAATGCCATAAAAAACAAGAAC 10080  
TAGCGGTGACGTCAAAAACGCGTTTAGGCAATTGAACCGCGGAGCGGTACGGTATTTTGTGTCTCTG

AACAGCAAGATGGATCTTCTGTTCGGGGAACGATCCGCGCATGTCCACCGATACCCACGCGCGCTGAC 10150  
TTGTCTTCTACGTAGAAGACAAGCCCTTGGGTAGCGCGGTACAGGTGCTATGGGTGCGCGCGGACTG

M S T D T H A A L T  
XcpA

3AP



21/46

GGCTCCGCGCAAGCCCGCCCTTCGCGCCGCTGCCCTTCGCTTCGCGCAACGCCACGCGGTGCTGCTCCGC  
CCGAGGCGCTTCGCGCGGGAACCGCGGCGACCGGGAAGCGGAGCGGTTTCGCGTCCGCGACGACGACCGG  
A P A S P A L R P L P F A F A K R H G V L L P  
XcpR

GAGCCCTTCGCGCAGGTCCAGCTGCAGGTGCGCGCGCGTCCAGGCTGCGCGCGCTGCAGGAGGCGCGAGG  
CTCGGGAAGCGGTCCAGGTGCGAGCTCCAGCGCGCGCGCGCGGTGCGGACGCGCGCGCGAGCTGCTGCGGTCG  
E P F G D V O L O V R R G A S L A A V D E A D  
XcpR

GCTTCGCGCGCGCGGTGCTGCGCGTGCACGTGCGTGCAGCGCGAGGCGCTTCGAGCAGGAGCTGCGCGTGGC  
CGAAGCG  
R F A G R V L P L H W L E P E A F E D E L A L A  
XcpR

CTACAGCGCGCGAGCTGCTGCGAGGTGCGCGCGAGATGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG  
GATGCTGCG  
Y O R D S S E V R D M A E D M G A E L D L A S  
XcpR

CTGCGCGAAGCTGCTGCG  
GACCGCGCTTGGTGAGCGCGTTCG  
L A E L T P E S G D L L E D E D D A P L P L  
XcpR

TCAACGCCATGCTGCG  
AGTTGCGGTAGGAGTGCCTGCG  
I N A I L S E A I K A G A S D I H L E T F F P  
XcpR

CCTGCTGCTGCGCGCTTCGCGTGCAGGCGCTGCTGCGCGAAGTGCAGCGCGCGCGCGCGCGCGCGCGCGCG  
GGACCG  
L V V R F R V D G I L R E V I E P R R E L A A  
XcpR

CTGCTGCTGCTGCGCGGTCAAGGTGCTGCGCGCGCGTGCAGATGCGCGCGCGCGCGCGCGCGCGCGCGCGCG  
GACGACGAGAGCG  
L L V S R V K V M A R L D I A E K R V P D D S  
XcpR

GTAATTCGCTCAAGGTGCGCGGTGCGCGAGGTGGATATCGCGGTGCTGCGCGCGCGCGCGCGCGCGCGCGCGCG  
CATAAAGCGAGTTCAGCG  
R I S L K V G G R E V S I R V S T L P S A N G E  
XcpR

3AQ

22/46

R V / L R L L O K O A S R L S L I H L G M S E

R D R R L L D D N L R K P H G I I L V T C P T

G S G K T T T - Y A G L / T L N D R S R N I L T

V E C P : E V V L E G : 3 3 T O V N P P V C

T F A R C - R A I L R O D P O V V M V D E : P

00ETTACAVOASL - 3N14LE -

N S A V G A Y T R L V D M G V E P F L L S S

L L G V L A O R L V R V L C V H C R E A R D 1

D A A E C G L G L O P H S O P L : Y H A X G C

3-AR

23/46

CCCGGAGTCCACACAGCAGGGCTACCGCGGCGTACTGGCATCTACGAGCTGGTGTATCTTCAGCACCAG 11480  
GGGCTTCACGGTGGTGGTCCGATGGCGCGGCGATGACCGTAGATGCTCGACCACTAGAAGCTGGTGGTC  
P E C H O O S Y R G R T G I Y E L V I F D O O  
XcpR

ATGGCGACCCCTGGTGCACACGGCGCGGTGAGCAGGAGCTGATTCGCCACGCCCGCAGCCTGGCCCGA 11550  
TACGGCTGGGACCACTGTTCGGCGGCGCACTCGTCTCGACTAAGCGGTGGGGCGTGGGAGCGGGCT  
M R T L V H N G A G E O E L I R H A R S L S P  
XcpR

GCATCCGGACATGGCGCGGCAAGGTGCTGGAAGGGGTGACCAGCCTGGAAGAAGTGTTCGGCGTGAC 11620  
CGTAGCGCTGCTACCGGCGCGTTCACGACCTTCCCACTGGTCGGACCTTCTTCAACCGGCACTG  
S I R D O G R R K V L E G V T S L E E V L R V T  
XcpR

CCGGGAAGACTGATGGCGCGCTTCGAATACATCGCCCTGGATGCCAGGGCGCGCAGCAGAAAGGGCTGC 11690  
GGCCCTTCTGACTACCGCGGGAAGCTTATGTAGCGGGACCTACGGTCCCGCGCGGTGGTCTTCGGCGAGG  
R E O  
XcpR

M A A F E Y I A L D A R G R O D K S V  
XcpS

TGGAGGGCGACAGCGCCCGCAGGTGGCGAGCTGCTGCGCGACAAACAGTTGTGGCGGTGGAGTGA 11760  
ACCTCCCGGTGTTCGGCGGCGGTTCACGCGGTGACGAGCGGTGTGTGTCACAGCGCGGAGGTGAGCT  
L E G G S A R O V R O L L R D K O L S P L D I E  
XcpS

GCCTGTACAGCGCAGGGAGCAGGCGGAGGCTGGTGGCTTCAGCTGCGCGCTGGCTGTGGCGCGCGAC 11830  
CGGCGATGTGGCTGGCTGGGCTCGACCAAGTGGAGCGCGGAGCGGAGCGGAGCGGCGGCGGCTG  
P V G P R E D A E A G G F S L R R G L S A R D  
XcpS

CTGGCGCTGGTACCGCTGAGTGGCGACCCCTGATCGGCGCGCGCTGCGCATCGAGGAAGCGGTGGCG 11900  
GACCGCGACAGTGGGAGTGGACCGCTGGGACTAGCGCGCGCGGAGCGGTAGCTCCTTCGCGACGCGC  
L A L V T R O L A T L I G A A L P I E E A L R  
XcpS

CCGCCCGCGCGAGTGGCGCGAGCGCGCATCCAGTCGATGCTGTTGGCGGTGGCGCGCAAGGTGCTCGA 11970  
GGCGCGCGCGGTGACGGCGGTGGCGCGGTAGGTGAGTACGACAACCGCGCACGGCGGTTCACGAGCT  
A A A A O S R O P R I O S M L L A V R A K V L E  
XcpS

GGGCCACAGCTGGCCAAAGCGCTGGCTCTTACCGCGCGCGCTTCCCGAGCTGTACCGCGCGACGGTG 12040  
CCCGGTGTGGACCGGTTCGGGACCGGAGGATGGCGCGCGGAAGGGGTGACATGCGCGGTGGCAC  
G H S L A K A L A S Y P A A F P E L Y P A T V  
XcpS

3AS

24/46

CGGGCCGGGAGCATGCGGGGCACTGGCGCLGCTGCTGGAGCAGCTGGCCGACTACACCGAGCAGCGCC 12110  
CGCCGGCCGCTCGTACGCCCGCTGGACCGCGGCCAAGACCTGCTGACCGGCTGATGTGGCTGCTGCGGG  
A A G E H A G H L A P V L E O L A D Y T E O R  
XcpS

AGCAGTCGGGGCAGAAGATCCAGATGGCGCTGCTTACCGGCTGATCTGATGCTCGCTTCGCTGGGCAT 12180  
TCGTACGCGCGCTCTTCTAGGTCTAECGGAAGAGATGGGCCACTAGGACTACGAGCGAAGCGACCCGTA  
O O S R O K I O M A L L Y P V I L M L A S L G I  
XcpS

CGTCGGTTTTCTGCTCGGCTACGTGGTGCCGGATGTGGTGCGGGTGTTCGTGCACTCCGGGCAGACCCCTG 12250  
GCAGCCAAAAGACGAGCGATGCACACGGCCTACACCAAGCCCAAGCAGCTGAGGCCCGCTGTGGGAC  
V G F L L G Y V V P D V V R V F V D S G O T L  
XcpS

CGGGCGCTGACCGCGGGCTGATTTCTCTACGCGAGCTGGTCAAGTCTGGGGCGCCCTGGCCATCGTCC 12320  
GGCCGCGACTGGCGCGCGGCTAAAGGAGTCTCTGACCGAGTTCAGGACCCCGGGGACCGGTAGCAGG  
P A L T R G L I F L S E L V K S W G A L A I Y  
XcpS

TGGGGTGCTCGGCGTGTCTGCTTTCGCGCGCTTGGCGAGCGAGGATCTGGCGCGCGCTGGCATGC 12390  
ACCGCCACGAGCGCGACGAGCGGAAAGCGCGCGGACCGCTGCTCTAGACGCGCGCGGACCGTAGC  
L A V L G V L A F R R A L R S E D L P P P A A A  
XcpS

CTTCTGCTGCGCGTGGCGCTGGTGGGTGGGTGATCGCGCGCGCGGAGCGCGCGCTTGGCGCGCGG 12460  
GAAGGACGAGCG  
F L L R V P L V G G L I A A T E T A R F A S T  
XcpS

CTGGCCATCTTGGTGGCGAGCGCGGTGCGCACTGGTGGAGCGCGCTGGCGATCGCGCGCGCGCGCGCG 12530  
GACCGGTAGGACCG  
L A I L V R S G V P L V E A L A I G A E V V S  
XcpS

ACCTGATCATCGCAGCGAGCTGGCCCAAGCCACCGCGCGCTGGCGAGGGCGCGCGCGCTTGGCGCGCG 12600  
TGGACTAGTAGGCGTCTGCTGACCGGTGCGGTGGGTGCGCGACCGCGCTCGCGCGCTCGGACAGCGCGCG  
N L I I R S D V A N A T O R V R E G G S L S R A  
XcpS

GCTGGAAGCCAGCGCGCGCTTTCGCGCGATGATGCTGACATGATCGCGAGCGCGCGCGCTTTCGCGCGAG 12670  
CGACCTTGGGTGCGCGCGCTAAAGGCGCGCTACTACGAGGTGCTAGCGGTGCGCGCTCGCAAGGCGCGCTC  
L E A S R Q F P P M L H M I A S G E R S G E  
XcpS

3AT

25/46

3AV

26/46

3 AV

27/46

GACCTTCGCCACCTGGCTGSCGGACAACCGCCTGCAGGAGCTGCAGCTGSCCGACGTGCGCGCGGGGAG  
CTGGAAGCGGTGGACCGACCGCCTGTGGCGGACGTCTCTGACGTGACCGGCTGCACCGCGCGCGCTC

14000

T F A T W L A D N R L Q E L O L A D V P P S E  
XcpV

GGCGCGGAGCAGCGCGAGGAGGTACGCGCGCGCGCGCTGGCTGTGGCAGAGCGAGGTGCAGGCCACCA  
CCGGCGCTGCTCCCGCTCTCTCGATGCGGCGCGCGCGGACCGACCGCTCTCGCTCCACGTCCCGTGGT

14070

G R E O G E E S Y A G R R W L W O S E V O A T  
XcpV

GCGAGCGGAGATGCTGCGTGTACCGTACGGGTGGCGCTGCGGCGGAGCGCGGCTGCAGGGCAAGAT  
CGCTCGGCTCTACGAGCGACAGTGGCATGCCACCGGAGCGCGGCTGCGGCGGAGCTCCCGTCTTA

14140

S E P E M L R V T V R V A L R P E R G L O G K I  
XcpV

CGAAGACCATGCCCTGGTGACCTGAGTGGCTTGGTGGGGTGGAGCCATGAGGCAGCGCGGCTTCAACC  
GCTTCTGGTACGGGACCACTGGGACTACCGAAGCAGCCCGAGCTGGTACTCGCTGCGCGGAGTGGG

14210

E D H A L V T L S G F V G V E P  
XcpV

M R O R S F T  
XcpW

TGCTGGAAGTGGTGATGCCATGCGCATCTTCCCGTGGTGGCCATGGCGACCTACCGCATGGTGACAG  
ACGACCTTCACTAGCGGTAGCGGTAGAAGCGGAGCGGCTACCGGTGGATGGCGTACGAGCTGTC

14280

L L E V L I A I A I F A L L A M A T V R M L D S  
XcpW

CGTGCTGCAGACCGATGCTGGCGAGCGCGAGGAGCGAGCGTCTGCGGAGCTGAGCGCGCGCATGGCA  
GCAAGAGCTGTGGTAGCGCGGTGCGGTGCTGCTGCTGCGAGAGCGCTGAGCTGCGCGCGGTACCGT

14350

V L C T D P G O R D D E O R L R E L T P A M A  
XcpW

GCTTTCGAACGCGACCTGCTGCGGTGGCGCTGGCTGGCGGACCGCTGGCGGAGCTGGTGGCAG  
CGAAGAGTGTGGCTGGAAGAGCTCACGCGGAGCGAGGCAAGCGCTGGCGGAGCGCTGGAGCGAGCTC

14420

A F E R D L L O V R L R P V R D P L G O L L P  
XcpW

CCCTGCGCGCAGCAGTGGCGCGGACCCAGCTGGAGTTCACCCGAGCGGCTGGCGCAACCGCTCGG  
GGGACCGCGCGCTGTCACCGCGCTGTGGTTCAGCTCAAGTGGCGCTGCGGAGCGCGTGGCGGAGCTC

14490

A L R S S S G R D T O L E F T R S S W R N P L S  
XcpW

CCAGCGCGCGCGCACCTACAGCGGCTGCGCTGGCAGCTCGAAGCGGAGCGCTGGCAGCGCGCTTACTGG  
GGTGGCGCGCGGTGGGATGTGCGCCACGCGACCGTCSAGCTTCCGCTGCGGAGCGCTGGCGGAGTACC

14560

O P R A T L O R V R W O L E G E R W O R A Y W  
XcpW

3AW

28/46

ACGGTGGTGGACGAGGCCCCAGGACGCEAGC .GGGTGCAGCAGGCGGTGGATGGCGTGGCGCGCTTCG 14600  
TGCACGACCTGCTGCGGTGCTGCGGTGCGGCGCCACGCTGCTGCGGACCTACCGACGCGCGGGAAGC  
T V L D D A D D S O P R V O O A L D G V R R F  
XcpW

ACTTGGCGCTTTCTGACGAGGAGGGGCGCTGGCTGCAGGACTGGCGCGCGGCAACAGTGTGCGGACGA 14700  
TGAACGCGAAAGAGCTGGTCTCTCCCGGACGCGACGCTCTGACCGCGCGCGGCTTGTACGACGCGTGT  
D L R F L D O E G R W L O D W P P A N S A A D E  
XcpW

GGCCCTGACCCAGCTGCGCGGTGCGCTGAGCTGGTGTGAGCAGCGCCATTACGGTGAACGCGCGCT 14770  
CGGGGACTGGGTGACGCGCGCAGGCGACGCTGACGAGCAGCTCGTGGCGGTAAATGCCACTTGACGCGGCA  
A L T O L P R A V E L V V E H R H Y G E L R R  
XcpW

CTCTGGCGCTTCTGCGAGATGCGGCGAGGAAAGATCAEGCGCGCGGGGCGGAGCAGGCGCGTGAAGC 14840  
GAGACGCGGAAGCGGCTCTACGGCGTGTCTCTGTCTAGTGGCGCGGGCGCGCGCTGCTGCGCGGACTCG  
L W R L P E M P O O E O I T P P G G E G G E  
XcpW

TGCTGCGGGAAGAGCGGAGCGCGGAGGCGATGAGCGCGGAGCGCGCGTGGCACTGATACCGTGTCTGTG 14910  
ACGACGCGCTTCTGCGGCTGCGGCTCGGTACTGCGGCGTCTGCGCGGAGCGGTGACTAGTGGCAGCAGAC  
L L P E E P E P E A  
XcpW

M S R O R S V A L I T V L L  
XcpX

GTGGTGGCGCTGCTGACCGTGGTGTGCGGCGCGCTGTGCTGCGGCGAGGAGCTGCGCATGCGGAGGCG 14980  
CACCACGCGGAGGAGTGGCAGGAGCGCGCGGAGGAGGAGCGCGGTGCTGAGCGGAGGAGGCTGCTGCG  
V V A L V T V V C A A L L L R O O L A I R S F  
XcpX

GCAACGAGCTGCTGCTGCGGAGGCGGAGTACTACGCGGAAGGCGGCGAGTGTGCGCAAGGCGCTGCT 15050  
CGTTGGTGCAGGAGGAGCGGCTCGGGTCTGATGCGGCTTCCGCGGTGCGGAGGCGGTTCGCGGAGGA  
G N O L L V R O A O Y Y A E G G E L L A K A L L  
XcpX

GGCTGCGGAGCTGCGCGGCGGAGGAGTGTGCGGATGCGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 15120  
CGCAGCGCTGCGGCGGCGGCTGGTCCAGCTAGTAGGCGCGCTCGGAGCGGCTTGGGCGCGGAGCGGAG  
R R D L A A D O V D H P G E P W A N P S L R F  
XcpX

CCCTGGATGAGGCGGCGGAGGAGTGTGCGGCTGCGGATGCGGAGGAGGAGGAGGAGGAGGAGGAGG 15190  
GGGAGCTACTGCGGCGGCTGCGGCGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG  
P L D E G G E L R L R I E O L A G R F N L N S  
XcpX

3AX







31/46

CCTGGCCAGGGCCCTTTCCSCCGTCGGA. TTCCGGCCAGTGGCAGCGCTGGCGGCCGCTGGCGGGG 16520  
GGACCGGGTCCCGGAAAGCGGCGAGCGCTCGGAAGGCGGTCACCGTCGCGACCGCGCGGACCGCCCC  
L A O G P F A R R E P S G O W O R W R P L A G  
XcpY

CTGCTCGGTCTCTGGCTGGTGTGCAKTTGGGCTTCAACCTTGCCGANGGCTGGCAGCTGCAAGCGGAGG 16590  
GACGAGCCAGAGACCGACCGACGCTMACCCGGAAGTTGGAACGGGTNCCGACCGTCGACGTCGCGCTCC  
L L G L W L V L ? W G F N L A ? G W O L O R E  
XcpY

GTGAACGCTATGCCGTGGCCAAACGAGGCGCTGTATCGCGAGCTGTTCCCGAGGATCGCAAGGTGATCAA 16660  
CACTTGGGATACGGCACCGGTTGCTCCGCGACATAGCGCTCGACAAGGGGCTCCTAGCGTTCCACTAGTT  
G E R Y A V A N E A L Y R E L F P E D R K V I N  
XcpY

CCTGGCTGGCAGTTGCAACAGCACCTGGCCGAGGCGGCTGGGAGCGGCGAGCCAGTTCTGGCCCTG 16730  
GGACGCAACGGCTCAAGCTGGTGGTGGACCGGCTCCCGCGACCGCTCCCGGCTCTCGGTCAACGACCGGAC  
L R A O F O O H L A E A A G S G O S O L L A L  
XcpY

CTCGATCAGGCGCGCGGCCATCGGCGAAGGGGGGCGEAGGTGCAGGTGGATCAGCTCGACTTCAACG 16800  
GAGTAGTCCCGCGCGCGGCTAGCGGCTTCCCGCGCGGCTCCACGTCACCTAGTCGAGCTGAAGTTGC  
L O O A A A A I G E S G A O V O V O D L O F N  
XcpY

CCCAGCGTGGCGACCTGGCCTTCAACCTGCGTGGCAGCGACTTCCCGCGGCTGGAAAGCTTCCCGCGCG 16870  
GGGTGGCACCGCTGGACCGGAAGTTGGACCGACGGTGGCTGAAGCGCGCGGACCTTCCCGACCGCGCGCG  
A O R G O L A F N L R A S D F A A L E S L P A P  
XcpY

CCTGCAGGAGCGCGGCTTGGCGTGGACATGGGCTCGGCGAGCGCGGAGGACAAAGGCTGAGTGGCGCG 16940  
GGACGCTCTCCGCGCGGACCGCACCTGTACCCGAGCGGCTGGCGCTCTCTGTGCGCGAGTCAAGCGCG  
L O E A G L A V D M G S A S R E D N G V S A R  
XcpY

CTGGTGATCGGSGTAACGATGAACGGCTTGCTCATGCAATGGCAAGCGCGCTGGCGCAGAACCTTT 17010  
GACCACTAGCCCCCATTTGCTACTTGGCGGACGAGTACGTTACCGTTCCGCGGACCGCGCTTTGGGAAA  
L V I G G N G  
XcpY

M N G L L M Q W O A R L A O N P L  
XcpZ

GATGCTGGGCTGGCAGGCGCTGGCGCACGCGACCGGCTGGCGCTGGGCTGCTGCTGCTTCTCTTT 17080  
CTACGACCGGACCGTCCCGGACGGCGGTGGCGTGGCGACCGGACCGGACGAGCGAGCGAAGGACAAC  
M L R W O G L P P R D R L A L G L L A A F L L  
XcpZ

3BA

32/46

CTGGTGTGCTGTACCTGTTGCTGTGGGGL 3TCAGCCAGAACCTGGAGCGGGCGCGGGCTTCTGCTGC 17150  
GACCACGACGACATGGACAACGACACCGCCGCGCCAGTCGCTCTTGGACCTCGCCCGCGCGCGGAGGACG

L V L L Y L L L W R P V S D N L E R A R G F L  
XcpZ

AGCAGCAGCGTACGCTGCACGCCCTACCTGCAGGAGCATGCACCGCAGGTGCGGGCACGGCAGGTGCGACC 17220  
TCGTGCTGCGATGCGACGTGCGGATGGACGTCCTCGTACGTGGCGTCCACGCCCGTGCCTCCAGCGTGG

Q Q Q R T L H A Y L O E H A P O V R A R Q V A P  
XcpZ

GCAGGCCAGTATCGAGCCTGCGCGCTGCAGGGGTTGGTGACCGCCAGTGCGCCAGCCAGGGGCTGAAT 17290  
CGTCCGGTCATAGCTCGGACGGCGGACGTCCECAACCACTGGCGGTACGGGCGGTGCGTCCCGGACTTA

O A S I E P A A L O G L V T A S A A S O G L N  
XcpZ

GTCGAGCGTCTGGACAACGAGGCGATGGTGGCTGCAGGTGAGCCTGCAGCCGCTCGAGTTGCGCCGTC 17360  
CAGCTCGCAGACCTGTTGGTCCCACTACCAACGGACGTCCACTCGGACGTGCGCCAGCTCAAGCGGGCAG

V E R L D N O G O G G L O V S L O P V E F A R  
XcpZ

TGCTGCAGTGGCTGGTGAGCCTGCAGGAGCAGGGCGTGCSCGTGGAAGAGGCGGCTCGGAACGTGCGA 17430  
ACGACGTCAACGACCACTCGGACGTCTCTGTCGCCGACGCGCAGCTTC TCGGGCCAGACCTTGCACGGCT

L L O W L V S L O E O G V R V E E A S L E R A D  
XcpZ

CAAGGGGCTGGTGAGCAGCCGCTGCTGCTGCGTGCCGTTGAGCCCGGCTGCACCAGGCGAGTGCCTCG 17500  
GTTCCCGGACCACTCGTCCGCGGACGACGACGCGGCAACTCGGCGGACGTGCTCCGCTCAGGACG

K G L V S S R L L L R A S  
XcpZ

GCACTCGCGCGGAGCATCTGGAAAACCGTCCGCGAAGAAAAATTCAAGCAGGCTGTGACTTAGCTATG 17570  
CGTGAGCGCGCTGTAGACCTTTTGGCAGGCGCTTC TTTTAAAGTTCGTCCCACTGAATCGATAC

←

ACCTCTNCGTCAATTGCGCGCCTCGCANGCTAACGGGTGGAT 17612  
TGGAGANGCAGTTAACGCGCGGAGCGTNCGATTGCCGACCTA

3 BB

33/46

GAATTCGCGCGGAGCTGGCCCAAGCCGCTGGGCGCGGTGACCGCACAGAAGGAAGTGGAGCGTGCCTGC  
CTTAAGCGCGCGGTGACCGGTTCGGCGACCGCGCCACTGGCGTGTCTTCTTCACTTCCACGGGAGC

SCGACCTGCACCTGCGCTTGCAGAGCGCGTCCCTACGCGCTGCGCGGTCTGCGCGACCGCATCGAGGC  
CGCTGGACGTGGACGGGAAGCTGCTGCGCGCAGGGATGCGGGACGCGGCAGACGCGCTGGGTAGCTCG

CAATCTCTCGCGCTGATGGGCCCCAGCGTGGCCCGAGACATGCTGGAAACCTTCTTCCCTACAAGGCC  
GTTAGAGAGCGCGGACTACCGGGGTGCGACCGGGTCTGTACCACTTTGGAAGGACGGGATGTTCCGG

GGCAGCGAGGCCATGTGACGGAAGACATCCACTTCATCGAGAGTGGCTGGAGGATTACGAGTCGCGCC  
CCGTCGCTCCGGATACAGTCCCTTCTGTAGGTGAAGTAGCTCTCAGCGGACCTCTTAATGGTCAGCGCGG

|-----|

TCACCGCGCTGCGCGCGGAGCTCGACGCGGTGCGCGCTTCCACCGCGAGACCGTGGAGGAAGTCCGAT  
AGTGGCGCGACCGCGCGGTGAGCTGCGCGACCGCGCGGAAGGTGGCGGTCTGGAGCTCTTGAAGGCTA

M

GGCGGTATGTTCCCTGCGCAAGGACCGGAAGTCTGATGTGGAAACCGCGCGCATGGAGGAAGTACCGGG  
CCCGCATACAGCGACCGGTCTCTGCTCTTCAAGACTACAGCTTGGCGCGGTACCTCTTGAATGGCGG

G V C S L A K D O E V L M W N R A M E E L F S  
LpO

ATCAGCGCGCAGCGGTGGTGGGTGCGCGCTGCTGAGCGTGGAGCACCGCTGGCGCGAGCTTCTGAGG  
TAGTGGCGCGGTCTTCAACGCGGAGCGGGAGCGAGTGGAGCTCTTGGGACCGCGGTGAGCGAGCTTC

I S A Q O V V G S R L L S L E H P W R E L L D  
LpO

ACTTCATCGCGCGAGGAGGAGCACCTGCACAAGCAGCACCTGCAACTGGACCGCGAGGTGCGGTGGCT  
TGAAGTAGCGGGTCTCTGCTCTTCTGAGCTGTTCTGCTGAGCTTGACCTGCGCTCCACGCGAGCGA

D F I A Q D E E H L H K O H L O L D G E V R W L  
LpO

CAACCTGCACAAGCGCGCATCGACGAACCGCTGGCGCGGGCAACAGCGCGCTGCTGCTGCTGCTGAG  
GTTGGACGTGTTCCGCGGTAGCTGCTTGGCGACCGCGCGCGCTTGTGCGCGGACCGACGACGAGCTC

N L H K A A I D E P L A P G N S G L V L L V E  
LpO

GACGTCACCGAGACCGCGGTGCTGGAAGACGAGTGGTGCACCTCGAGCGCTTGGCGAGCATCGCGCGC  
CTGCGAGTGGCTCTGGCGCGACGACCTTCTGCTGAGCACGTGAGGCTCGAGACCGGTCTGAGCGCGCG

D V T E T R V L E D O L V H S E R L A S I G R  
LpO

4A



35/46

SCGTGACCCCTGCCGCGCTATGTGGAAGCGAL...CCACAGCGACCTGAGTAGTGACCTAGAACCSCCGAGG 1400  
CGCACTGGGACGCGCGGATACAGCTTCGCTGCAGGTGTGCTGGACTCATCACTGGATCTTGGCGGCTCC

R V T L P R Y V E A T S T A T  
LpD

GGCCACAAGCCCGCGGATTCCGAGACCGTCGAGAGAACACAATGCCGCATATCCTCATEGTCGAAGACG 1470  
CCGCTGTTCGGGCCGCTAAGCCTCTGGCAGCTCTCTTGTGTACGGCGTATAGGAGTAGCAGCTTCTGC

M P H I L I V E D  
LpR

AAACCATCATCCGCTCCGCCCTGCGCCGCTGCTGGAACGCAACCACTACCAGGTACGCGAGGCGGTTTC 1540  
TTTGTAGTAGCGAGGCGGGACGCGCGGACGACCTTGGCTTGGTCATGGTCCAGTCGCTCCGGCCAAG

E T I I R S A L R R L L E R N O Y Q V S E A G S  
LpR

GGTTCAGGAGGCCAGGAGCGCTACAGCATTCGACCTTCGACCTGGTGGTCAGCGACCTGCGCCCTGCC 1610  
CCAAGTCTTCGCGCTCTCGGATGTCTGAAGGTGGAAGCTGGACCACCACTGCTGGACGCGGACGGG

V D E A O E R Y S I P T F D L V V S D L R L P  
LpR

GGGCCCCCGGCAACCGAGCTGATCAAGGTGGCGACGGCACCCCGGTACTGATCATGACCAGCTATGCCA 1680  
CCGCGGGGGCGCTGGCTCGACTAGTTCGACCGCTGCCGTGGGGCATGACTAGTACTGGTCGATACGCT

G A P G T E L I K L A D G T P V L I N T S Y A  
LpR

GCCTGCGCTCGGCGGTGGACTCGATGAAGATGGCGCGGGTGGACTACATCGCCAAGCCCTTCGATCAGCA 1750  
CGGACGCGAGCCGCCACCTGAGCTACTTGTACCGCGCCACCTGATGTAGCGGTTCGGGAAGCTAGTGGT

S L R S A V D S H K M G A V D Y I A K P F D - D  
LpR

CGAGATGCTCCAGGCGGTGGCGGTATCCTGCGCGATCACCAGGAGGCAAGCGCAACCGCGCAAGCGAG 1820  
GCTCTACGAGGTCCGCGACCGCGCATAGGACGCGCTAGTGGTCTCCGGTTCGCGTTGGCGGGTTCGCTC

E M L O A V A R I L R D H O E A K R N P P S E  
LpR

GGCCCCAGCAAGTCCGCGGCAAGGGCAACGGCGCCACCGCGAGGCGAGATCGGCATCATCGGCTCCT 1890  
CGCGGGTCGTTACGGCGGCGTTCCCGTTCGCGCGGTGGCGGCTCCCGCTTAGCCGTAGTAGCCGAGGA

A P S K S A G K G N G A T A E G E I G I I G S  
LpR

GGCGCCCATGCAGGACCTTACGGCAAGATCCGCAAGGTGCGTCCACCGATTCCAACGTACTGATCCA 1960  
CGCGGGGTACGTCCTGGAAATGCCGTTCTAGCGGTTCCAGCGAGGGTGGCTAAGGTTGCATGACTAGGT

C A A M Q D L Y G K I R K V A P T D S N V L I O  
LpR

46

P G N V R E L E N A I E R A V I L C E G A E I



37/46

CGCCGAGCTGCTGGGCATCGACATCGAGCTJ...CGACCTGGAGGACGGCGACTTCGGCGAACAGCCACAG 2660  
GCGGCTCGACGACCCGCTAGCTGTAGCTGACCTGCTGGACCTGCTGGCGCTGAAGCCGCTTGTGGGTGTC

A E L L G I D I E L D O L E O G O F G E O P O  
LpR

CAGACCGCGGCCAACCAAGAACCGACCGAGGACCTGTGCTGGAGGACTACTTCEAGCACTTGTACTGG 2730  
GTCTGCGCGCGGTTGGTGCTTGGCTGGCTTCTGGACAGCGACCTCTGATGAAGGTCGTGAAGCATGACC

O T A A N H E P T E D L S L E D Y F O H F V L  
LpR

AGCACCGAGATCAGATGACCGAGACGAACTGGCGCGCAAGCTCGGCATCAGCCGCAAGTGCCTGTGGGA 2800  
TCGTGCTCTAGTGTACTGCTCTGGCTTGACCGCGGCTTCGAGCGGTAGTCGGCGTTCACGGACACCCCT

E H O D H M T E T E L A R K L G I S R K E L W E  
LpR

GCGCGCTCAGCCCTCGGCATTCCGCGGCGCAAGTCGGCGCGCGGACCGGCTCTGAACGGGACGAAGC 2870  
CGCGGCAGTCGCGGACCCGTAAGGCGCGCGGCTCAGCGCGCGCGGCTGGCGGAGGACTTCCCTGCTTGC


R R O R L G : P R R K S G A A T G S  
LpR

GTGACAGGCTTCCCGCAAAAGGTTCCGCGCTGTTACCCCGCACAAATATCGCGTAACAAAAGCGGGT 2940  
CACTGTCCGAGCGGCGGTTTCCAAAGCGCGGACAATGGCGGCTGTTTATAGCGCATTTCTTCCGCGCA

TCATCGGTAACGGGAACCGGCTTTTTTCTGCGCGCGCGCGCGCACCAAAAAATCATAACTGTTGAAAA 3010  
AGTAGCCATTGCGCTTGGCGCGCAAAAAAGACGGCGCGCGCGGCTGTTTATAGTATTGAGTAAGTCTTT



CAAGGAATTACAAAAACTGGCAGGCTTCTGCTTTATCTCTGGCACAACAACAATTAACAAGGCTCGAAAC 3080  
GTTCTTAATGTTTGGACCTGCCGAAGACCAATAGAGACCGTGTGTTGTTATGTTTGGAGCGTTTG



CTCAACAATAAAAAACAATACAGAACGACTCCAGCACAAACAAAAACAACGCGGAGGCGGACCTAACTG 3150  
GAGTTGTTATTTTGTATGTCTTGGCTGAGGTGCTGTGTTTTGTTGTTGCGGCTCCGCGTCGATTGAC



ATTCTTTTGGAGGAGATTGCGCTTGGGCTTCGCGCCACAACCGGCGGAGAACAAAACTGCACTA 3220  
TAAGAAAACCTCTCTAAACGGGAACCCCAAGCGGGGTGTTGGTGGGCTCTTGTGTTTTGAGCTGAT



4E

38/46

3290  
3AGCAGCGCCTGCACTGGTTGGGTCATGGAA TCAAGGCAGCATCAGCATCCAAAGCAATCCGTTTGC  
TTGCTCGCGGACGTGACCAACCCAGTACCTTACTAGTTCGGTCTAGTCGTAGGTTTCTGTAGGCAAAAG

3360  
TCCTGGTACCGGATTTGGGCTACCTGAAACGGGCTACAACAAAAACAACAGGCGGCACAATAATAAAA  
AGGACCATGGGTAAACCCGATGGACTTTGCCCGGATGTTGTTTTTGTGTCTCGGCGGTATTATTATT




3430  
ACAAAGCAGCACCTATTTGGGGGGAGETTEGGCTCCCCCAGTAGETTCACCCACCTCCEGTTCCECA  
TGTTTCGTGGGTGATAAACCCCGCTTGAAGCCGAGGGGTCATCGAAGTGGGGTGGAGCGCAAGGGGT

orfV

3500  
GCTGCGCTTTTCACCATCCCGCTTCCCGATGCTAGAATCCGCGCAATCCTCGGCGATCTGCAATTGT  
CGGACGGAAAAGGTGGTAGGGGAAGGGCTACGATCTTAGGCGCGGTAGGACCGCGCTAGAGCTTAACA

3570  
GGCCGCCTATTCTGCAAAACAGTGCATCCCATGCTGAAAAGGTGTTCAAGTGGTTTGGTTACCTCTCA  
CEGGCGGATAAGGACGTTTGTACGTAGGGTACGACTTTTTCACAAGTTCAGCAAAAGCAAGTGGAGGT



3640  
AGCGCCAAGCACGCCCCCGCAGCAGCGCGGAAGTTCTCGGCGCGCGCGCAGCATTCCTGCAAGCGAGCCA  
TCGCGGTTCTGTCGGGGGGCTGCTGCGGCTTCAAGAGCGCGCGCGGTCTGAAGGAGCTTGGTGGGT

K R Q A R P R S T P E V L G P P D H S L D F S Q  
OrfZ

3710  
GTTACGCGCAATGCGSTAACGTGGTGGAGCGGCTCAGAACGCGCGCTACCGGCTTCTGGTGGG  
CAAGTCGGGCTTACGCCATTTGACCACTCGCGGAGCTTTGCGCGCGATGGTGGGATAGACCGCGG

F S R N A V N V V E R L D N A G Y D A L V S  
OrfZ

3780  
GGCTGCGTACGCGACCTGCTGATCGGCGTGCGCGCAAGGACTTCGACGTGGCCACCAGCGCGCGCGG  
CCGACGATGCGCTGGACGACTAGCGCGACGTGGGTTCTGAAGCTGCACCGGTGGTGGGCTGGGGG

G C V R D L L I G V D P K D F D V A T S A T P  
OrfZ

3850  
AGCAGGTGCGGCGGAGTTTCCCAACGCGCGGGTGATCGGCGCGCGCTTCAAGTGGCGCATGTGCATT  
TCGTCCACGCGCGGCTCAAAGCGTTGCGGCGGCACTAGCGGCGCGGAAGTTCGACCGGTACCGTAAA

E Q V R A E F P N A R V I G R P F K L A H V H F  
OrfZ

4F

39/46

GGCCGCGAGATCATCGAGGTGGCGACCTTCLACAGCAACCACCCGCGAGCGAGCGAGGAAGACAGC 3920  
GCCGCGCTCTAGTAGCTCCACCGCTGGAAGGTGTCGTTGGTGGCGCTCCCGCTGCTGCTCTTCTGTCTG

G R E I I E V A T F H S N H P Q G D D E E D S  
Oriz

CACCAGTCGGCCCGTAACGAGAGCGGGCGCATCTGCGCGACAACGTCTACGGCAGTCAGGAGAGCGATG 3990  
GTGCTCAGCGGGCATTGCTCTCGCCCGCTAGGACGCGCTGTTGCAGATGCCGTGCTCTCTCGCTAC

H O S A R N E S G R I L R D N V Y G S O E S D  
Oriz

CCCAGCGCGCGACTTCACCATCAACGCGCTGTACTTCGACGTCAGCGCGAGCGCGTGTGGACTATGC 4060  
GGGTGCGCGCGCTGAAGTGGTAGTTGCGGGACATGAAGCTGCAGTCGCGCTCGCGCACGACCTGATACG

A D R R O F T I N A L Y F D V S G E R V L D Y A  
Oriz

CCACGGGTGCACGACAJCEGCAACCGCCTGATCCGCGCTGATCGCGACCCCGAGCAGCGCTACCTGSA 4130  
GGTGGCGCACGTGCTGTAGCGGTTGGCGGACTAGGCGGACTAGCGCGTGGGGCTGCTCGGATGSACTT

H G V H D I R N R L I R L I G D P E D R Y L E  
Oriz

GACCGGTACGATGCTGCGCGCGTACGCTTCGCGCGCAAGCTGGACTTCGACATCGAGAAACACAGCG 4200  
CTGGGCGATGCGTACGACCGCGCGCATGGAAGCGCGGTTGACCTGAAGCTGTAGCTCTTTGTGTGG

D P V R M L R A V R F A A K L D F D I E K H S  
Oriz

CCGCGCGATCCGCGCGCTGGCGCGATGCTGCGCGACATCCCTGCCGCGCGCTGTTCGACGAGGTGCT 4270  
GGCGCGGCTAGGCGCGGACCGCGGCTACGACGCGCTGTAGGGACGGCGCGCGCAAGCTGCTCCACGA

A A P I R R L A P M L R D I P A A R L F D E V L  
Oriz

CAAGCTGTTCTGCGCGGTACGCGGAGCGCACCTTCGAAGTGTGCTCGAGTACGACCTGTTGCGCGCG 4340  
GTTGACAAGGAGCGGCGGATGCGGCTCGCGTGAAGCTTGAAGACGAGCTCATGCTGACAAAGCGGGG

K L F L A G Y A E R T F E L L L E Y D L F A P  
Oriz

CTGTTCCGCGCGAGCGCGCGCTGGAGCGGATC 4377  
GACAAGGCGCGGTCGCGGGCGGGGACCTCGCGCTAG

L F P A S A R A L E R D  
Oriz

45

40/46




FIGURE 5





FIGURE 6

figure 7



43/46




Figure 8

44/46

ATGCTGAAAAAGCTGTTCAAGTCGTTTCG...CACCTCTCAAGCGCCAAGCACGCCCCCGACACGCEGG 70  
TACGACTTTTTCACAAGTTTCAGCAAAGCAAGTGGAGAGTTTCGCGGTTCTGTCGGGGGGCTCGTGC GGCC  
M L K K L F K S F R S P L K R Q A R P R S T P  
AAGTTCTCGGCCCCGCGCCAGCATTCCCTGCAACGCAGCCAGTTTCAGCCGCAATGCGGTAACGTTGGTGA 140  
TTCAAGAGCCCGGCGCGGTCTGTAAGGGACGTTGCGTCCGGTCAAGTCGGCGTTACGCCATTTCACCACT  
E V L G P R O H S L O R S Q F S R N A V N V V E  
GCGCTGCAGAACCGCGCTACCAGGECTATCTGGTCCGGCGGTGCGTAACGCACCTGCTGATCGCGCTG 210  
CGCGGACGCTCTCGCGCGGATGGTCCGGATAGACCAGCCGCGACGCATGCGCTGGACGACTAGCCGCAC  
R L O N A G Y O A Y L V G G C V R D L L I G V  
CAGCCCAAGGACTTCGACTGGCCACCAGCGCCACCCCGAGCAGGTGCGGGCCGAGTTTCGCAACGCCC 280  
GTCGGGTTCCTGAAGTGCACCGGTGGTCCGGTGGGGGCTCGTCCACGCCCGGCTCAAAGCGTTGCGGG  
O P K D F D V A T S A T P E O V R A E F R N A  
GGGTGATCGGCGCGCTTCAAGCTGGCGCATGTGCATTTCCGCCGCGAGATCATCGAGGTGGCGACCTT 350  
CCCACTAGCCGCGCGGAAGTTGACCGCGTACACGTAAAGCCGGCGCTCTAGTAGCTCCACCGCTGGAA  
R V I G R R F K L A H V H F G R E I I E V A T F  
CCACAGCAACCACCGCGAGGGCGACGACGAGGAAGACAGCCACAGTCGGCCCGTAACGAGAGCGGGCGC 420  
GGTGTGTTGGTGGCGTCCCGTCTGCTCTCTCTGTCGGTGGTCAGCCGGCGATTGCTCTCGCCCGCG  
H S N H P O G D D E E D S H O S A R N E S G R  
ATCCTGCGCGACAACGTCTACGGCAGTCAGGAGAGCGATGCCACGCGCGCGACTTCACCATCAACGCCC 490  
TAGGACGCGCTGTTGCAGATGCGCTCAGTCTCTCGCTACGGGTGCGGCGCTGAAGTGGTAGTTGCGGG  
I L R D N V Y G S D E S D A O R R D F T I N A  
TGTACTTCGACGTCAGCGCGGAGCGGTGCTGGACTATGCCACGGCGTGACGACATCCGCAACCGCT 560  
ACATGAAGCTGCAGTCGCCGCTCGCGCACGACCTGATACGGGTGCCGACGCTGCTAGGCGTTGGCGGA  
L Y F D V S G E R V L D Y A H G V H D I R N R L  
GATCGCCTGATCGGCGACCCGAGCAGCGCTACCTGGAAGACCCGGTACGCATGCTGCGCGCGGTACGC 630  
CTAGCCGCGACTAGCCGCTGGGGCTCGTCCGATGGACCTTCTGGGCCATGCGTACGACGCGCGCATGCG  
I R L I G D P E O R Y L E D P V R H L R A V R

Fig. 9A



45/46




Fig. 9B

46146




Figure 10 : Regulation model for lipase in *P. alcaligenes*